



802.11b - Ant 3

Channel 11 (2462MHz)


100kHz PSD Reference Level



High Band Edge




Spurious Emission




802.11g - Ant 3

Channel 01 (2412MHz)


100kHz PSD Reference Level



Low Band Edge



Spurious Emission




Channel 06 (2437MHz)

100kHz PSD Reference Level



Spurious Emission




802.11g - Ant 3

Channel 11 (2462MHz)


100kHz PSD Reference Level



High Band Edge




Spurious Emission




802.11n-HT20 - Ant 3

Channel 01 (2412MHz)


100kHz PSD Reference Level



Low Band Edge




Spurious Emission




Channel 06 (2437MHz)

100kHz PSD Reference Level




Spurious Emission




802.11n-HT20 - Ant 3

Channel 11 (2462MHz)


100kHz PSD Reference Level



High Band Edge




Spurious Emission




802.11n-HT40 - Ant 3

Channel 03 (2422MHz)


100kHz PSD Reference Level



Low Band Edge




Spurious Emission




Channel 06 (2437MHz)

100kHz PSD Reference Level




Spurious Emission




802.11n-HT40 - Ant 3

Channel 09 (2452MHz)


100kHz PSD Reference Level



High Band Edge




Spurious Emission




802.11ax-HE20 - Ant 3

Channel 01 (2412MHz)


100kHz PSD Reference Level



Low Band Edge




Spurious Emission




Channel 06 (2437MHz)

100kHz PSD Reference Level



Spurious Emission




802.11ax-HE20 - Ant 3

Channel 11 (2462MHz)


100kHz PSD Reference Level



High Band Edge




Spurious Emission




802.11ax-HE40 - Ant 3

Channel 03 (2422MHz)


100kHz PSD Reference Level



Low Band Edge




Spurious Emission




Channel 06 (2437MHz)

100kHz PSD Reference Level




Spurious Emission




802.11ax-HE40 - Ant 3

Channel 09 (2452MHz)


100kHz PSD Reference Level



High Band Edge



Spurious Emission



A.6 Radiated Spurious Emission Test Result

Test Site	WZ-AC1	Test Engineer	Charles Zhang
Test Date	2022-08-02 ~ 2022-08-03	Test Mode:	802.11b
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dB μ V)	Factor (dB/m)	Measure Level (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Polarization
01	7545.0	38.2	8.1	46.3	74.0	-27.7	Peak	Horizontal
	10945.0	36.0	12.9	48.9	74.0	-25.1	Peak	Horizontal
	11582.5	36.8	12.2	49.0	74.0	-25.0	Peak	Horizontal
	7375.0	37.2	8.3	45.5	74.0	-28.5	Peak	Vertical
	9058.0	36.4	10.5	46.9	74.0	-27.1	Peak	Vertical
	11659.0	36.4	12.1	48.5	74.0	-25.5	Peak	Vertical
06	7502.5	36.8	8.1	44.9	74.0	-29.1	Peak	Horizontal
	8157.0	36.4	8.8	45.2	74.0	-28.8	Peak	Horizontal
	11489.0	35.5	12.7	48.2	74.0	-25.8	Peak	Horizontal
	7434.5	37.8	8.0	45.8	74.0	-28.2	Peak	Vertical
	8497.0	36.3	9.1	45.4	74.0	-28.6	Peak	Vertical
	11693.0	37.8	11.9	49.7	74.0	-24.3	Peak	Vertical
11	8403.5	35.9	8.9	44.8	74.0	-29.2	Peak	Horizontal
	10945.0	35.1	12.9	48.0	74.0	-26.0	Peak	Horizontal
	11497.5	35.3	12.8	48.1	74.0	-25.9	Peak	Horizontal
	8395.0	35.9	8.9	44.8	74.0	-29.2	Peak	Vertical
	11574.0	36.6	12.2	48.8	74.0	-25.2	Peak	Vertical
	12050.0	36.4	12.3	48.7	74.0	-25.3	Peak	Vertical

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC1	Test Engineer	Charles Zhang
Test Date	2022-08-02 ~ 2022-08-03	Test Mode:	802.11g
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	7647.0	37.5	7.9	45.4	74.0	-28.6	Peak	Horizontal
	8165.5	35.4	8.7	44.1	74.0	-29.9	Peak	Horizontal
	10885.5	35.9	12.8	48.7	74.0	-25.3	Peak	Horizontal
	7519.5	37.3	8.0	45.3	74.0	-28.7	Peak	Vertical
	8140.0	36.6	8.7	45.3	74.0	-28.7	Peak	Vertical
	11013.0	36.1	12.8	48.9	74.0	-25.1	Peak	Vertical
06	8318.5	35.6	8.7	44.3	74.0	-29.7	Peak	Horizontal
	11667.5	36.3	12.0	48.3	74.0	-25.7	Peak	Horizontal
	12271.0	36.4	12.1	48.5	74.0	-25.5	Peak	Horizontal
	8242.0	35.6	8.7	44.3	74.0	-29.7	Peak	Vertical
	11523.0	36.6	12.5	49.1	74.0	-24.9	Peak	Vertical
	12237.0	35.5	12.0	47.5	74.0	-26.5	Peak	Vertical
11	8488.5	35.2	9.1	44.3	74.0	-29.7	Peak	Horizontal
	11497.5	34.9	12.8	47.7	74.0	-26.3	Peak	Horizontal
	12160.5	35.2	12.2	47.4	74.0	-26.6	Peak	Horizontal
	7400.5	36.6	8.1	44.7	74.0	-29.3	Peak	Vertical
	10885.5	35.0	12.8	47.8	74.0	-26.2	Peak	Vertical
	11863.0	35.2	12.2	47.4	74.0	-26.6	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC1	Test Engineer	Charles Zhang
Test Date	2022-08-02 ~ 2022-08-03	Test Mode:	802.11n-HT20
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	7511.0	36.7	8.0	44.7	74.0	-29.3	Peak	Horizontal
	10851.5	35.4	12.9	48.3	74.0	-25.7	Peak	Horizontal
	11565.5	35.4	12.3	47.7	74.0	-26.3	Peak	Horizontal
	8165.5	36.1	8.7	44.8	74.0	-29.2	Peak	Vertical
	10962.0	35.2	12.8	48.0	74.0	-26.0	Peak	Vertical
	11795.0	36.4	11.8	48.2	74.0	-25.8	Peak	Vertical
06	8335.5	35.6	8.6	44.2	74.0	-29.8	Peak	Horizontal
	11548.5	35.5	12.6	48.1	74.0	-25.9	Peak	Horizontal
	12118.0	36.2	12.2	48.4	74.0	-25.6	Peak	Horizontal
	8157.0	35.7	8.8	44.5	74.0	-29.5	Peak	Vertical
	11548.5	35.5	12.6	48.1	74.0	-25.9	Peak	Vertical
	12356.0	36.3	12.2	48.5	74.0	-25.5	Peak	Vertical
11	8454.5	35.3	9.2	44.5	74.0	-29.5	Peak	Horizontal
	10953.5	36.1	12.9	49.0	74.0	-25.0	Peak	Horizontal
	12058.5	35.7	12.3	48.0	74.0	-26.0	Peak	Horizontal
	8165.5	37.4	8.7	46.1	74.0	-27.9	Peak	Vertical
	10851.5	34.5	12.9	47.4	74.0	-26.6	Peak	Vertical
	11608.0	35.4	12.3	47.7	74.0	-26.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC1	Test Engineer	Charles Zhang
Test Date	2022-08-02 ~ 2022-08-03	Test Mode:	802.11n-HT40
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	8454.5	35.0	9.2	44.2	74.0	-29.8	Peak	Horizontal
	11472.0	35.2	12.5	47.7	74.0	-26.3	Peak	Horizontal
	12466.5	36.0	12.0	48.0	74.0	-26.0	Peak	Horizontal
	8386.5	35.4	8.9	44.3	74.0	-29.7	Peak	Vertical
	10953.5	34.8	12.9	47.7	74.0	-26.3	Peak	Vertical
	11812.0	36.1	11.8	47.9	74.0	-26.1	Peak	Vertical
06	8165.5	35.4	8.7	44.1	74.0	-29.9	Peak	Horizontal
	10834.5	34.3	12.8	47.1	74.0	-26.9	Peak	Horizontal
	11548.5	35.1	12.6	47.7	74.0	-26.3	Peak	Horizontal
	7477.0	36.7	8.1	44.8	74.0	-29.2	Peak	Vertical
	10851.5	34.7	12.9	47.6	74.0	-26.4	Peak	Vertical
	11591.0	36.2	12.3	48.5	74.0	-25.5	Peak	Vertical
11	7383.5	35.8	8.3	44.1	74.0	-29.9	Peak	Horizontal
	11421.0	35.2	12.5	47.7	74.0	-26.3	Peak	Horizontal
	12169.0	35.2	12.2	47.4	74.0	-26.6	Peak	Horizontal
	8233.5	36.1	8.7	44.8	74.0	-29.2	Peak	Vertical
	11565.5	36.0	12.3	48.3	74.0	-25.7	Peak	Vertical
	12220.0	35.1	12.3	47.4	74.0	-26.6	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC1	Test Engineer	Charles Zhang
Test Date	2022-08-02 ~ 2022-08-03	Test Mode:	802.11ax-HE20
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	7536.5	36.6	8.0	44.6	74.0	-29.4	Peak	Horizontal
	10928.0	34.8	12.8	47.6	74.0	-26.4	Peak	Horizontal
	12203.0	35.6	12.2	47.8	74.0	-26.2	Peak	Horizontal
	8352.5	35.8	8.8	44.6	74.0	-29.4	Peak	Vertical
	11353.0	35.1	12.6	47.7	74.0	-26.3	Peak	Vertical
	12016.0	35.3	12.3	47.6	74.0	-26.4	Peak	Vertical
06	7630.0	36.3	8.0	44.3	74.0	-29.7	Peak	Horizontal
	10851.5	34.6	12.9	47.5	74.0	-26.5	Peak	Horizontal
	12330.5	36.3	12.2	48.5	74.0	-25.5	Peak	Horizontal
	7664.0	37.0	7.8	44.8	74.0	-29.2	Peak	Vertical
	11506.0	34.9	12.7	47.6	74.0	-26.4	Peak	Vertical
	12101.0	35.4	12.0	47.4	74.0	-26.6	Peak	Vertical
11	8454.5	35.2	9.2	44.4	74.0	-29.6	Peak	Horizontal
	11557.0	35.3	12.4	47.7	74.0	-26.3	Peak	Horizontal
	12067.0	35.6	12.2	47.8	74.0	-26.2	Peak	Horizontal
	7460.0	36.0	8.1	44.1	74.0	-29.9	Peak	Vertical
	11497.5	35.4	12.8	48.2	74.0	-25.8	Peak	Vertical
	12135.0	35.5	12.2	47.7	74.0	-26.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC1	Test Engineer	Charles Zhang
Test Date	2022-08-02 ~ 2022-08-03	Test Mode:	802.11ax-HE40
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		


Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	7383.5	36.1	8.3	44.4	74.0	-29.6	Peak	Horizontal
	8352.5	34.9	8.8	43.7	74.0	-30.3	Peak	Horizontal
	11659.0	36.5	12.1	48.6	74.0	-25.4	Peak	Horizontal
	7570.5	36.8	7.9	44.7	74.0	-29.3	Peak	Vertical
	8369.5	35.2	8.9	44.1	74.0	-29.9	Peak	Vertical
	11684.5	36.3	11.9	48.2	74.0	-25.8	Peak	Vertical
06	8157.0	37.0	8.8	45.8	74.0	-28.2	Peak	Horizontal
	10987.5	35.1	12.9	48.0	74.0	-26.0	Peak	Horizontal
	12449.5	35.6	12.1	47.7	74.0	-26.3	Peak	Horizontal
	7579.0	35.7	7.9	43.6	74.0	-30.4	Peak	Vertical
	11004.5	34.9	12.8	47.7	74.0	-26.3	Peak	Vertical
	12279.5	35.8	12.1	47.9	74.0	-26.1	Peak	Vertical
11	8335.5	35.4	8.6	44.0	74.0	-30.0	Peak	Horizontal
	11157.5	35.0	12.7	47.7	74.0	-26.3	Peak	Horizontal
	12347.5	35.7	12.2	47.9	74.0	-26.1	Peak	Horizontal
	8242.0	36.0	8.7	44.7	74.0	-29.3	Peak	Vertical
	11540.0	35.3	12.5	47.8	74.0	-26.2	Peak	Vertical
	12313.5	35.6	12.2	47.8	74.0	-26.2	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

The Worst-case Result of Radiated Emission for below 1GHz:

Site: WZ-AC1	Test Date: 2022-08-22
Limit: FCC_Part15.209_RSE(3m)	Engineer: Carl Jiang
Probe: VULB 9168_25-2000MHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at channel 2462MHz	



No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	70.740	32.134	16.080	-7.866	40.000	16.054	PK
2		91.110	30.472	18.170	-13.028	43.500	12.302	PK
3		110.995	32.204	17.399	-11.296	43.500	14.805	PK
4		132.820	32.946	16.005	-10.554	43.500	16.941	PK
5		422.365	31.749	10.345	-14.251	46.000	21.403	PK
6		1000.000	38.371	8.032	-15.629	54.000	30.339	PK

Note 1: " * ", means this data is the worst emission level.


Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Note 4: Quasi-Peak measurement was not performed when peak measure level was lower than the quasi-peak limit.

Note 5: The amplitude of radiated emissions (frequency range from 9kHz ~ 30MHz, 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value. Therefore, the data is not presented in the report.

Site: WZ-AC1	Test Date: 2022-08-22
Limit: FCC_Part15.209_RSE(3m)	Engineer: Carl Jiang
Probe: VULB 9168_25-2000MHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at channel 2462MHz	



No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		50.450	34.634	16.420	-5.366	40.000	18.214	QP
2		70.240	34.711	18.580	-5.289	40.000	16.131	QP
3		113.420	37.480	22.410	-6.020	43.500	15.070	PK
4	*	131.365	38.319	21.486	-5.181	43.500	16.833	PK
5		422.850	29.101	7.678	-16.899	46.000	21.423	PK
6		1000.000	41.593	11.254	-12.407	54.000	30.339	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).


Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Note 4: Quasi-Peak measurement was not performed when peak measure level was lower than the quasi-peak limit.

Note 5: The amplitude of radiated emissions (frequency range from 9kHz ~ 30MHz, 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value. Therefore, the data is not presented in the report.

A.7 Radiated Restricted Band Edge Test Result

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2378.152	57.568	27.040	-16.432	74.000	30.528	PK
2		2390.000	55.884	25.358	-18.116	74.000	30.526	PK
3		2412.816	116.545	85.987	N/A	N/A	30.559	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBµV/m)	Reading Level (dBµV)	Margin (dB)	Limit (dBµV/m)	Factor (dB/m)	Type
1	*	2390.000	42.192	11.666	-11.808	54.000	30.526	AV
2		2411.136	114.348	83.790	N/A	N/A	30.558	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBµV/m) = Reading Level (dBµV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2379.272	58.353	27.827	-15.647	74.000	30.525	PK
2		2390.000	55.242	24.716	-18.758	74.000	30.526	PK
3		2412.816	112.195	81.637	N/A	N/A	30.559	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	40.687	10.161	-13.313	54.000	30.526	AV
2		2411.080	110.050	79.492	N/A	N/A	30.558	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2460.976	119.295	88.664	N/A	N/A	30.631	PK
2		2483.500	59.076	28.373	-14.924	74.000	30.704	PK
3	*	2483.968	60.981	30.277	-13.019	74.000	30.704	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2461.192	117.429	86.797	N/A	N/A	30.632	AV
2	*	2483.500	47.372	16.669	-6.628	54.000	30.704	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2462MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2461.048	112.794	82.163	N/A	N/A	30.631	PK
2		2483.500	56.228	25.525	-17.772	74.000	30.704	PK
3	*	2483.728	58.550	27.846	-15.450	74.000	30.704	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2461.144	110.609	79.977	N/A	N/A	30.631	AV
2	*	2483.500	42.148	11.445	-11.852	54.000	30.704	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2310.000	55.924	25.314	-18.076	74.000	30.609	PK
2		2389.688	66.620	36.094	-7.380	74.000	30.525	PK
3	*	2390.000	67.326	36.800	-6.674	74.000	30.526	PK
4		2413.712	115.893	85.334	N/A	N/A	30.559	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	50.241	19.715	-3.759	54.000	30.526	AV
2		2413.320	108.165	77.607	N/A	N/A	30.558	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBµV/m)	Reading Level (dBµV)	Margin (dB)	Limit (dBµV/m)	Factor (dB/m)	Type
1	*	2389.912	64.810	34.284	-9.190	74.000	30.526	PK
2		2390.000	64.356	33.830	-9.644	74.000	30.526	PK
3		2411.248	111.360	80.802	N/A	N/A	30.558	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBµV/m) = Reading Level (dBµV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	46.091	15.565	-7.909	54.000	30.526	AV
2		2419.312	102.533	71.973	N/A	N/A	30.559	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2464.528	115.967	85.318	N/A	N/A	30.649	PK
2		2483.500	65.127	34.424	-8.873	74.000	30.704	PK
3	*	2483.512	65.351	34.647	-8.649	74.000	30.704	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2464.000	107.852	77.206	N/A	N/A	30.646	AV
2		2483.500	53.563	22.860	-0.437	54.000	30.704	AV
3	*	2483.536	53.605	22.901	-0.395	54.000	30.704	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2456.824	113.094	82.483	N/A	N/A	30.611	PK
2		2483.500	58.825	28.122	-15.175	74.000	30.704	PK
3	*	2483.728	61.522	30.818	-12.478	74.000	30.704	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2456.896	104.567	73.956	N/A	N/A	30.611	AV
2	*	2483.500	48.395	17.692	-5.605	54.000	30.704	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBµV/m)	Reading Level (dBµV)	Margin (dB)	Limit (dBµV/m)	Factor (dB/m)	Type
1	*	2389.688	63.809	33.283	-10.191	74.000	30.525	PK
2		2390.000	62.397	31.871	-11.603	74.000	30.526	PK
3		2407.272	114.291	83.733	N/A	N/A	30.559	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBµV/m) = Reading Level (dBµV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBµV/m)	Reading Level (dBµV)	Margin (dB)	Limit (dBµV/m)	Factor (dB/m)	Type
1	*	2390.000	50.044	19.518	-3.956	54.000	30.526	AV
2		2408.224	102.846	72.288	N/A	N/A	30.558	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBµV/m) = Reading Level (dBµV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBµV/m)	Reading Level (dBµV)	Margin (dB)	Limit (dBµV/m)	Factor (dB/m)	Type
1	*	2389.912	61.265	30.739	-12.735	74.000	30.526	PK
2		2390.000	58.002	27.476	-15.998	74.000	30.526	PK
3		2409.400	108.610	78.052	N/A	N/A	30.558	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBµV/m) = Reading Level (dBµV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	45.085	14.559	-8.915	54.000	30.526	AV
2		2408.392	97.569	67.011	N/A	N/A	30.558	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2464.192	115.769	85.122	N/A	N/A	30.647	PK
2		2483.500	64.715	34.012	-9.285	74.000	30.704	PK
3	*	2483.560	65.449	34.745	-8.551	74.000	30.704	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBµV/m)	Reading Level (dBµV)	Margin (dB)	Limit (dBµV/m)	Factor (dB/m)	Type
1		2458.000	103.170	72.553	N/A	N/A	30.617	AV
2	*	2483.500	53.396	22.693	-0.604	54.000	30.704	AV
3		2483.776	53.063	22.359	-0.937	54.000	30.703	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBµV/m) = Reading Level (dBµV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2463.208	112.663	82.021	N/A	N/A	30.642	PK
2		2483.500	61.339	30.636	-12.661	74.000	30.704	PK
3	*	2484.448	62.366	31.662	-11.634	74.000	30.704	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2460.112	100.656	70.029	N/A	N/A	30.627	AV
2		2483.500	49.694	18.991	-4.306	54.000	30.704	AV
3	*	2483.536	49.804	19.100	-4.196	54.000	30.704	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.332	66.362	35.837	-7.638	74.000	30.525	PK
2		2390.000	65.692	35.166	-8.308	74.000	30.526	PK
3		2427.678	111.906	81.356	N/A	N/A	30.550	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.926	53.734	23.208	-0.266	54.000	30.526	AV
2		2390.000	53.690	23.164	-0.310	54.000	30.526	AV
3		2414.148	102.531	71.972	N/A	N/A	30.558	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.728	62.034	31.508	-11.966	74.000	30.526	PK
2		2390.000	60.133	29.607	-13.867	74.000	30.526	PK
3		2430.384	108.477	77.929	N/A	N/A	30.548	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-28
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBµV/m)	Reading Level (dBµV)	Margin (dB)	Limit (dBµV/m)	Factor (dB/m)	Type
1	*	2389.926	48.285	17.759	-5.715	54.000	30.526	AV
2		2390.000	48.043	17.517	-5.957	54.000	30.526	AV
3		2425.302	98.569	68.016	N/A	N/A	30.552	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBµV/m) = Reading Level (dBµV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2456.888	111.981	81.370	N/A	N/A	30.611	PK
2		2483.500	64.343	33.640	-9.657	74.000	30.704	PK
3	*	2484.802	65.330	34.626	-8.670	74.000	30.705	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Horizontal
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2459.846	101.290	70.665	N/A	N/A	30.625	AV
2	*	2483.500	52.196	21.493	-1.804	54.000	30.704	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2460.662	108.861	78.232	N/A	N/A	30.629	PK
2		2483.500	61.208	30.505	-12.792	74.000	30.704	PK
3	*	2485.040	63.747	33.043	-10.253	74.000	30.704	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2022-07-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Tri-band 4x4 Wi-Fi 6E Wireless AP	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		2444.852	97.563	66.996	N/A	N/A	30.568	AV
2	*	2483.500	49.789	19.086	-4.211	54.000	30.704	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).