

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

	OF
Product Name:	BT 4.2 Module
Brand Name:	Raytac
Model No.:	MDBT42, MDBT42-P
Model Difference:	MDBT42 with Chip antenna, MDBT42-P with PCB antenna
FCC ID:	SH6MDBT42
Report No.:	ER/2016/B0194-01
Issue Date:	Sep. 02, 2019
FCC Rule Part:	§15.247, Cat: DTS
Prepared for:	Raytac Corporation 5F, No.3, Jiankang Rd., Zhonghe Dist., New Taipei City , 23586, Taiwan
Prepared by:	SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Indus- trial Park, Wuku District, New Taipei City, Taiwan 24803



Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



VERIFICATION OF COMPLIANCE

Applicant:	Raytac Corporation 5F, No.3, Jiankang Rd., Zhonghe Dist., New Taipei City , 23586, Taiwan
Product Name:	BT 4.2 Module
Brand Name:	Raytac
Model No.:	MDBT42, MDBT42-P
Model Difference:	MDBT42 with Chip antenna, MDBT42-P with PCB antenna
FCC ID:	SH6MDBT42
Report Number:	ER/2016/B0194-01
Date of test:	Nov. 29, 2016 ~ Dec. 15, 2016
Date of EUT Received:	Nov. 29, 2016

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Cooper Hsu	Date	Sep. 02, 2019
Prepared By:	Cooper Hsu / Engineer Tiffany Kao	Date	Sep. 02, 2019
Approved By:	Tiffany Kao / Clerk Jim Chang Jim Chang / Asst. Manager	Date	Sep. 02, 2019

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Revision History

Report Number	Revision	Description	Description Page		Revised By
ER/2016/B0194	Rev.00	Initial creation of document	All	Dec. 23, 2016	Tiffany Kao
ER/2016/B0194-01	R/2016/B0194-01 R/2016/B0194-01 Rev.01 Rev.01 tion data updated		8,16~17	Sep. 02, 2019	Tiffany Kao

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SCT chaven Lie Link 134 WurkungPord NewTainel/actr WurkuDistrict NewTainel/City Taiwan24803/% th TE REG St. the TERM St. 134 St.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Table of Contents

1	GENE	RAL INFORMATION	
	1.1	Product Description	.6
	1.2	Product Feature of Equipment Under Test	
	1.3	Test Methodology of Applied Standards	.8
	1.4	Test Facility	.8
	1.5	Special Accessories	.8
	1.6	Equipment Modifications	.8
	1.7	Remarks	.8
2	SYSTI	EM TEST CONFIGURATION	.9
	2.1	EUT Configuration	.9
	2.2	EUT Exercise	.9
	2.3	Test Procedure	.9
	2.4	Measurement Results Explanation Example	.9
	2.5	Configuration of Tested System1	0
3	SUMN	IARY OF TEST RESULTS1	1
4	DESC	RIPTION OF TEST MODES1	1
	4.1	Operated in 2400 ~ 2483.5MHz Band	11
	4.2	The Worst Test Modes and Channel Details1	2
5	MEAS	UREMENT UNCERTAINTY1	3
6	COND	UCTED EMISSION TEST1	4
	6.1	Standard Applicable:1	4
	6.2	Measurement Equipment Used:1	
	6.3	EUT Setup:1	4
	6.4	Test SET-UP (Block Diagram of Configuration)1	5
	6.5	Measurement Procedure:1	15
	6.6	Measurement Result:1	5
7	PEAK	OUTPUT POWER MEASUREMENT1	8
	7.1	Standard Applicable:1	8
	7.2	Measurement Equipment Used:1	8
	7.3	Test Set-up:1	8
	7.4	Measurement Procedure:1	9
	7.5	Measurement Result:	20
8	6dB B	ANDWIDTH MEASUREMENT2	21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WukungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



	8.1	Standard Applicable	21
	8.2	Measurement Equipment Used	21
	8.3	Test Set-up:	21
	8.4	Measurement Procedure:	22
	8.5	Measurement Result:	22
9	CONE	DUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	25
	9.1	Standard Applicable	
	9.2	Measurement Equipment Used:	25
	9.3	Test SET-UP:	25
	9.4	Measurement Procedure	26
	9.5	Measurement Result	27
10	RADI	ATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	33
	10.1	Standard Applicable	33
	10.2	Measurement Equipment Used	34
	10.3	Test SET-UP	35
	10.4	Measurement Procedure	36
	10.5	Field Strength Calculation	37
	10.6	Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz	37
	10.7	Measurement Result:	37
11	PEAK	POWER SPECTRAL DENSITY	66
	11.1	Standard Applicable:	66
	11.2	Measurement Equipment Used:	66
	11.3	Test Set-up:	66
	11.4	Measurement Procedure:	66
	11.5	Measurement Result:	67
12	ANTE	NNA REQUIREMENT	69
	12.1	Standard Applicable:	69
	12.2	Antenna Connected Construction:	69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions for</u> elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's ole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Scs Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



GENERAL INFORMATION 1

1.1 Product Description

General:

Product Name:	BT 4.2 Module
Brand Name:	Raytac
Model No.:	MDBT42, MDBT42-P
Model Difference:	MDBT42 with Chip antenna, MDBT42-P with PCB antenna
Software version:	1
Hardware version:	1
Power Supply:	3Vdc

Bluetooth Low Energy

Frequency Range:	2402 – 2480MHz
Bluetooth Version:	V4.2 single mode
Channel number:	40 channels
Modulation type:	GFSK
Transmit Power:	4.30 dBm
Antenna Designation:	Chip Antenna, Gain:-2.28dBi Model No.: MDBT42, Supplier: Raytac PCB Antenna, Gain:-2.98dBi Model No.: MDBT42-P, Supplier: Raytac

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offerders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.2 Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is supporting Bluetooth features, and below is details of information.

Product Feature			
Product Name:	BT 4.2 Module		
Brand Name:	Raytac		
Model No.:	MDBT42, MDBT42-P		
Model Difference:	MDBT42 with Chip antenna, MDBT42-P with PCB antenna		
FCC ID:	SH6MDBT42		
Bluetooth Version	V4.2 single mode		

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Methodology of Applied Standards 1.3

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

Test Facility 1.4

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Designation Number is: TW0001

1.5 Special Accessories

There are no special accessories used while test was conducted.

1.6 Equipment Modifications

There was no modification incorporated into the EUT.

1.7 Remarks

The original test report ER/2016/B0194 will be withdrawn with this test report ER/2016/B0194-01 and is no longer valid when the withdrawal occurred.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



SYSTEM TEST CONFIGURATION 2

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

EUT Exercise 2.2

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

Test Procedure 2.3

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plan. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz.. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:


The spectrum analyzer offset is derived from RF cable loss 0.5dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5 Configuration of Tested System






Fig. 2-2 Conducted (Antenna Port) Configuration




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	Bluetooth Test Soft- ware	N/A	N/A	N/A	N/A	N/A
2.	DC Power Supply	Agilent	E3640A	MY52410006	N/A	Un-Shielded
3.	Notebook	Lenovo	L420	LR-7HXZA	Shielded	Un-Shielded
4.	Testing Kit	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relating to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



SUMMARY OF TEST RESULTS 3

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Peak Power Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

DESCRIPTION OF TEST MODES 4

Operated in 2400 ~ 2483.5MHz Band 4.1

40 channels are provided for Bluetooth LE

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY	CHANNEL	FREQUENCY			
0	2402 MHz	14	2430 MHz	28	2458 MHz			
1	2404 MHz	15	2432 MHz	29	2460 MHz			
2	2406 MHz	16	2434 MHz	30	2462 MHz			
3	2408 MHz	17	2436 MHz	31	2464 MHz			
4	2410 MHz	18	2438 MHz	32	2466 MHz			
5	2412 MHz	19	2440 MHz	33	2468 MHz			
6	2414 MHz	20	2442 MHz	34	2470 MHz			
7	2416MHz	21	2444 MHz	35	2472 MHz			
8	2418 MHz	22	2446 MHz	36	2474 MHz			
9	2420 MHz	23	2448 MHz	37	2476 MHz			
10	2422 MHz	24	2450 MHz	38	2478 MHz			
11	2424 MHz	25	2452 MHz	39	2480 MHz			
12	2426 MHz	26	2454 MHz					
13	2428 MHz	27	2456 MHz					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offerders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

RADIATED EMISSION TEST:

RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE	AVAILABLE	TESTED	MODULATION				
	CHANNEL	CHANNEL		(Mbps)			
Bluetooth LE 0 to 39		0,20,39 GFSK		1			
	RADI	ATED EMISSIC	N TEST (ABOVE 1	GHz)			
MODE	AVAILABLE	TESTED	MODULATION	DATA RATE			
	CHANNEL	CHANNEL		(Mbps)			
Bluetooth LE	0 to 39	0,20,39	GFSK	1			

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for Bluetooth LE Transmitter for channel Low, Mid and High, the worst case E2 position and 2 types antenna measurement data was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)		
Bluetooth LE	0 to 39	0,20,39	GFSK	1		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



MEASUREMENT UNCERTAINTY 5

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

Measurement uncertainty	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB
Magguramentumgertaintu	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



CONDUCTED EMISSION TEST 6

6.1 **Standard Applicable:**

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

_	Limits						
Frequency range	dB(uV)					
MHz	Quasi-peak	Average					
0.15 to 0.50	66 to 56	56 to 46					
0.50 to 5	56	46					
5 to 30	60	50					
Note							
1. The lower limit shall apply at the transition frequencies							
2.The limit decreases linearly wit	2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50						

MHz.

6.2 Measurement Equipment Used:

Conducted Emission Test Site							
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.		
TYPE		NUMBER	NUMBER	CAL.			
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017		
LISN	SCHWARZBECK	NSLK 8127	8127-649	05/16/2016	05/15/2017		
LISN	MESS TEC	FCC-LISN-50/250 -25-2-01	4034	05/16/2016	05/15/2017		
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2016	11/25/2017		

6.3 EUT Setup:


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure:

- 1. The EUT was placed on a table which is 0.8m above ground plan.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6 Measurement Result:

The initial step in collecting conducted data is a spectrum analyzer peak scan of the measurement range. Significant peaks are then marked as shown on the following data page, and these signals are then quasi-peaked.

Note: Refer to next page for measurement data and plots. Note2: The * reveals the worst-case results that closet to the limit


biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode:	BT4.2			Test Date:	Dec. 05, 2016
Temperature:	25 ℃	Humidity:	85%	Test By:	JJ
Model No.:	N/A			Phase:	L1 / N



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



6

4.5100

34.97


0.26


35.23

56.00

-20.77

peak





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offerders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



PEAK OUTPUT POWER MEASUREMENT 7

7.1 **Standard Applicable:**

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.


If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

~	Measurement Equipment Osed.							
	Conducted Emission Test Site							
	EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.		
	TYPE		NUMBER	NUMBER	CAL.			
	Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017		
	Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017		
	EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017		
	DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017		
	Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017		
	Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017		
	Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017		
	DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017		
	Temperature Cham- ber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017		

7.2 Measurement Equipment Used:

7.3 Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



7.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.


Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

- 4. Record the max. Reading as observed from Power Meter.
- 5. Repeat above procedures until all test default channel measured was complete.

Duty Factor:

	Duty Cycle (%)	Duty Factor (dB)
BLE	8.52	10.70



Duty Cycle Factor:10*log(1/8.52/100)=10.7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.5 Measurement Result:

BLE mode:

СН	Frequency (MHz)	Peak Power Output (dBm)	Required Limit	
0	2402	4.30	1 Watt = 30 dBm	
20	2442	4.22	1 Watt = 30 dBm	
39	2480	4.17	1 Watt = 30 dBm	
BLE mo	ode:			
CH Frequency (MHz)		Avg. Power Output (dBm)	Required Limit	
0	2402	-5.59	1 Watt = 30 dBm	
20	2442	-5.80	1 Watt = 30 dBm	
39	2480	-5.61	1 Watt = 30 dBm	

*Note: Measured by power meter, cable loss as 0.5 dB that offsets on the power meter in Peak *Note: Measured by power meter, as cable loss+ Duty cycle factor that offsets on the power meter

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offerders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6dB BANDWIDTH MEASUREMENT 8


8.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

8.2 Measurement Equipment Used

Conducted Emission Test Site							
EQUIPMENT	MFR MODEL		SERIAL	LAST	CAL DUE.		
ТҮРЕ		NUMBER	NUMBER	CAL.			
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017		
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017		
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017		
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017		

8.3 Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offerders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:

Set the spectrum analyzer as RBW=100 kHz, VBW= 3*RBW, Span = 5MHz, Detector=Peak, Sweep=auto.

- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW=3*RBW, Span = 2MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all test default channel is completed

BLE mode			
Frequency (MHz)	6dB BW (MHz)	BW (MHz)	Result
2402	0.69926	> 0.5	PASS
2442	0.72242	> 0.5	PASS
2480	0.7257	> 0.5	PASS

8.5 Measurement Result:


Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



BLE mode 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT 9


9.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

9.2 Measurement Equipment Used:

Conducted Emission Test Site								
EQUIPMENT	EQUIPMENT MFR		MODEL SERIAL		CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017			
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017			
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017			

Test SET-UP: 9.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



9.4 Measurement Procedure

Band Edge Limit Calculation:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

Conducted Band Edge:

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



Conducted Spurious Emission:

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW=300 kHz, Detector =Peak, Sweep = Auto
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

9.5 Measurement Result

Frequenc y (MHz)	RF Power Density (dBm)	Bandedge Limit = PSD - 20dB (dBm)
2402	4.01	-15.99
2480	4.02	-15.98

Band Edga Limit

NOTE: cable loss as dB that offsets in the spectrum NOTE: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Power Spectral Density for Bandedge Limit (CH-Low)



Power Spectral Density for Bandedge Limit (CH-High)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relating to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



BLE mode Band Edges Test Data CH-Low



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sampie(s) tested and such sampie(s) are retained tor 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised that prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-response of the document is unautiful and offenders may be proceeding the target of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Conducted Spurious Emission Measurement Result CH-Low 30MHz – 3GHz

😹 Keysight Spec	trum Analyzer - Swept SA							
Center Fre	eq 1.51500000		Trig: Free Ru	Avg	Type: Log-Pwr	02:26:33 PM I TRACE	123455	Frequency
10 dB/div	Ref Offset 0.5 dB Ref 20.00 dBm	PNO: Fast C IFGain:Low	#Atten: 30 dE		Mk	r1 2.403	P NNNNN 0 GHz 2 dBm	Auto Tune
10.0 0.00 -10.0						1		Center Fred 1.515000000 GHz
-20.0 -30.0 -40.0							-21.02 dBm	Start Free 30.000000 MH
-50.0 -60.0 -70.0	hilyna awlalfar ywyara wiber, wa	المعوريدين <u>مرجا</u> حوار	,7 .14,0 + .19 & 4 . 19 . 19 . 19 . 19 . 19 . 19 . 19 .	ىلۇماردۇرلى <mark>مەر</mark> يە سەيەرىيەرى		Leel of Marian	ware and and	Stop Free 3.000000000 GH
Start 30 M #Res BW 1	100 kHz		W 300 kHz	FUNCTION	Sweep 2	Stop 3.0 83.9 ms (1) FUNCTION	001 pts)	CF Step 297.000000 MH <u>Auto</u> Mar
1 N 1 2 3 4 5 6 7 8 9		2.403 0 GHz	-1.82 dBm	- CALCHON		- CARCINON	6	Freq Offse 0 H
9 10 11 4 M93			18		STATUS	5		

CH-Low 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



CH-Mid 30MHz – 3GHz

Keysight Spectrum	m Anelyzer - Swept SA							
11.0	1.515000000	PNO: Fast 🕞	Trig: Free Run	Avg	Type: Log-Pwr			Frequency
10 dB/div R	ef Offset 0.5 dB tef 20.00 dBm	IFGain:Low	#Atten: 30 dB		Mk	r1 2.441 6		Auto Tune
10.0						♦ ¹		Center Fred 1.515000000 GHz
-10.0 -20.0 -30.0 -40.0							47.43 dBn	Start Free 30.000000 MHz
-50.0 -60.0 -70.0	مەرەپ مە	and the first of the second	Cyrrothan conser	-14-95-96- 19-		Arbettillename	lant/de-th	Stop Free 3.000000000 GHz
Start 30 MHz #Res BW 10	0 kHz	#VBW	/ 300 kHz			Stop 3.00 83.9 ms (100	01 pts)	CF Step 297.000000 MH: Auto Mar
MKR MODE TRC SI 1 N 1 1 2 3 4 5		441 6 GHz	2.87 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION V	ALUE	Freq Offset 0 Hz
6 7 8 9 10 11								
MSG			17		STATUS	5	,	

CH-Mid 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



CH-High 30MHz – 3GHz

Keysight Spectrum Analyzer - Swept SA						
Center Freq 1.515000000	PNO: Fast 🕞	Trig: Free Run		Type: Log-Pwr	02:43:32 PM Dec 06, 20 TRACE 1 2 3 4 TVPE PMANN	Frequency
Ref Offset 0.5 dB 10 dB/div Ref 20.00 dBm	IFGain:Low	#Atten: 30 dB		Mk	r1 2.480 3 GH 3.67 dB	Auto Tune
10.0 0.00					↓ ¹	Center Fre 1.515000000 GH
-10.0					-16.23.4	Start Fre 30.000000 MH
-50.0 -60.0 -70.0	nafty-stagestations			,	hall the man	Stop Fre 3.000000000 GH
Start 30 MHz #Res BW 100 kHz	#VBW	/ 300 kHz		Sweep 2	Stop 3.000 GH 83.9 ms (1001 pt	
2 3 4 5	480 3 GHz	Y 3.67 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Freq Offse
6 7 8 9 10 11						
4 MSG		17		STATUS	,	

CH- High 3GHz – 26.5GHz

🗱 Keysight Spectrum Analyzer - Swept SA				
Center Freq 14.7500000	00 GHz PN0: Fast C Trig: Free Rur	Avg Type: Log-Pwr	02:43:50 PM Dec 06, 2016 TRACE 1 2 3 4 5 6 Type	Frequency
Ref Offset 0.5 dB 10 dB/div Ref 20.00 dBm	IFGain:Low #Atten: 30 dB		1 25.983 0 GHz -50.35 dBm	Auto Tune
10.0 0.00 -10.0				Center Freq 14.75000000 GHz
-20.0			-16.33 dBn	Start Freq 3.000000000 GHz
-50.0 -60.0	na dhalanna dha dharan ar an	an a that and the second s	And an and a second	Stop Freq 26.50000000 GHz
Start 3.00 GHz #Res BW 100 kHz	#VBW 300 kHz	Sweep	Stop 26.50 GHz 2.246 s (1001 pts)	CF Step 2.35000000 GHz Auto Man
1 N 1 f 29 3 4 5 5 7	5.983 0 GHz -50.35 dBm			Freq Offset 0 Hz
8 9 10 11				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



10 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level ($dB\mu V/m$) = 20 log Emission level ($dB\mu V/m$)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



10.2 Measurement Equipment Used

966 Chamber								
EQUIPMENT	EQUIPMENT MFR		SERIAL	LAST	CAL DUE.			
ТҮРЕ		NUMBER	NUMBER	CAL.				
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017			
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2016	01/28/2017			
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2016	09/19/2017			
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017			
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017			
Pre-Amplifier	Agilent	8447D	2944A07676	01/02/2016	01/01/2017			
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/02/2016	01/01/2017			
Turn Table	HD	DT420	N/A	N.C.R	N.C.R			
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R			
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R			
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2016	01/01/2017			
3m Site NSA	SGS	966 chamber	N/A	07/01/2016	06/30/2017			
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2016	01/01/2017			
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017			
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/02/2016	01/01/2017			


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




10.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relating to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.4 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 0.8m for frequen-2. cy> 1GHz above ground plan.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level. 3.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 6. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW \geq 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 8. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 9. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 11. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



10.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	6	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dBµV/m) = SPA. Reading level(dBµV) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note :

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

10.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

10.7 Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

biness otherwise stated the results stated the results state the former to the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Radiated Band Edge Measurement Result (BLE mode)

Chip antenna

Operation Mode : Fundamental Freque Operation Band : EUT Pol. :		ency : 2402 MHz Bandedge CH LOW		Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :		11/29/2016 21 deg_C / 61 RH Kane : VERTICAL	
Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Leve	el FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
2390.00	E	Average	27.02	28.76	-1.74	54.00	-26.98
2390.00	Е	Peak	39.45	41.20	-1.74	74.00	-34.55
Operation Mode : Fundamental Freque		•				11/29/2016 21 deg_C /	
Operation			•	Test Engineer:		Kane	
EUT Pol. :		E2 Plan	e	Measurement Ante	enna Pol. :	HORIZONT	AL
Freq.	Note	Decetor Mode	Actual Reading Leve	Spectrum el FS	Factor	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
2390.00	Е	Average	27.06	28.80	-1.74	54.00	-26.94
2390.00	Е	Peak	43.87	45.62	-1.74	74.00	-30.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2483.50

Е

Peak

55.52

Operation	Operation Mode :		BLE		Test Date :		
Fundame	ntal Freque	ncy : 2480 M	IHz ·	Temp. / Humi. :		21 deg_C / 61 RH	
Operation	Band :	Bandeo	dge CH HIGH ⁻	Test Engineer:		Kane	
EUT Pol. :		E2 Plar	ne l	Measurement Ant	enna Pol. :	VERTICAL	
Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Leve	el FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
2483.50	E	Average	27.25	28.87	-1.62	54.00	-26.75
2483.50	E	Peak	53.17	54.78	-1.62	74.00	-20.83
Operation	Mode :	BLE		Test Date :		11/29/2016	
Fundame	ntal Freque	ency : 2480 MHz		Temp. / Humi. :		21 deg_C / 61 RH	
Operation	Band :	Bandeo	dge CH HIGH ⁻	Test Engineer:		Kane	
EUT Pol. :		E2 Plar	ne l	Measurement Ant	enna Pol. :	HORIZONT	AL
Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Leve	el FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
2483.50	E	Average	27.39	29.01	-1.62	54.00	-26.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WukungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

57.14

-1.62

74.00

-18.48



PCB antenna

•	Operation Mode : Fundamental Freque				Test Date : Temp. / Humi. :		61 RH
Operation	Band :	Bandeo	ge CH LOW	Test Engineer :		Kane	
EUT Pol. :		•		Measurement Ant	enna Pol. :		
Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Leve	el FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
2390.00	E	Average	27.06	28.80	-1.74	54.00	-26.94
2390.00	Е	Peak	49.14	50.88	-1.74	74.00	-24.86
Operation	Mode :	BLE		Test Date :		11/29/2016	
Fundamer	ntal Freque	ency : 2402 MHz		Temp. / Humi. :		21 deg_C / 61 RH	
Operation	Band :	Bandeo	ae CH LOW	Test Engineer:		Kane	
EUT Pol. :		E2 Plar	•	Measurement Ant	enna Pol. :		AL
Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Leve	el FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
2390.00	E	Average	27.09	28.83	-1.74	54.00	-26.91
2390.00	Е	Peak	50.83	52.58	-1.74	74.00	-23.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WukungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Operation Mode :		BLE		Test Date :		11/29/2016	
Fundame	ntal Freque	ncy : 2480 M	lHz	Temp. / Humi. :		21 deg_C / 61 RH	
Operation	Band :	Bandeo	dge CH HIGH	Test Engineer:		Kane	
EUT Pol.	:	E2 Plar	ne	Measurement Ant	enna Pol. :	VERTICAL	
Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Leve	el FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
2483.50	Е	Average	27.07	28.69	-1.62	54.00	-26.93
2483.50	Е	Peak	50.67	52.29	-1.62	74.00	-23.33
Operation	Mode :	BLE		Test Date :		11/29/2016	
Fundame	ntal Freque	ncy : 2480 MHz		Temp. / Humi. :		21 deg_C / 61 RH	
Operation	Band :	Bandeo	dge CH HIGH	Test Engineer:		Kane	
EUT Pol.	:	E2 Plar	ne	Measurement Ant	enna Pol. :	HORIZONT	AL
Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Lev	el FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
2483.50	Е	Average	27.14	28.76	-1.62	54.00	-26.86
2483.50	Е	Peak	53.21	54.83	-1.62	74.00	-20.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WukungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Radiated Spurious Emission Measurement Result (BLE mode) For Frequency form 30MHz to 1000MHz **Chip Antenna**

Operation Mode :	BLE	Test Date :	11/29/2016
Fundamental Frequency		Temp. / Humi. :	21 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer:	Kane
EUT Pol. :	E2 Plane	Measurement Antenna P	ol. : VERTICAL
97 -			
80 -			
5			
Level [dBuY]			FCC RSE-QP 3M
40			
	3	4 × ×	⁶
30 20		600 800 ency [MH2]	1000

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
56.19	S	Peak	25.07	32.99	-7.92	40.00	-14.93
177.44	S	Peak	18.72	27.18	-8.46	43.50	-24.78
405.39	S	Peak	23.36	27.06	-3.70	46.00	-22.64
634.31	S	Peak	27.64	27.13	0.51	46.00	-18.36
783.69	S	Peak	30.38	27.63	2.75	46.00	-15.62
870.99	S	Peak	31.64	26.60	5.05	46.00	-14.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2402 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : **Tx CH LOW** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: HORIZONTAL 97 80 Level [dBuV] FCC RSE-QP 3M 40 6 3 20 400 600 800 30 200 1000 Frequency [MHz] Δctual Spectrum Limit Eroa Note Decetor Factor Margin

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	wargin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	_
62.01	S	Peak	19.41	27.88	-8.47	40.00	-20.59	
160.95	S	Peak	18.42	25.86	-7.44	43.50	-25.08	
304.51	S	Peak	20.80	26.54	-5.73	46.00	-25.20	
589.69	S	Peak	26.95	27.16	-0.21	46.00	-19.05	
635.28	S	Peak	27.58	27.01	0.58	46.00	-18.42	
738.10	S	Peak	29.19	27.29	1.89	46.00	-16.81	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2442 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : Tx CH MID Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol. : VERTICAL 97 80 Level [dBuV] FCC RSE-QP 3M 40 6 5 п 20 400 600 800 30 200 1000 Frequency [MHz] Spectrum Note Actual Factor l imit Margin Fred Decetor

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	wargin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	_
56.19	S	Peak	25.85	33.77	-7.92	40.00	-14.15	-
162.89	S	Peak	18.46	25.94	-7.48	43.50	-25.04	
348.16	S	Peak	21.58	26.52	-4.94	46.00	-24.42	
561.56	S	Peak	26.04	27.38	-1.34	46.00	-19.96	
699.30	S	Peak	28.40	26.96	1.44	46.00	-17.60	
765.26	S	Peak	30.13	27.03	3.11	46.00	-15.87	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2442 MHz Temp. / Humi. : 21 deg C/61 RH **Operation Band**: Tx CH MID Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: HORIZONTAL 97 80 Level [dBuV] FCC RSE-QP_3N 40 6 3 20 200 400 600 800 30 1000 Frequency [MHz]

	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
			Mode	Reading Level	FS		@3m		
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
-	49.40	S	Peak	18.86	26.60	-7.74	40.00	-21.14	
	170.65	S	Peak	18.28	25.94	-7.66	43.50	-25.22	
	304.51	S	Peak	20.47	26.20	-5.73	46.00	-25.53	
	497.54	S	Peak	24.45	26.84	-2.39	46.00	-21.55	
	641.10	S	Peak	27.41	26.94	0.48	46.00	-18.59	
	757.50	S	Peak	30.33	27.31	3.01	46.00	-15.67	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2480 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : **Tx CH HIGH** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol. : VERTICAL 97 80 Level [dBuV] FCC RSE-QP 3N 40 6 1 5 3 2 20 200 400 600 800 30 1000 Frequency [MHz]

Freq.	Note	Decetor Mode	Actual Reading Level	Spectrum FS	Factor	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
56.19	S	Peak	26.60	34.52	-7.92	40.00	-13.40
170.65	S	Peak	19.13	26.79	-7.66	43.50	-24.37
294.81	S	Peak	19.95	25.97	-6.02	46.00	-26.05
459.71	S	Peak	24.66	27.32	-2.67	46.00	-21.34
544.10	S	Peak	25.72	27.32	-1.60	46.00	-20.28
741.01	S	Peak	29.42	27.26	2.16	46.00	-16.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2480 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : **Tx CH HIGH** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: HORIZONTAL 97 80 Level [dBuV] FCC RSE-QP_3N 40 6 5 ж 3 20 400 600 800 30 200 1000 Frequency [MHz] Actual Spectrum Factor l imit Margin Fred Note Decetor

	Freq.	note	Decelor	Actual	Spectrum	Factor	LIMIL	wargin	
			Mode	Reading Level	FS		@3m		
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
-	47.46	S	Peak	19.93	27.78	-7.85	40.00	-20.07	-
	151.25	S	Peak	18.67	26.36	-7.70	43.50	-24.83	
	332.64	S	Peak	20.66	25.96	-5.30	46.00	-25.34	
	400.54	S	Peak	23.39	27.33	-3.94	46.00	-22.61	
	585.81	S	Peak	28.05	28.01	0.04	46.00	-17.95	
	744.89	S	Peak	28.99	26.74	2.25	46.00	-17.01	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



PCB Antenna

Operation Mode : BLE Fundamental Frequency : 2402 MHz **Operation Band**: **Tx CH LOW** EUT Pol. : E2 Plane

Test Date : 11/29/2016 Temp. / Humi. : 21 deg C/61 RH Test Engineer: Kane Measurement Antenna Pol. : VERTICAL



Freq.	Note	Decetor Mode	Actual Reading Level	Spectrum FS	Factor	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
56.19	S	Peak	26.35	34.27	-7.92	40.00	-13.65
160.95	S	Peak	20.77	28.21	-7.44	43.50	-22.73
330.70	S	Peak	21.18	26.60	-5.42	46.00	-24.82
447.10	S	Peak	25.23	28.17	-2.94	46.00	-20.77
589.69	S	Peak	26.85	27.06	-0.21	46.00	-19.15
807.94	S	Peak	30.01	26.80	3.21	46.00	-15.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2402 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : **Tx CH LOW** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: HORIZONTAL 97 80 Level [dBuV] FCC RSE QP 3M 40 6 5 з 20 400 600 800 30 200 1000 Frequency [MHz] Actual Spectrum Fred Note Factor l imit Margin Decetor

Freq.	note	Decelor	Actual	Spectrum	Factor	LITTIL	wargin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	_
51.34	S	Peak	20.62	28.36	-7.74	40.00	-19.38	-
172.59	S	Peak	18.07	25.93	-7.86	43.50	-25.43	
321.97	S	Peak	20.45	25.98	-5.53	46.00	-25.55	
476.20	S	Peak	24.27	26.72	-2.45	46.00	-21.73	
616.85	S	Peak	27.07	27.23	-0.17	46.00	-18.93	
706.09	S	Peak	28.15	26.83	1.33	46.00	-17.85	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2442 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : Tx CH MID Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol. : VERTICAL 97 80 Level [dBuV] FCC RSE-QP 3N 40 6 5 ж 3 Ж 20 400 600 30 200 800 1000 Frequency [MHz] Note Actual Spectrum l imit Fred Decetor Factor Margin

	TTEY.	NOLE	Deceloi	Actual	opeculum	racion		ivial yll i	
			Mode	Reading Level	FS		@3m		
_	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	_
_	62.01	S	Peak	26.26	34.73	-8.47	40.00	-13.74	-
	154.16	S	Peak	19.61	27.31	-7.70	43.50	-23.89	
	382.11	S	Peak	22.13	26.52	-4.39	46.00	-23.87	
	550.89	S	Peak	25.82	27.59	-1.77	46.00	-20.18	
	709.00	S	Peak	29.02	27.60	1.41	46.00	-16.98	
	813.76	S	Peak	30.10	26.74	3.36	46.00	-15.90	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2442 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : Tx CH MID Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: HORIZONTAL 97 80 Level [dBuV] FCC RSE-QP 3N 40 6 5 Δ З 2 20 400 600 800 30 200 1000 Frequency [MHz] Actual Spectrum I imit Frea Note Decetor Factor Margin

Fleq.	Note	Decetor	Actual	Spectrum	Factor	LIIIII	wargin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
59.10	S	Peak	18.77	26.80	-8.03	40.00	-21.23	-
172.59	S	Peak	18.98	26.84	-7.86	43.50	-24.52	
437.40	S	Peak	23.17	26.49	-3.32	46.00	-22.83	
641.10	S	Peak	27.29	26.82	0.48	46.00	-18.71	
764.29	S	Peak	28.88	25.91	2.97	46.00	-17.12	
869.05	S	Peak	32.76	27.96	4.80	46.00	-13.24	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2480 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : **Tx CH HIGH** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol. : VERTICAL 97 80 Level [dBuV] FCC RSE-QP 3N 40 6 1 X 3 20 200 400 600 800 1000 30 Frequency [MHz]

	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
			Mode	Reading Level	FS		@3m		
_	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	_
_	56.19	S	Peak	28.17	36.09	-7.92	40.00	-11.83	-
	168.71	S	Peak	18.73	26.25	-7.53	43.50	-24.77	
	359.80	S	Peak	21.58	26.37	-4.80	46.00	-24.42	
	592.60	S	Peak	29.06	29.06	0.00	46.00	-16.94	
	738.10	S	Peak	29.25	27.36	1.89	46.00	-16.75	
	818.61	S	Peak	31.13	27.73	3.40	46.00	-14.87	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2480 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : **Tx CH HIGH** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: HORIZONTAL 97 80 Level [dBuV] 8 FCC RSE-QP_3M 40 6 3 20 400 600 800 30 200 1000 Frequency [MHz] Actual Spectrum Fred Note Factor l imit Margin Decetor

Freq.	note	Decetor	Actual	Spectrum	Factor	LIIIII	wargin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
57.16	S	Peak	18.31	26.28	-7.97	40.00	-21.69	-
158.04	S	Peak	18.82	26.27	-7.45	43.50	-24.68	
347.19	S	Peak	20.98	25.93	-4.96	46.00	-25.02	
471.35	S	Peak	25.08	27.63	-2.55	46.00	-20.92	
605.21	S	Peak	27.80	28.15	-0.35	46.00	-18.20	
773.99	S	Peak	29.62	26.84	2.77	46.00	-16.38	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Radiated Spurious Emission Measurement Result (BLE mode) For Frequency above 1GHz

Chip Antenna

Operation Mode :	BLE	Test Da	ate :	11/29/2016
Fundamental Freq	uency : 2402 MH	z Temp.	/ Humi. :	21 deg_C / 61 RH
Operation Band :	Tx CH LC	W Test Er	ngineer:	Kane
EUT Pol. :	E2 Plane	Measu	rement Antenna P	ol.: VERTICAL
97				
-				
-				
80 -				
				FCC RSE-PK 3M
5				
level [dBui/]				
<u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u></u>				
ē				FCC RSE-AV 3M
2				TOO NOL AV DIM
-				
-	2			
40 -	1			
7			a and a strain franciscus and a st	
-	1			
1000	5000 10	0000 15000	20000	2500026500
1000	2000 1	Frequency [MHz		200020000
			703	

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
4804.00	Н	Average	29.38	24.46	4.92	54.00	-24.62
4804.00	Н	Peak	41.13	36.21	4.92	74.00	-32.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2402 MHz Temp. / Humi. : 21 deg C/61 RH **Operation Band**: **Tx CH LOW** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL 97 80 FCC RSE-PK 3M Level [dBuV] FCC RSE-AV 3N × 40 10000 15000 20000 1000 5000 2500@6500 Frequency [MHz] Freq. Note Decetor Actual Spectrum Factor Limit Margin Mode **Reading Level** FS @3m

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

QP/AV/PK

Average

Peak

dBµV/m

29.37

41.47

F/H/E/S

Н

н

MHz

4804.00

4804.00

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relating to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

dBµV/m

24.45

36.55

dBuV/m

54.00

74.00

dB

-24.63

-32.53

dB

4.92



4884.00

4884.00

Н

н

Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2442 MHz Temp. / Humi. : 21 deg C/61 RH **Operation Band**: Tx CH MID Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: VERTICAL 97 80 FCC RSE-PK 3M Level [dBuV] FCC RSE-AV 3M 2 40 10000 15000 20000 1000 5000 2500@6500 Frequency [MHz] Freq. Note Decetor Actual Spectrum Factor Limit Margin Mode **Reading Level** FS @3m F/H/E/S QP/AV/PK dBµV/m dBuV/m MHz dBµV/m dB dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

29.48

41.81

Average

Peak

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relating to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

24.29

36.61

5.19

5.19

-24.52

-32.19

54.00



4884.00

4884.00

Н

н

Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2442 MHz Temp. / Humi. : 21 deg C/61 RH **Operation Band**: Tx CH MID Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL 97 80 FCC RSE-PK 3M Level [dBuV] FCC RSE-AV 3N 2 40 10000 15000 20000 1000 5000 2500@6500 Frequency [MHz] Freq. Note Decetor Actual Spectrum Factor Limit Margin Mode **Reading Level** FS @3m F/H/E/S QP/AV/PK dBuV/m MHz dBµV/m dBµV/m dB dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

29.56

42.53

Average

Peak

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relating to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

24.37

37.33

5.19


5.19

-24.44

-31.47

54.00





1				•			5	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	_
4960.00	Н	Average	30.47	25.18	5.29	54.00	-23.53	-
4960.00	Н	Peak	42.43	37.14	5.29	74.00	-31.57	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2480 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : **Tx CH HIGH** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: HORIZONTAL 97 80 FCC RSE-PK 3N Level [dBuV] FCC RSE-AV 3N 2 X 40 10000 15000 20000 1000 5000 2500@6500 Frequency [MHz] Freq. Note Decetor Actual Spectrum Factor Limit Margin

		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
4960.00	Н	Average	30.46	25.17	5.29	54.00	-23.54
4960.00	Н	Peak	42.74	37.45	5.29	74.00	-31.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



PCB Antenna

BLE : 2402 MHz Tx CH LOW E2 Plane	Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol.	11/29/2016 21 deg_C / 61 RH Kane : VERTICAL
	F	CC RSE-PK 3M
	F	CC RSE-AV 3M
10000	15000 20000	2500@6500
	: 2402 MHz Tx CH LOW E2 Plane	: 2402 MHz Temp. / Humi. : Tx CH LOW Test Engineer : E2 Plane Measurement Antenna Pol.

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
4804.00	Н	Average	29.39	24.47	4.92	54.00	-24.61
4804.00	Н	Peak	42.11	37.19	4.92	74.00	-31.89



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2402 MHz Temp. / Humi. : 21 deg C/61 RH Operation Band : **Tx CH LOW** Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: HORIZONTAL 97 80 FCC RSE-PK 3M Level [dBuV] 8 FCC RSE-AV 3N × 40 10000 15000 20000 1000 5000 2500@6500 Frequency [MHz] Freq. Note Decetor Actual Spectrum Factor Limit Margin

		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
4804.00	Н	Average	29.34	24.42	4.92	54.00	-24.66
4804.00	Н	Peak	42.13	37.21	4.92	74.00	-31.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



4884.00

4884.00

Н

н

Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2442 MHz Temp. / Humi. : 21 deg C/61 RH **Operation Band**: Tx CH MID Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol.: VERTICAL 97 80 FCC RSE-PK 3M Level [dBuV] FCC RSE-AV 3M 2 Ж 40 10000 15000 20000 1000 5000 2500@6500 Frequency [MHz] Freq. Note Decetor Actual Spectrum Factor Limit Margin Mode **Reading Level** FS @3m F/H/E/S QP/AV/PK dBµV/m dBuV/m MHz dBµV/m dB dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

29.51

41.27

Average

Peak

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relating to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

24.32

36.07

5.19

5.19

-24.49

-32.73

54.00



Operation Mode : BLE Test Date : 11/29/2016 Fundamental Frequency : 2442 MHz Temp. / Humi. : 21 deg C/61 RH **Operation Band**: Tx CH MID Test Engineer: Kane EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL 97 80 FCC RSE-PK 3M Level [dBuV] FCC RSE-AV 3N 2 Ж 40 10000 15000 20000 1000 5000 2500@6500 Frequency [MHz] Freq. Note Decetor Actual Spectrum Factor Limit Margin Mode **Reading Level** FS @3m

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

QP/AV/PK

Average

Peak

dBµV/m

29.51

42.50

F/H/E/S

Н

н

MHz

4884.00

4884.00

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relating to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

dBµV/m

24.32

37.30

dBuV/m

54.00

74.00

dB


-24.49

-31.50

dB

5.19






								J
			Mode	Reading Level	FS		@3m	
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
-	4960.00	Н	Average	30.43	25.14	5.29	54.00	-23.57
	4960.00	Н	Peak	42.60	37.31	5.29	74.00	-31.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
4960.00	Н	Average	30.42	25.13	5.29	54.00	-23.58
4960.00	Н	Peak	43.24	37.96	5.29	74.00	-30.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



11 PEAK POWER SPECTRAL DENSITY


11.1 Standard Applicable:

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

11.2 Measurement Equipment Used:

Conducted Emission Test Site								
EQUIPMENT MFR		MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017			
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017			
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017			

11.3 Test Set-up:



11.4 Measurement Procedure:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz.
- 5. Set the VBW = 10 kHz.
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.
- 11. For restricted Band Edge Limit, please refer to section 11.5 of this report for measurement result.

でためのです。 除非另有就明,此根告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



11.5 Measurement Result:

BT4.2 mode

BL	F	m	od	е
			<u> </u>	<u> </u>

DLEINOUE							
Frequenc y (MHz)	RF Power Density (dBm)	Maximum Limit (dBm)	Result				
2402	-10.55	8	PASS				
2442	-10.43	8	PASS				
2480	-10.60	8	PASS				

BLE mode Power Spectral Density Test Plot (CH-Low)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paratore of this document is unavful and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Power Spectral Density Test Plot (CH-Mid)



Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



12 ANTENNA REQUIREMENT

12.1 Standard Applicable:

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

In case of point-to-point operation, the power shall be reduced by the one dB for every 3 dB that the directional gain of antenna exceeds 6dBi.

12.2 Antenna Connected Construction:

An embedded-in antenna design is used.

The antenna is designed as permanently attached and has no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でためのです。 除非另有就明,此根告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law