**OQO** 

model 02

**Start Guide** 

Copyright © 2006 OQO, Inc. All rights reserved.

OQO, Inc. 583 Shotwell Street San Francisco, CA 94110 (415) 430 – 6200 http://www.oqo.com

The information in this guide is subject to change without notice. OQO makes no warranty of any kind with regard to this manual, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. OQO shall not be held liable for errors contained herein or direct, indirect, special, incidental, or consequential damages in connection with the furnishing, performance, or use of this material.

## **Trademarks**

Bluetooth is a registered trademark of Bluetooth SIG, Inc.

Kensington is a registered trademark of ACCO Brands.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

OQO is a registered trademark of OQO, Inc.

Stowaway is a registered trademark of Think Outside Inc.

Targus is a registered trademark of Targus Group International.

Timbuk2 is a registered trademark of Timbuk2 Designs, Inc. or its subsidiaries.

TrackStik is a registered trademark of CTS Corporation.

Tumi is a registered trademark of Tumi, Inc.

Wi-Fi is a registered trademark of Wireless Ethernet Compatibility Alliance.

## **Patents**

## **FCC Statement**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- (1) Reorient or relocate the receiving antenna.
- (2) Increase the separation between the equipment and the receiver
- (3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- (4) Consult the dealer or an experienced radio/TV technician for help.

The highest SAR value for the personal computer system when next to the body, as described in this user guide, is 1.170 W/kg. No separation from the body is required when the wireless personal computer system is in operation, as the SAR measurements were taken with the unit "touching" the surface of the body.

This device was tested for SAR compliance in the lap held configuration. If the device is purchased with the WWAN option, a whip antenna is utilized for WWAN coverage. When operating in WWAN mode, the whip antenna should be pulled out and up to the vertical position. In order to comply with FCC RF exposure requirements, and to align with the SAR test configuration, users must maintain a separation distance of 1.5 cm between the antenna and all persons, and maintain the antenna in the vertical position during WWAN operation.

This Class [B] digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe [B] est conforme à la norme NMB-003 du Canada.

The IEEE 802.11a device for the band 5150-5250 MHz is only for indoor usage, to reduce the potential for harmful interference to co-channel mobile satellite systems.

Caution: Any changes or modifications not expressly approved by OQO for compliance will void the user's authority to operate the equipment.

## **Declaration of Conformity**

We, OQO, Inc. 583 Shotwell Street, San Francisco, California, USA, 415.430.6200, declare under our sole responsibility that the product, OQO *model 02*, complies with Part 15 of FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.