



Test Mode	UNII-1_TX A MODE 5200 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5200.000	83.76	37.36	121.12	74.00	47.12	peak	No Limit
2	*	5200.000	74.22	37.36	111.58	54.00	57.58	AVG	No Limit

Test Mode	UNII-1_TX A MODE 5200 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10400.00	53.94	1.62	55.56	68.20	-12.64	peak	

Test Mode	UNII-1_TX A MODE 5200 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5200.000	73.18	37.36	110.54	74.00	36.54	peak	No Limit
2	*	5200.000	63.55	37.36	100.91	54.00	46.91	AVG	No Limit

Test Mode	UNII-1_TX A MODE 5200 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10400.00	53.05	1.62	54.67	68.20	-13.53	peak	

Test Mode	UNII-1_TX A MODE 5240 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5240.000	84.06	37.40	121.46	74.00	47.46	peak	No Limit
2	*	5240.000	74.66	37.40	112.06	54.00	58.06	AVG	No Limit

Test Mode	UNII-1_TX A MODE 5240 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10480.00	53.53	1.69	55.22	68.20	-12.98	peak	

Test Mode UNII-1_TX A MODE 5240 MHz


Polarization

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5240.000	74.35	37.40	111.75	74.00	37.75	peak	No Limit
2	*	5240.000	64.57	37.40	101.97	54.00	47.97	AVG	No Limit

Test Mode	UNII-1_TX A MODE 5240 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10480.00	53.33	1.69	55.02	68.20	-13.18	peak	

Test Mode	UNII-1_TX N (HT20) MODE 5180 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	23.21	37.31	60.52	74.00	-13.48	peak	
2		5150.000	10.49	37.31	47.80	54.00	-6.20	AVG	
3	X	5180.000	75.72	37.34	113.06	74.00	39.06	peak	No Limit
4	*	5180.000	66.00	37.34	103.34	54.00	49.34	AVG	No Limit

Test Mode	UNII-1_TX N (HT20) MODE 5180 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10360.00	52.79	1.57	54.36	68.20	-13.84	peak	

Test Mode	UNII-1_TX N (HT20) MODE 5180 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.400	15.87	37.30	53.17	74.00	-20.83	peak	
2		5149.400	5.38	37.30	42.68	54.00	-11.32	AVG	
3	X	5180.000	70.79	37.34	108.13	74.00	34.13	peak	No Limit
4	*	5180.000	60.99	37.34	98.33	54.00	44.33	AVG	No Limit

Test Mode	UNII-1_TX N (HT20) MODE 5180 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10360.00	51.95	1.57	53.52	68.20	-14.68	peak	

Test Mode	UNII-1_TX N (HT20) MODE 5200 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5200.000	75.57	37.36	112.93	74.00	38.93	peak	No Limit
2	*	5200.000	65.89	37.36	103.25	54.00	49.25	AVG	No Limit

Test Mode	UNII-1_TX N (HT20) MODE 5200 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10400.00	53.07	1.62	54.69	68.20	-13.51	peak	

Test Mode	UNII-1_TX N (HT20) MODE 5200 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5200.000	70.77	37.36	108.13	74.00	34.13	peak	No Limit
2	*	5200.000	61.24	37.36	98.60	54.00	44.60	AVG	No Limit

Test Mode	UNII-1_TX N (HT20) MODE 5200 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10400.00	53.12	1.62	54.74	68.20	-13.46	peak	

Test Mode	UNII-1_TX N (HT20) MODE 5240 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5240.000	75.41	37.40	112.81	74.00	38.81	peak	No Limit
2	*	5240.000	66.21	37.40	103.61	54.00	49.61	AVG	No Limit

Test Mode	UNII-1_TX N (HT20) MODE 5240 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10480.00	51.87	1.69	53.56	68.20	-14.64	peak	

Test Mode	UNII-1_TX N (HT20) MODE 5240 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5240.000	71.19	37.40	108.59	74.00	34.59	peak	No Limit
2	*	5240.000	61.75	37.40	99.15	54.00	45.15	AVG	No Limit

Test Mode	UNII-1_TX N (HT20) MODE 5240 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10480.00	51.70	1.69	53.39	68.20	-14.81	peak	

Test Mode	UNII-1_TX N (HT40) MODE 5190 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5148.560	27.96	37.30	65.26	74.00	-8.74	peak	
2		5149.340	14.26	37.30	51.56	54.00	-2.44	AVG	
3	X	5190.000	73.67	37.34	111.01	74.00	37.01	peak	No Limit
4	*	5190.000	63.73	37.34	101.07	54.00	47.07	AVG	No Limit

Test Mode	UNII-1_TX N (HT40) MODE 5190 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10380.00	52.75	1.59	54.34	68.20	-13.86	peak	

Test Mode	UNII-1_TX N (HT40) MODE 5190 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	18.05	37.31	55.36	74.00	-18.64	peak	
2		5150.000	7.23	37.31	44.54	54.00	-9.46	AVG	
3	X	5190.000	68.68	37.34	106.02	74.00	32.02	peak	No Limit
4	*	5190.000	58.70	37.34	96.04	54.00	42.04	AVG	No Limit

Test Mode	UNII-1_TX N (HT40) MODE 5190 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10380.00	52.31	1.59	53.90	68.20	-14.30	peak	

Test Mode	UNII-1_TX N (HT40) MODE 5230 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5230.000	74.21	37.40	111.61	74.00	37.61	peak	No Limit
2	*	5230.000	64.25	37.40	101.65	54.00	47.65	AVG	No Limit

Test Mode	UNII-1_TX N (HT40) MODE 5230 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10460.00	51.82	1.68	53.50	68.20	-14.70	peak	

Test Mode	UNII-1_TX N (HT40) MODE 5230 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5230.000	69.34	37.40	106.74	74.00	32.74	peak	No Limit
2	*	5230.000	59.66	37.40	97.06	54.00	43.06	AVG	No Limit

Test Mode	UNII-1_TX N (HT40) MODE 5230 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10460.00	53.29	1.68	54.97	68.20	-13.23	peak	

Test Mode	UNII-1_TX AC (VHT80) MODE 5210 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.720	24.62	37.30	61.92	74.00	-12.08	peak	
2		5149.720	15.39	37.30	52.69	54.00	-1.31	AVG	
3	X	5210.000	70.91	37.38	108.29	74.00	34.29	peak	No Limit
4	*	5210.000	61.01	37.38	98.39	54.00	44.39	AVG	No Limit

Test Mode	UNII-1_TX AC (VHT80) MODE 5210 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10420.00	52.35	1.64	53.99	68.20	-14.21	peak	

Test Mode	UNII-1_TX AC (VHT80) MODE 5210 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5144.900	17.68	37.30	54.98	74.00	-19.02	peak	
2		5144.900	7.08	37.30	44.38	54.00	-9.62	AVG	
3	X	5210.000	63.10	37.38	100.48	74.00	26.48	peak	No Limit
4	*	5210.000	53.44	37.38	90.82	54.00	36.82	AVG	No Limit

Test Mode	UNII-1_TX AC (VHT80) MODE 5210 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10420.00	52.21	1.64	53.85	68.20	-14.35	peak	

Test Mode	UNII-2A_TX A MODE 5260 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	78.74	37.43	116.17	74.00	42.17	peak	No Limit
2	*	5260.000	69.23	37.43	106.66	54.00	52.66	AVG	No Limit

Test Mode	UNII-2A_TX A MODE 5260 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10520.00	52.18	1.75	53.93	68.20	-14.27	peak	

Test Mode	UNII-2A_TX A MODE 5260 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	70.10	37.43	107.53	74.00	33.53	peak	No Limit
2	*	5260.000	61.02	37.43	98.45	54.00	44.45	AVG	No Limit

Test Mode	UNII-2A_TX A MODE 5260 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10520.00	52.85	1.75	54.60	68.20	-13.60	peak	

Test Mode	UNII-2A_TX A MODE 5300 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	78.67	37.47	116.14	74.00	42.14	peak	No Limit
2	*	5300.000	69.08	37.47	106.55	54.00	52.55	AVG	No Limit

Test Mode	UNII-2A_TX A MODE 5300 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.00	52.35	1.87	54.22	74.00	-19.78	peak	
2	*	10600.00	41.52	1.87	43.39	54.00	-10.61	AVG	

Test Mode	UNII-2A_TX A MODE 5300 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	70.03	37.47	107.50	74.00	33.50	peak	No Limit
2	*	5300.000	60.96	37.47	98.43	54.00	44.43	AVG	No Limit

Test Mode	UNII-2A_TX A MODE 5300 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.00	52.36	1.87	54.23	74.00	-19.77	peak	
2	*	10600.00	41.05	1.87	42.92	54.00	-11.08	AVG	

Test Mode	UNII-2A_TX A MODE 5320 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	78.67	37.49	116.16	74.00	42.16	peak	No Limit
2	*	5320.000	68.70	37.49	106.19	54.00	52.19	AVG	No Limit
3		5350.220	15.67	37.53	53.20	74.00	-20.80	peak	
4		5350.220	4.40	37.53	41.93	54.00	-12.07	AVG	

Test Mode	UNII-2A_TX A MODE 5320 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.00	52.83	1.94	54.77	74.00	-19.23	peak	
2	*	10640.00	41.40	1.94	43.34	54.00	-10.66	AVG	

Test Mode	UNII-2A_TX A MODE 5320 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	70.13	37.49	107.62	74.00	33.62	peak	No Limit
2	*	5320.000	61.01	37.49	98.50	54.00	44.50	AVG	No Limit
3		5350.440	14.03	37.53	51.56	74.00	-22.44	peak	
4		5350.440	1.95	37.53	39.48	54.00	-14.52	AVG	

Test Mode	UNII-2A_TX A MODE 5320 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.00	54.58	1.94	56.52	74.00	-17.48	peak	
2	*	10640.00	41.96	1.94	43.90	54.00	-10.10	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5260 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	71.20	37.38	108.58	74.00	34.58	peak	No Limit
2	*	5260.000	58.35	37.38	95.73	54.00	41.73	AVG	No Limit

Test Mode	UNII-2A_TX N (HT20) MODE 5260 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10520.000	51.53	1.85	53.38	68.20	-14.82	peak	

Test Mode	UNII-2A_TX N (HT20) MODE 5260 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	61.83	37.38	99.21	74.00	25.21	peak	No Limit
2	*	5260.000	50.53	37.38	87.91	54.00	33.91	AVG	No Limit

Test Mode	UNII-2A_TX N (HT20) MODE 5260 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10520.000	51.04	1.85	52.89	68.20	-15.31	peak	

Test Mode	UNII-2A_TX N (HT20) MODE 5300 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5300.000	69.84	37.43	107.27	74.00	33.27	peak	No Limit
2	*	5300.000	56.86	37.43	94.29	54.00	40.29	AVG	No Limit

Test Mode	UNII-2A_TX N (HT20) MODE 5300 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.001	51.45	1.97	53.42	74.00	-20.58	peak	
2	*	10600.001	38.29	1.97	40.26	54.00	-13.74	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5300 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	60.97	37.43	98.40	74.00	24.40	peak	No Limit
2	*	5300.000	50.25	37.43	87.68	54.00	33.68	AVG	No Limit

Test Mode	UNII-2A_TX N (HT20) MODE 5300 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.000	51.25	1.97	53.22	74.00	-20.78	peak	
2	*	10600.000	38.23	1.97	40.20	54.00	-13.80	AVG	