



Test Mode	UNII-2A_TX N (HT20) MODE 5320 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	70.31	37.46	107.77	74.00	33.77	peak	No Limit
2	*	5320.000	58.72	37.46	96.18	54.00	42.18	AVG	No Limit
3		5350.075	14.60	37.50	52.10	74.00	-21.90	peak	
4		5350.075	3.56	37.50	41.06	54.00	-12.94	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5320 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.000	50.90	2.04	52.94	74.00	-21.06	peak	
2	*	10640.000	38.26	2.04	40.30	54.00	-13.70	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5320 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	60.60	37.46	98.06	74.00	24.06	peak	No Limit
2	*	5320.000	49.16	37.46	86.62	54.00	32.62	AVG	No Limit
3		5350.075	13.47	37.50	50.97	74.00	-23.03	peak	
4		5350.075	2.58	37.50	40.08	54.00	-13.92	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5320 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.000	51.52	2.04	53.56	74.00	-20.44	peak	
2	*	10640.000	38.30	2.04	40.34	54.00	-13.66	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5270 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5270.000	65.99	37.40	103.39	74.00	29.39	peak	No Limit
2	*	5270.000	54.94	37.40	92.34	54.00	38.34	AVG	No Limit
3		5350.770	14.56	37.50	52.06	74.00	-21.94	peak	
4		5350.770	3.26	37.50	40.76	54.00	-13.24	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5270 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.000	51.86	1.88	53.74	68.20	-14.46	peak	

Test Mode	UNII-2A_TX N (HT40) MODE 5270 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5270.000	57.44	37.40	94.84	74.00	20.84	peak	No Limit
2	*	5270.000	47.39	37.40	84.79	54.00	30.79	AVG	No Limit
3		5350.620	13.16	37.50	50.66	74.00	-23.34	peak	
4		5350.620	2.30	37.50	39.80	54.00	-14.20	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5270 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.000	51.53	1.88	53.41	68.20	-14.79	peak	

Test Mode	UNII-2A_TX N (HT40) MODE 5310 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5310.000	65.40	37.45	102.85	74.00	28.85	peak	No Limit
2	*	5310.000	53.83	37.45	91.28	54.00	37.28	AVG	No Limit
3		5350.000	14.13	37.50	51.63	74.00	-22.37	peak	
4		5350.000	3.95	37.50	41.45	54.00	-12.55	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5310 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.000	51.19	2.00	53.19	74.00	-20.81	peak	
2	*	10620.000	38.06	2.00	40.06	54.00	-13.94	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5310 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5310.000	55.71	37.45	93.16	74.00	19.16	peak	No Limit
2	*	5310.000	45.22	37.45	82.67	54.00	28.67	AVG	No Limit
3		5364.700	13.96	37.51	51.47	74.00	-22.53	peak	
4		5364.700	2.48	37.51	39.99	54.00	-14.01	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5310 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.000	50.72	2.00	52.72	74.00	-21.28	peak	
2	*	10620.000	38.16	2.00	40.16	54.00	-13.84	AVG	

Test Mode	UNII-2A_TX AC (VHT80) MODE 5290 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	14.77	37.24	52.01	74.00	-21.99	peak	
2		5150.000	2.83	37.24	40.07	54.00	-13.93	AVG	
3	X	5290.000	61.14	37.41	98.55	74.00	24.55	peak	No Limit
4	*	5290.000	51.82	37.41	89.23	54.00	35.23	AVG	No Limit
5		5350.420	15.34	37.50	52.84	74.00	-21.16	peak	
6		5350.420	5.13	37.50	42.63	54.00	-11.37	AVG	

Test Mode	UNII-2A_TX AC (VHT80) MODE 5290 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10580.000	51.08	1.94	53.02	68.20	-15.18	peak	

Test Mode	UNII-2A_TX AC (VHT80) MODE 5290 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5134.000	14.47	37.22	51.69	74.00	-22.31	peak	
2		5134.000	2.37	37.22	39.59	54.00	-14.41	AVG	
3	X	5290.000	53.98	37.41	91.39	74.00	17.39	peak	No Limit
4	*	5290.000	44.69	37.41	82.10	54.00	28.10	AVG	No Limit
5		5350.280	14.23	37.50	51.73	74.00	-22.27	peak	
6		5350.280	3.06	37.50	40.56	54.00	-13.44	AVG	

Test Mode	UNII-2A_TX AC (VHT80) MODE 5290 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10580.000	51.71	1.94	53.65	68.20	-14.55	peak	

Test Mode	UNII-2C_TX A MODE 5500 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5456.910	14.44	37.64	52.08	74.00	-21.92	peak	
2		5456.910	2.10	37.64	39.74	54.00	-14.26	AVG	
3		5468.430	16.39	37.65	54.04	68.20	-14.16	peak	
4	X	5500.000	70.37	37.69	108.06	74.00	34.06	peak	No Limit
5	*	5500.000	60.99	37.69	98.68	54.00	44.68	AVG	No Limit

Test Mode	UNII-2C_TX A MODE 5500 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.00	51.38	2.49	53.87	74.00	-20.13	peak	
2	*	11000.00	39.95	2.49	42.44	54.00	-11.56	AVG	

Test Mode	UNII-2C_TX A MODE 5500 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5457.770	20.95	37.64	58.59	74.00	-15.41	peak	
2		5457.770	7.85	37.64	45.49	54.00	-8.51	AVG	
3		5467.750	23.46	37.65	61.11	68.20	-7.09	peak	
4	X	5500.000	75.73	37.69	113.42	74.00	39.42	peak	No Limit
5	*	5500.000	66.26	37.69	103.95	54.00	49.95	AVG	No Limit

Test Mode	UNII-2C_TX A MODE 5500 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.00	53.14	2.49	55.63	74.00	-18.37	peak	
2	*	11000.00	41.73	2.49	44.22	54.00	-9.78	AVG	

Test Mode	UNII-2C_TX A MODE 5580 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5580.000	68.75	37.86	106.61	74.00	32.61	peak	No Limit
2	*	5580.000	59.40	37.86	97.26	54.00	43.26	AVG	No Limit

Test Mode UNII-2C_TX A MODE 5580 MHz


Polarization

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.00	55.48	2.63	58.11	74.00	-15.89	peak	
2	*	11160.00	41.95	2.63	44.58	54.00	-9.42	AVG	

Test Mode	UNII-2C_TX A MODE 5580 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5580.000	75.46	37.86	113.32	74.00	39.32	peak	No Limit
2	*	5580.000	66.32	37.86	104.18	54.00	50.18	AVG	No Limit

Test Mode	UNII-2C_TX A MODE 5580 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.00	56.43	2.63	59.06	74.00	-14.94	peak	
2	*	11160.00	43.58	2.63	46.21	54.00	-7.79	AVG	

Test Mode	UNII-2C_TX A MODE 5700 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5700.000	69.77	38.10	107.87	74.00	33.87	peak	No Limit
2	*	5700.000	60.59	38.10	98.69	54.00	44.69	AVG	No Limit
3		5725.000	19.24	38.15	57.39	68.20	-10.81	peak	

Test Mode	UNII-2C_TX A MODE 5700 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.00	51.37	2.82	54.19	74.00	-19.81	peak	
2	*	11400.00	39.83	2.82	42.65	54.00	-11.35	AVG	

Test Mode	UNII-2C_TX A MODE 5700 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5700.000	75.95	38.10	114.05	74.00	40.05	peak	No Limit
2	*	5700.000	67.05	38.10	105.15	54.00	51.15	AVG	No Limit
3		5726.750	28.92	38.15	67.07	68.20	-1.13	peak	

Test Mode	UNII-2C_TX A MODE 5700 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.00	51.69	2.82	54.51	74.00	-19.49	peak	
2	*	11400.00	39.91	2.82	42.73	54.00	-11.27	AVG	

Test Mode	UNII-2C_TX N (HT20) MODE 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5459.340	16.59	37.65	54.24	74.00	-19.76	peak	
2		5459.340	5.12	37.65	42.77	54.00	-11.23	AVG	
3		5469.770	19.52	37.65	57.17	68.20	-11.03	peak	
4	X	5500.000	71.47	37.69	109.16	74.00	35.16	peak	No Limit
5	*	5500.000	61.31	37.69	99.00	54.00	45.00	AVG	No Limit

Test Mode	UNII-2C_TX N (HT20) MODE 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.00	51.71	2.49	54.20	74.00	-19.80	peak	
2	*	11000.00	39.81	2.49	42.30	54.00	-11.70	AVG	

Test Mode	UNII-2C_TX N (HT20) MODE 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5458.680	21.82	37.65	59.47	74.00	-14.53	peak	
2		5458.680	10.39	37.65	48.04	54.00	-5.96	AVG	
3		5469.210	28.96	37.65	66.61	68.20	-1.59	peak	
4	X	5500.000	76.37	37.69	114.06	74.00	40.06	peak	No Limit
5	*	5500.000	67.22	37.69	104.91	54.00	50.91	AVG	No Limit

Test Mode	UNII-2C_TX N (HT20) MODE 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.00	52.57	2.49	55.06	74.00	-18.94	peak	
2	*	11000.00	40.78	2.49	43.27	54.00	-10.73	AVG	

Test Mode	UNII-2C_TX N (HT20) MODE 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5580.000	67.99	37.86	105.85	74.00	31.85	peak	No Limit
2	*	5580.000	57.21	37.86	95.07	54.00	41.07	AVG	No Limit

Test Mode	UNII-2C_TX N (HT20) MODE 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.00	51.31	2.63	53.94	74.00	-20.06	peak	
2	*	11160.00	39.81	2.63	42.44	54.00	-11.56	AVG	

Test Mode	UNII-2C_TX N (HT20) MODE 5580 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5580.000	74.38	37.86	112.24	74.00	38.24	peak	No Limit
2	*	5580.000	64.37	37.86	102.23	54.00	48.23	AVG	No Limit

Test Mode	UNII-2C_TX N (HT20) MODE 5580 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.00	56.60	2.63	59.23	74.00	-14.77	peak	
2	*	11160.00	44.61	2.63	47.24	54.00	-6.76	AVG	

Test Mode	UNII-2C_TX N (HT20) MODE 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5700.000	69.45	38.10	107.55	74.00	33.55	peak	No Limit
2	*	5700.000	59.79	38.10	97.89	54.00	43.89	AVG	No Limit
3		5728.050	19.02	38.15	57.17	68.20	-11.03	peak	

Test Mode	UNII-2C_TX N (HT20) MODE 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.00	51.61	2.82	54.43	74.00	-19.57	peak	
2	*	11400.00	40.40	2.82	43.22	54.00	-10.78	AVG	

Test Mode	UNII-2C_TX N (HT20) MODE 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5700.000	75.76	38.10	113.86	74.00	39.86	peak	No Limit
2	*	5700.000	66.63	38.10	104.73	54.00	50.73	AVG	No Limit
3		5726.550	28.83	38.15	66.98	68.20	-1.22	peak	

Test Mode	UNII-2C_TX N (HT20) MODE 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.00	51.81	2.82	54.63	74.00	-19.37	peak	
2	*	11400.00	40.26	2.82	43.08	54.00	-10.92	AVG	

Test Mode	UNII-2C_TX N (HT40) MODE 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5459.000	15.70	37.65	53.35	74.00	-20.65	peak	
2		5459.000	4.27	37.65	41.92	54.00	-12.08	AVG	
3		5470.000	21.44	37.66	59.10	68.20	-9.10	peak	
4	X	5510.000	65.78	37.71	103.49	74.00	29.49	peak	No Limit
5	*	5510.000	56.14	37.71	93.85	54.00	39.85	AVG	No Limit

Test Mode	UNII-2C_TX N (HT40) MODE 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.00	51.75	2.50	54.25	74.00	-19.75	peak	
2	*	11020.00	40.02	2.50	42.52	54.00	-11.48	AVG	

Test Mode	UNII-2C_TX N (HT40) MODE 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5459.450	21.44	37.65	59.09	74.00	-14.91	peak	
2		5459.450	10.54	37.65	48.19	54.00	-5.81	AVG	
3		5468.340	28.82	37.65	66.47	68.20	-1.73	peak	
4	X	5510.000	72.84	37.71	110.55	74.00	36.55	peak	No Limit
5	*	5510.000	63.34	37.71	101.05	54.00	47.05	AVG	No Limit

Test Mode	UNII-2C_TX N (HT40) MODE 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.00	51.81	2.50	54.31	74.00	-19.69	peak	
2	*	11020.00	40.42	2.50	42.92	54.00	-11.08	AVG	

Test Mode	UNII-2C_TX N (HT40) MODE 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5456.530	22.76	37.64	60.40	74.00	-13.60	peak	
2		5456.530	10.31	37.64	47.95	54.00	-6.05	AVG	
3		5467.770	23.47	37.65	61.12	68.20	-7.08	peak	
4	X	5550.000	75.59	37.79	113.38	74.00	39.38	peak	No Limit
5	*	5550.000	64.27	37.79	102.06	54.00	48.06	AVG	No Limit

Test Mode	UNII-2C_TX N (HT40) MODE 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11100.00	51.28	2.58	53.86	74.00	-20.14	peak	
2	*	11100.00	39.95	2.58	42.53	54.00	-11.47	AVG	

Test Mode	UNII-2C_TX N (HT40) MODE 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5459.270	17.51	37.65	55.16	74.00	-18.84	peak	
2		5459.270	4.66	37.65	42.31	54.00	-11.69	AVG	
3		5469.880	18.44	37.65	56.09	68.20	-12.11	peak	
4	X	5550.000	69.46	37.79	107.25	74.00	33.25	peak	No Limit
5	*	5550.000	58.20	37.79	95.99	54.00	41.99	AVG	No Limit

Test Mode	UNII-2C_TX N (HT40) MODE 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11100.00	52.24	2.58	54.82	74.00	-19.18	peak	
2	*	11100.00	40.47	2.58	43.05	54.00	-10.95	AVG	

Test Mode	UNII-2C_TX N (HT40) MODE 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5670.000	67.52	38.04	105.56	74.00	31.56	peak	No Limit
2	*	5670.000	57.78	38.04	95.82	54.00	41.82	AVG	No Limit
3		5727.295	20.15	38.15	58.30	68.20	-9.90	peak	

Test Mode	UNII-2C_TX N (HT40) MODE 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11340.00	52.10	2.77	54.87	74.00	-19.13	peak	
2	*	11340.00	40.62	2.77	43.39	54.00	-10.61	AVG	

Test Mode	UNII-2C_TX N (HT40) MODE 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5670.000	73.58	38.04	111.62	74.00	37.62	peak	No Limit
2	*	5670.000	64.60	38.04	102.64	54.00	48.64	AVG	No Limit
3		5726.170	28.76	38.15	66.91	68.20	-1.29	peak	

Test Mode	UNII-2C_TX N (HT40) MODE 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11340.00	51.86	2.77	54.63	74.00	-19.37	peak	
2	*	11340.00	40.54	2.77	43.31	54.00	-10.69	AVG	