

RF EXPOSURE REPORT

REPORT NO.: SA970129L04

MODEL NO.: WEC-701L

ACCORDING: FCC Guidelines for Human Exposure

IEEE C95.1

APPLICANT: U-MEDIA Communications, Inc.

ADDRESS: 9F, No. 1, Jin-shan 7th St., Hsinchu 300, Taiwan,

R.O.C.

ISSUED BY: Advance Data Technology Corporation

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang

244, Taipei Hsien, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd., Wen Hwa Tsuen, Kwei

Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation required if power is below this threshold:

F(GHz)		mW	
Low	2.412	24.62	
High	2.462	24.02	

Maximum measured transmitter power:

Pout (dBr	Pout (mW)	
Conducted Power	13.14	20.61
EIRP Power	13.29	21.33

^{*}Note: The antenna is printed antenna with 0.15dBi gain.

Threshold for no SAR evaluation is 24.62mW Transmitter power is 21.33mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold