

## RF EXPOSURE REPORT

**REPORT NO.:** SA970313L06

MODEL NO.: WUB-710A, W211NU

**ACCORDING:** FCC Guidelines for Human Exposure

**IEEE C95.1** 

**APPLICANT:** U-MEDIA Communications, Inc.

ADDRESS: 9F, No.1, Jin-shan 7th St., Hsinchu 300, Taiwan,

R.O.C.

**ISSUED BY:** Advance Data Technology Corporation

**LAB ADDRESS:** No.47, 14<sup>th</sup> Ling, Chia Pau Tsuen, Linko Hsiang 244, Taipei Hsien, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2<sup>nd</sup> Rd, Wen Hwa Tsuen, Kwei

Shan Hsiang, Taoyuan Hsien 333, Taiwan,

R.O.C.



No evaluation required if power is below this threshold:

F(GHz)		mW
Low	2.412	24.620
High	2.462	

Maximum measured transmitter power:

Pout (dBr	Pout (mW)	
Conducted Power	12.11	16.255
EIRP Power	13.11	20.464

<sup>\*</sup>Note: The antenna is printed antenna with 1dBi gain

Threshold for no SAR evaluation is 24.620mW Transmitter power is 20.464mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold