


Orthogonal Axis :	X
Test Mode :	TX 2441MHz_CH39_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2440.850	61.77	33.51	95.28	74.00	21.28	peak	Fundamental frequency, no limit
2	*	2441.100	51.51	33.51	85.02	54.00	31.02	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4882.160	37.42	6.61	44.03	74.00	-29.97	peak	
2	*	4882.160	26.92	6.61	33.53	54.00	-20.47	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2441.100	55.05	33.51	88.56	54.00	34.56	AVG	Fundamental frequency, no limit
2	X	2441.200	65.39	33.51	98.90	74.00	24.90	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4881.960	35.28	6.61	41.89	74.00	-32.11	peak	
2	*	4881.960	27.12	6.61	33.73	54.00	-20.27	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz_CH78_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2479.850	58.77	33.61	92.38	74.00	18.38	peak	Fundamental frequency, no limit
2	*	2480.100	48.43	33.61	82.04	54.00	28.04	AVG	Fundamental frequency, no limit
3		2483.500	21.45	33.62	55.07	74.00	-18.93	peak	
4		2483.500	12.10	33.62	45.72	54.00	-8.28	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4959.910	35.61	6.83	42.44	74.00	-31.56	peak	
2	*	4959.910	26.73	6.83	33.56	54.00	-20.44	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz_CH78_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2480.100	54.43	33.61	88.04	54.00	34.04	AVG	Fundamental frequency, no limit
2	X	2480.150	64.74	33.61	98.35	74.00	24.35	peak	Fundamental frequency, no limit
3		2483.500	22.08	33.62	55.70	74.00	-18.30	peak	
4		2483.500	12.14	33.62	45.76	54.00	-8.24	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4960.110	35.57	6.83	42.40	74.00	-31.60	peak	
2	*	4960.110	26.25	6.83	33.08	54.00	-20.92	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz_CH00_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	20.42	33.38	53.80	74.00	-20.20	peak	
2		2390.000	12.32	33.38	45.70	54.00	-8.30	AVG	
3	*	2401.800	43.56	33.41	76.97	54.00	22.97	AVG	Fundamental frequency, no limit
4	X	2402.000	55.50	33.41	88.91	74.00	14.91	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4804.050	36.94	6.38	43.32	74.00	-30.68	peak	
2	*	4804.050	28.24	6.38	34.62	54.00	-19.38	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz_CH00_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	22.27	33.38	55.65	74.00	-18.35	peak	
2		2390.000	12.23	33.38	45.61	54.00	-8.39	AVG	
3	*	2401.800	48.36	33.41	81.77	54.00	27.77	AVG	Fundamental frequency, no limit
4	X	2402.000	60.24	33.41	93.65	74.00	19.65	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4804.080	36.86	6.38	43.24	74.00	-30.76	peak	
2	*	4804.080	28.24	6.38	34.62	54.00	-19.38	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz_CH39_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2440.750	46.12	33.51	79.63	54.00	25.63	AVG	Fundamental frequency, no limit
2	X	2441.250	57.32	33.51	90.83	74.00	16.83	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4881.860	37.42	6.61	44.03	74.00	-29.97	peak	
2	*	4881.860	27.13	6.61	33.74	54.00	-20.26	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_3Mbps

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2440.750	50.89	33.51	84.40	54.00	30.40	AVG	Fundamental frequency, no limit
2	X	2441.050	62.77	33.51	96.28	74.00	22.28	peak	Fundamental frequency, no limit