


Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4874.250	38.83	5.47	44.30	74.00	-29.70	peak	
2 *	4874.250	28.25	5.47	33.72	54.00	-20.28	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2461.800	69.91	33.37	103.28	74.00	29.28	peak	Fundamental frequency, no limit
2	*	2465.000	57.11	33.37	90.48	54.00	36.48	AVG	Fundamental frequency, no limit
3		2483.500	34.24	33.37	67.61	74.00	-6.39	peak	
4		2483.500	15.90	33.37	49.27	54.00	-4.73	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4924.350	42.37	5.65	48.02	74.00	-25.98	peak	
2 *	4924.350	29.59	5.65	35.24	54.00	-18.76	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2463.500	71.04	33.37	104.41	74.00	30.41	peak	Fundamental frequency, no limit
2	*	2465.100	59.47	33.37	92.84	54.00	38.84	AVG	Fundamental frequency, no limit
3		2483.500	35.07	33.37	68.44	74.00	-5.56	peak	
4		2483.500	16.76	33.37	50.13	54.00	-3.87	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4923.970	39.57	5.65	45.22	74.00	-28.78	peak	
2 *	4923.970	28.81	5.65	34.46	54.00	-19.54	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	36.71	33.35	70.06	74.00	-3.94	peak	
2		2390.000	17.01	33.35	50.36	54.00	-3.64	AVG	
3	X	2414.900	71.88	33.36	105.24	74.00	31.24	peak	Fundamental frequency, no limit
4	*	2415.100	56.78	33.36	90.14	54.00	36.14	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4824.210	29.66	5.29	34.95	54.00	-19.05	AVG	
2		4824.210	41.82	5.29	47.11	74.00	-26.89	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	32.41	33.35	65.76	74.00	-8.24	peak	
2		2390.000	17.08	33.35	50.43	54.00	-3.57	AVG	
3	*	2413.600	56.21	33.36	89.57	54.00	35.57	AVG	Fundamental frequency, no limit
4	X	2414.300	70.99	33.36	104.35	74.00	30.35	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4823.840	40.24	5.29	45.53	74.00	-28.47	peak	
2 *	4823.840	28.86	5.29	34.15	54.00	-19.85	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	2434.300	56.22	33.36	89.58	54.00	35.58	AVG	Fundamental frequency, no limit
2	X	2434.800	70.86	33.36	104.22	74.00	30.22	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.840	42.81	5.47	48.28	74.00	-25.72	peak	
2	*	4873.840	30.24	5.47	35.71	54.00	-18.29	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2432.700	71.92	33.36	105.28	74.00	31.28	peak	Fundamental frequency, no limit
2	*	2439.900	57.51	33.36	90.87	54.00	36.87	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4873.600	40.38	5.47	45.85	74.00	-28.15	peak	
2 *	4873.600	29.24	5.47	34.71	54.00	-19.29	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2464.500	72.40	33.37	105.77	74.00	31.77	peak	Fundamental frequency, no limit
2	*	2465.400	57.51	33.37	90.88	54.00	36.88	AVG	Fundamental frequency, no limit
3		2483.500	33.18	33.37	66.55	74.00	-7.45	peak	
4		2483.500	16.63	33.37	50.00	54.00	-4.00	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4922.330	40.63	5.64	46.27	74.00	-27.73	peak	
2 *	4922.330	29.33	5.64	34.97	54.00	-19.03	AVG	