


Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2458.000	70.67	33.37	104.04	74.00	30.04	peak	Fundamental frequency, no limit
2	*	2465.400	56.79	33.37	90.16	54.00	36.16	AVG	Fundamental frequency, no limit
3		2483.500	36.29	33.37	69.66	74.00	-4.34	peak	
4		2483.500	16.33	33.37	49.70	54.00	-4.30	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4924.200	39.42	5.65	45.07	74.00	-28.93	peak	
2 *	4924.200	28.63	5.65	34.28	54.00	-19.72	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	32.71	33.35	66.06	74.00	-7.94	peak	
2		2390.000	17.04	33.35	50.39	54.00	-3.61	AVG	
3	X	2409.000	65.30	33.36	98.66	74.00	24.66	peak	Fundamental frequency, no limit
4	*	2415.600	48.08	33.36	81.44	54.00	27.44	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4844.390	28.29	5.36	33.65	54.00	-20.35	AVG	
2		4844.390	40.86	5.36	46.22	74.00	-27.78	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	31.78	33.35	65.13	74.00	-8.87	peak	
2		2390.000	17.58	33.35	50.93	54.00	-3.07	AVG	
3	*	2417.000	47.36	33.36	80.72	54.00	26.72	AVG	Fundamental frequency, no limit
4	X	2418.200	64.13	33.36	97.49	74.00	23.49	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4844.300	38.26	5.36	43.62	74.00	-30.38	peak	
2	*	4844.300	28.35	5.36	33.71	54.00	-20.29	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2423.400	48.53	33.36	81.89	54.00	27.89	AVG	Fundamental frequency, no limit
2	X	2442.200	65.57	33.36	98.93	74.00	24.93	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4873.970	41.13	5.47	46.60	74.00	-27.40	peak	
2 *	4873.970	30.25	5.47	35.72	54.00	-18.28	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2422.400	65.13	33.36	98.49	74.00	24.49	peak	Fundamental frequency, no limit
2	*	2423.400	48.28	33.36	81.64	54.00	27.64	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4874.240	38.52	5.47	43.99	74.00	-30.01	peak	
2 *	4874.240	29.34	5.47	34.81	54.00	-19.19	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2439.800	64.65	33.36	98.01	74.00	24.01	peak	Fundamental frequency, no limit
2	*	2465.200	47.86	33.37	81.23	54.00	27.23	AVG	Fundamental frequency, no limit
3		2483.500	33.10	33.37	66.47	74.00	-7.53	peak	
4		2483.500	16.51	33.37	49.88	54.00	-4.12	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4904.700	42.44	5.58	48.02	74.00	-25.98	peak	
2 *	4904.700	31.86	5.58	37.44	54.00	-16.56	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2434.800	64.12	33.36	97.48	74.00	23.48	peak	Fundamental frequency, no limit
2	*	2438.200	47.57	33.36	80.93	54.00	26.93	AVG	Fundamental frequency, no limit
3		2483.500	29.49	33.37	62.86	74.00	-11.14	peak	
4		2483.500	15.95	33.37	49.32	54.00	-4.68	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4903.860	39.48	5.58	45.06	74.00	-28.94	peak	
2 *	4903.860	28.59	5.58	34.17	54.00	-19.83	AVG	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	8.58	10.95	500	Complies
2437 MHz	8.13	11.50	500	Complies
2462 MHz	8.03	11.80	500	Complies

TX CH01




Date: 4.JUL.2014 10:08:47

TX CH06



Date: 4.JUL.2014 10:14:44

TX CH11




Date: 4.JUL.2014 10:16:25

Test Mode: TX G Mode_CH01/06/11


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	15.11	16.35	500	Complies
2437 MHz	15.66	16.35	500	Complies
2462 MHz	15.01	16.35	500	Complies

TX CH01




Date: 4.JUL.2014 10:24:57

TX CH06



Date: 4.JUL.2014 10:27:01

TX CH11




Date: 4.JUL.2014 10:28:24

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 1


Frequency	6dB Bandwidth (MHz)	BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	15.16	17.40	500	Complies
2437 MHz	15.36	17.45	500	Complies
2462 MHz	15.11	17.45	500	Complies

TX CH01




Date: 4.JUL.2014 11:02:56

TX CH06



Date: 4.JUL.2014 11:08:28

TX CH11




Date: 4.JUL.2014 11:14:35

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 2


Frequency	6dB Bandwidth (MHz)	BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	15.16	17.45	500	Complies
2437 MHz	15.16	17.45	500	Complies
2462 MHz	15.16	17.45	500	Complies

TX CH01




Date: 4.JUL.2014 11:03:16

TX CH06



Date: 4.JUL.2014 11:08:51

TX CH11




Date: 4.JUL.2014 11:14:59

Test Mode : TX N-40MHz Mode_CH03/06/09_ANT 1


Frequency	6dB Bandwidth (MHz)	BW (MHz)	Min. Limit (kHz)	Test Result
2422 MHz	36.31	36.30	500	Complies
2437 MHz	36.11	36.20	500	Complies
2452 MHz	36.31	36.30	500	Complies

TX CH03




Date: 4.JUL.2014 11:28:51

TX CH06



Date: 4.JUL.2014 11:35:49

TX CH09




Date: 4.JUL.2014 11:41:09

Test Mode : TX N-40MHz Mode_CH03/06/09_ANT 2


Frequency	6dB Bandwidth (MHz)	BW (MHz)	Min. Limit (kHz)	Test Result
2422 MHz	36.31	36.30	500	Complies
2437 MHz	36.21	36.30	500	Complies
2452 MHz	36.31	36.20	500	Complies

TX CH03




Date: 4.JUL.2014 11:29:16

TX CH06



Date: 4.JUL.2014 11:37:09

TX CH09



Date: 4.JUL.2014 11:41:34

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode : TX B Mode					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	18.77	0.0753	30.00	1.00	Complies
2437 MHz	18.66	0.0735	30.00	1.00	Complies
2462 MHz	18.32	0.0679	30.00	1.00	Complies

Test Mode : TX G Mode					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	21.25	0.1334	30.00	1.00	Complies
2437 MHz	21.17	0.1309	30.00	1.00	Complies
2462 MHz	20.99	0.1256	30.00	1.00	Complies

Test Mode : TX N-20M Mode ANT 1					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	20.33	0.1079	30.00	1.00	Complies
2437 MHz	20.36	0.1086	30.00	1.00	Complies
2462 MHz	19.76	0.0946	30.00	1.00	Complies

Test Mode : TX N-20M Mode ANT 2					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	20.46	0.1112	30.00	1.00	Complies
2437 MHz	20.57	0.1140	30.00	1.00	Complies
2462 MHz	20.79	0.1199	30.00	1.00	Complies

Test Mode : TX N-20M Mode Total					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	23.41	0.2191	30.00	1.00	Complies
2437 MHz	23.48	0.2227	30.00	1.00	Complies
2462 MHz	23.32	0.2146	30.00	1.00	Complies

Test Mode : TX N-40M Mode ANT 1					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	17.08	0.0511	30.00	1.00	Complies
2437 MHz	18.12	0.0649	30.00	1.00	Complies
2452 MHz	17.07	0.0509	30.00	1.00	Complies


Test Mode : TX N-40M Mode ANT 2					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	17.02	0.0504	30.00	1.00	Complies
2437 MHz	18.19	0.0659	30.00	1.00	Complies
2452 MHz	17.53	0.0566	30.00	1.00	Complies

Test Mode : TX N-40M Mode Total					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	20.06	0.1014	30.00	1.00	Complies
2437 MHz	21.17	0.1308	30.00	1.00	Complies
2452 MHz	20.32	0.1076	30.00	1.00	Complies

**ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS
EMISSION**


Test Mode :	TX B Mode
-------------	-----------

TX B mode CH01




Date: 4.JUL.2014 10:10:24

TX B mode CH11




Date: 4.JUL.2014 10:16:44

TX B mode CH01 (10 Harmonic of the frequency)




Date: 4.JUL.2014 10:16:05

TX B mode CH06 (10 Harmonic of the frequency)



Date: 4.JUL.2014 10:10:06

TX B mode CH11 (10 Harmonic of the frequency)



Date: 4.JUL.2014 10:19:40

Test Mode :	TX G Mode
--------------------	------------------