


Test Mode : Band 3/TX A Mode 5700MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	!	119.2400	54.50	-16.77	37.73	43.50	-5.77	peak	
2	*	203.6300	57.36	-16.94	40.42	43.50	-3.08	QP	
3	!	239.5200	56.12	-15.50	40.62	46.00	-5.38	peak	
4	!	408.3000	53.52	-10.95	42.57	46.00	-3.43	peak	
5	!	560.5900	48.34	-7.90	40.44	46.00	-5.56	peak	
6		960.2300	43.28	-2.19	41.09	54.00	-12.91	peak	

ATTACHMENTD -RADIATED EMISSION (ABOVE 1000MHZ)

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	15.41	41.99	57.40	68.30	-10.90	peak	
2		5150.000	5.65	41.99	47.64	54.00	-6.36	AVG	
3	X	5174.800	63.40	42.09	105.49	68.30	37.19	peak	Fundamental frequency, no limit
4	*	5176.400	54.37	42.10	96.47	54.00	42.47	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10359.67	36.40	13.73	50.13	68.30	-18.17	peak	
2	*	10359.67	24.47	13.73	38.20	54.00	-15.80	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	12.31	41.99	54.30	68.30	-14.00	peak	
2		5150.000	3.31	41.99	45.30	54.00	-8.70	AVG	
3	*	5176.400	52.26	42.10	94.36	54.00	40.36	AVG	Fundamental frequency, no limit
4	X	5183.800	60.63	42.13	102.76	68.30	34.46	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10360.02	36.48	13.73	50.21	68.30	-18.09	peak	
2	*	10360.02	24.17	13.73	37.90	54.00	-16.10	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5196.300	54.01	42.18	96.19	54.00	42.19	AVG	Fundamental frequency, no limit
2	X	5197.700	61.49	42.18	103.67	68.30	35.37	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.05	37.11	13.78	50.89	68.30	-17.41	peak	
2	*	10400.05	25.27	13.78	39.05	54.00	-14.95	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5196.600	51.80	42.18	93.98	54.00	39.98	AVG	Fundamental frequency, no limit
2	X	5197.000	59.34	42.18	101.52	68.30	33.22	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.35	36.47	13.78	50.25	68.30	-18.05	peak	
2	*	10400.35	23.37	13.78	37.15	54.00	-16.85	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5236.300	54.35	42.34	96.69	54.00	42.69	AVG	Fundamental frequency, no limit
2	X	5239.600	62.09	42.36	104.45	68.30	36.15	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10480.02	36.34	13.87	50.21	68.30	-18.09	peak	
2	*	10480.02	24.17	13.87	38.04	54.00	-15.96	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5243.700	51.08	42.38	93.46	54.00	39.46	AVG	Fundamental frequency, no limit
2	X	5245.800	58.41	42.38	100.79	68.30	32.49	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10479.97	36.43	13.87	50.30	68.30	-18.00	peak	
2	*	10479.97	24.41	13.87	38.28	54.00	-15.72	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	16.02	41.99	58.01	68.30	-10.29	peak	
2		5150.000	6.14	41.99	48.13	54.00	-5.87	AVG	
3	*	5176.300	54.52	42.09	96.61	54.00	42.61	AVG	Fundamental frequency, no limit
4	X	5176.400	63.80	42.10	105.90	68.30	37.60	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10360.15	36.52	13.73	50.25	68.30	-18.05	peak	
2	*	10360.15	24.47	13.73	38.20	54.00	-15.80	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	12.90	41.99	54.89	68.30	-13.41	peak	
2		5150.000	3.89	41.99	45.88	54.00	-8.12	AVG	
3	X	5176.200	61.47	42.09	103.56	68.30	35.26	peak	Fundamental frequency, no limit
4	*	5176.500	52.24	42.10	94.34	54.00	40.34	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10359.96	36.39	13.73	50.12	68.30	-18.18	peak	
2	*	10359.96	28.28	13.73	42.01	54.00	-11.99	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5196.200	54.52	42.18	96.70	54.00	42.70	AVG	Fundamental frequency, no limit
2	X	5198.300	64.10	42.19	106.29	68.30	37.99	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.27	36.39	13.78	50.17	68.30	-18.13	peak	
2	*	10400.27	24.27	13.78	38.05	54.00	-15.95	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5196.000	60.31	42.18	102.49	68.30	34.19	peak	Fundamental frequency, no limit
2	*	5196.600	51.65	42.18	93.83	54.00	39.83	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10399.92	36.53	13.78	50.31	68.30	-17.99	peak	
2	*	10399.92	25.92	13.78	39.70	54.00	-14.30	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5236.000	62.80	42.34	105.14	68.30	36.84	peak	Fundamental frequency, no limit
2	*	5236.500	53.68	42.34	96.02	54.00	42.02	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10480.14	36.58	13.87	50.45	68.30	-17.85	peak	
2	*	10480.14	24.62	13.87	38.49	54.00	-15.51	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5235.600	61.56	42.34	103.90	68.30	35.60	peak	Fundamental frequency, no limit
2	*	5236.300	51.81	42.34	94.15	54.00	40.15	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10480.29	39.14	13.87	53.01	68.30	-15.29	peak	
2	*	10480.29	26.34	13.87	40.21	54.00	-13.79	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5190MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	18.21	41.99	60.20	68.30	-8.10	peak	
2		5150.000	9.43	41.99	51.42	54.00	-2.58	AVG	
3	X	5183.600	62.16	42.13	104.29	68.30	35.99	peak	Fundamental frequency, no limit
4	*	5207.400	51.69	42.23	93.92	54.00	39.92	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5190MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10380.26	41.88	13.76	55.64	68.30	-12.66	peak	
2	*	10380.26	29.67	13.76	43.43	54.00	-10.57	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	17.88	41.99	59.87	68.30	-8.43	peak	
2		5150.000	6.71	41.99	48.70	54.00	-5.30	AVG	
3	*	5172.800	48.44	42.08	90.52	54.00	36.52	AVG	Fundamental frequency, no limit
4	X	5177.400	58.44	42.11	100.55	68.30	32.25	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10380.27	42.55	13.76	56.31	68.30	-11.99	peak	
2	*	10380.27	30.34	13.76	44.10	54.00	-9.90	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5236.000	63.04	42.34	105.38	68.30	37.08	peak	Fundamental frequency, no limit
2	*	5236.200	52.06	42.34	94.40	54.00	40.40	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10460.31	41.27	13.85	55.12	68.30	-13.18	peak	
2	*	10460.31	29.34	13.85	43.19	54.00	-10.81	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5236.200	47.52	42.34	89.86	68.30	21.56	peak	Fundamental frequency, no limit
2	*	5246.600	57.70	42.39	100.09	68.30	31.79	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10460.31	39.66	13.85	53.51	68.30	-14.79	peak	
2	*	10460.31	28.17	13.85	42.02	54.00	-11.98	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5260MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5257.200	61.34	42.43	103.77	68.30	35.47	peak	Fundamental frequency, no limit
2	*	5263.600	53.81	42.46	96.27	54.00	42.27	AVG	Fundamental frequency, no limit