


Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.87	36.28	13.90	50.18	68.30	-18.12	peak	
2	*	10519.87	24.29	13.90	38.19	54.00	-15.81	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5254.800	58.45	42.42	100.87	68.30	32.57	peak	Fundamental frequency, no limit
2	X	5263.400	50.68	42.46	93.14	68.30	24.84	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.84	36.41	13.90	50.31	68.30	-17.99	peak	
2	*	10519.84	24.24	13.90	38.14	54.00	-15.86	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5303.400	62.26	42.62	104.88	68.30	36.58	peak	Fundamental frequency, no limit
2	*	5303.500	53.59	42.62	96.21	54.00	42.21	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10599.95	36.58	13.90	50.48	68.30	-17.82	peak	
2	*	10599.95	24.99	13.90	38.89	54.00	-15.11	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5302.900	49.69	42.62	92.31	54.00	38.31	AVG	Fundamental frequency, no limit
2	X	5304.000	57.68	42.62	100.30	68.30	32.00	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.11	36.64	13.90	50.54	68.30	-17.76	peak	
2	*	10600.11	24.38	13.90	38.28	54.00	-15.72	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5316.300	53.82	42.67	96.49	54.00	42.49	AVG	Fundamental frequency, no limit
2	X	5320.200	61.34	42.68	104.02	68.30	35.72	peak	Fundamental frequency, no limit
3		5350.000	12.01	42.81	54.82	68.30	-13.48	peak	
4		5350.000	2.92	42.81	45.73	54.00	-8.27	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.94	36.54	13.90	50.44	68.30	-17.86	peak	
2	*	10639.94	24.39	13.90	38.29	54.00	-15.71	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5315.800	58.94	42.67	101.61	68.30	33.31	peak	Fundamental frequency, no limit
2	*	5316.400	49.82	42.67	92.49	54.00	38.49	AVG	Fundamental frequency, no limit
3		5350.000	10.50	42.81	53.31	68.30	-14.99	peak	
4		5350.000	1.10	42.81	43.91	54.00	-10.09	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.14	36.52	13.90	50.42	68.30	-17.88	peak	
2	*	10640.14	24.13	13.90	38.03	54.00	-15.97	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5258.300	62.68	42.43	105.11	68.30	36.81	peak	Fundamental frequency, no limit
2	*	5262.700	53.39	42.46	95.85	54.00	41.85	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10520.11	36.51	13.90	50.41	68.30	-17.89	peak	
2	*	10520.11	24.43	13.90	38.33	54.00	-15.67	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5256.300	51.34	42.42	93.76	54.00	39.76	AVG	Fundamental frequency, no limit
2	X	5258.300	60.39	42.43	102.82	68.30	34.52	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.43	36.34	13.90	50.24	68.30	-18.06	peak	
2	*	10519.43	24.39	13.90	38.29	54.00	-15.71	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5296.100	53.91	42.59	96.50	54.00	42.50	AVG	Fundamental frequency, no limit
2	X	5296.600	63.28	42.59	105.87	68.30	37.57	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.14	36.39	13.90	50.29	68.30	-18.01	peak	
2	*	10600.14	24.22	13.90	38.12	54.00	-15.88	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5296.300	60.09	42.59	102.68	68.30	34.38	peak	Fundamental frequency, no limit
2	*	5303.300	50.76	42.62	93.38	54.00	39.38	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10600.37	36.25	13.90	50.15	68.30	-18.15	peak	
2 *	10600.37	24.31	13.90	38.21	54.00	-15.79	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5316.000	53.72	42.67	96.39	54.00	42.39	AVG	Fundamental frequency, no limit
2	X	5316.200	63.29	42.67	105.96	68.30	37.66	peak	Fundamental frequency, no limit
3		5350.000	14.59	42.81	57.40	68.30	-10.90	peak	
4		5350.000	4.13	42.81	46.94	54.00	-7.06	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.96	36.32	13.90	50.22	68.30	-18.08	peak	
2	*	10639.96	24.41	13.90	38.31	54.00	-15.69	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5316.100	50.59	42.67	93.26	54.00	39.26	AVG	Fundamental frequency, no limit
2	X	5324.600	60.10	42.71	102.81	68.30	34.51	peak	Fundamental frequency, no limit
3		5350.000	9.84	42.81	52.65	68.30	-15.65	peak	
4		5350.000	1.55	42.81	44.36	54.00	-9.64	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.22	36.38	13.90	50.28	68.30	-18.02	peak	
2	*	10640.22	24.41	13.90	38.31	54.00	-15.69	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5270MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5265.000	51.57	42.46	94.03	54.00	40.03	AVG	Fundamental frequency, no limit
2	X	5275.600	62.11	42.50	104.61	68.30	36.31	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5270MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10540.12	41.32	13.90	55.22	68.30	-13.08	peak	
2	*	10540.12	30.14	13.90	44.04	54.00	-9.96	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode5270MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5264.800	58.08	42.46	100.54	68.30	32.24	peak	Fundamental frequency, no limit
2	*	5276.200	47.54	42.50	90.04	54.00	36.04	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5270MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10540.12	41.32	13.90	55.22	68.30	-13.08	peak	
2	*	10540.12	30.14	13.90	44.04	54.00	-9.96	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5310MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5305.000	50.83	42.63	93.46	54.00	39.46	AVG	Fundamental frequency, no limit
2	X	5315.600	61.50	42.67	104.17	68.30	35.87	peak	Fundamental frequency, no limit
3		5350.000	20.13	42.81	62.94	68.30	-5.36	peak	
4		5350.000	8.95	42.81	51.76	54.00	-2.24	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5310MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.11	42.33	13.90	56.23	68.30	-12.07	peak	
2	*	10620.11	30.25	13.90	44.15	54.00	-9.85	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5310MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5305.000	47.08	42.63	89.71	54.00	35.71	AVG	Fundamental frequency, no limit
2	X	5314.000	58.28	42.66	100.94	68.30	32.64	peak	Fundamental frequency, no limit
3		5350.000	15.23	42.81	58.04	68.30	-10.26	peak	
4		5350.000	4.96	42.81	47.77	54.00	-6.23	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5310MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10620.36	28.35	13.90	42.25	54.00	-11.75	AVG	
2		10620.36	40.21	13.90	54.11	68.30	-14.19	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	12.27	43.26	55.53	68.30	-12.77	peak	
2		5460.000	2.88	43.26	46.14	54.00	-7.86	AVG	
3		5470.000	12.16	43.30	55.46	68.30	-12.84	peak	
4		5470.000	3.96	43.30	47.26	54.00	-6.74	AVG	
5	*	5496.300	52.06	43.41	95.47	54.00	41.47	AVG	Fundamental frequency, no limit
6	X	5502.500	59.97	43.43	103.40	68.30	35.10	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.23	36.14	13.93	50.07	68.30	-18.23	peak	
2	*	11000.23	24.08	13.93	38.01	54.00	-15.99	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	11.17	43.26	54.43	68.30	-13.87	peak	
2		5460.000	2.08	43.26	45.34	54.00	-8.66	AVG	
3		5470.000	13.72	43.30	57.02	68.30	-11.28	peak	
4		5470.000	3.47	43.30	46.77	54.00	-7.23	AVG	
5	*	5496.600	52.31	43.41	95.72	54.00	41.72	AVG	Fundamental frequency, no limit
6	X	5496.900	60.30	43.41	103.71	68.30	35.41	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5500MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10999.97	36.35	13.93	50.28	68.30	-18.02	peak	
2	*	10999.97	23.42	13.93	37.35	54.00	-16.65	AVG	