


Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5583.400	52.50	43.85	96.35	54.00	42.35	AVG	Fundamental frequency, no limit
2	X	5584.600	60.05	43.85	103.90	68.30	35.60	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.08	36.95	14.04	50.99	68.30	-17.31	peak	
2	*	11160.08	25.34	14.04	39.38	54.00	-14.62	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5583.400	48.09	43.85	91.94	54.00	37.94	AVG	Fundamental frequency, no limit
2	X	5583.800	55.09	43.85	98.94	68.30	30.64	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.85	36.43	14.04	50.47	68.30	-17.83	peak	
2	*	11159.85	27.00	14.04	41.04	54.00	-12.96	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5696.800	47.88	44.44	92.32	54.00	38.32	AVG	Fundamental frequency, no limit
2	X	5698.100	56.01	44.44	100.45	68.30	32.15	peak	Fundamental frequency, no limit
3		5725.000	9.88	44.58	54.46	68.30	-13.84	peak	
4		5725.000	1.88	44.58	46.46	54.00	-7.54	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.01	36.22	14.20	50.42	68.30	-17.88	peak	
2	*	11400.01	23.54	14.20	37.74	54.00	-16.26	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5702.900	57.55	44.46	102.01	68.30	33.71	peak	Fundamental frequency, no limit
2	*	5703.000	49.28	44.46	93.74	54.00	39.74	AVG	Fundamental frequency, no limit
3		5725.000	11.32	44.58	55.90	68.30	-12.40	peak	
4		5725.000	1.86	44.58	46.44	54.00	-7.56	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.23	36.25	14.20	50.45	68.30	-17.85	peak	
2	*	11400.23	24.17	14.20	38.37	54.00	-15.63	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	8.15	43.26	51.41	68.30	-16.89	peak	
2		5460.000	0.23	43.26	43.49	54.00	-10.51	AVG	
3		5470.000	9.58	43.30	52.88	68.30	-15.42	peak	
4		5470.000	1.34	43.30	44.64	54.00	-9.36	AVG	
5	*	5503.900	52.32	43.44	95.76	54.00	41.76	AVG	Fundamental frequency, no limit
6	X	5504.600	63.45	43.44	106.89	68.30	38.59	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.15	36.36	13.93	50.29	68.30	-18.01	peak	
2	*	11000.15	24.21	13.93	38.14	54.00	-15.86	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	10.07	43.26	53.33	68.30	-14.97	peak	
2		5460.000	1.72	43.26	44.98	54.00	-9.02	AVG	
3		5470.000	11.23	43.30	54.53	68.30	-13.77	peak	
4		5470.000	2.85	43.30	46.15	54.00	-7.85	AVG	
5	*	5496.300	52.17	43.41	95.58	54.00	41.58	AVG	Fundamental frequency, no limit
6	X	5497.300	61.17	43.41	104.58	68.30	36.28	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10999.83	36.28	13.93	50.21	68.30	-18.09	peak	
2	*	10999.83	23.57	13.93	37.50	54.00	-16.50	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5576.300	52.57	43.82	96.39	54.00	42.39	AVG	Fundamental frequency, no limit
2	X	5582.600	62.19	43.84	106.03	68.30	37.73	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.12	36.85	14.04	50.89	68.30	-17.41	peak	
2	*	11160.12	25.22	14.04	39.26	54.00	-14.74	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5583.500	50.32	43.85	94.17	54.00	40.17	AVG	Fundamental frequency, no limit
2	X	5584.200	60.28	43.85	104.13	68.30	35.83	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.88	36.57	14.04	50.61	68.30	-17.69	peak	
2	*	11159.88	27.12	14.04	41.16	54.00	-12.84	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5698.900	60.93	44.45	105.38	68.30	37.08	peak	Fundamental frequency, no limit
2	*	5702.700	50.65	44.46	95.11	54.00	41.11	AVG	Fundamental frequency, no limit
3		5725.000	13.01	44.58	57.59	68.30	-10.71	peak	
4		5725.000	3.27	44.58	47.85	54.00	-6.15	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.02	36.38	14.20	50.58	68.30	-17.72	peak	
2	*	11400.02	23.47	14.20	37.67	54.00	-16.33	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5702.600	59.05	44.46	103.51	68.30	35.21	peak	Fundamental frequency, no limit
2	*	5703.600	49.48	44.47	93.95	54.00	39.95	AVG	Fundamental frequency, no limit
3		5725.000	12.50	44.58	57.08	68.30	-11.22	peak	
4		5725.000	2.83	44.58	47.41	54.00	-6.59	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N20 Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.26	36.21	14.20	50.41	68.30	-17.89	peak	
2	*	11400.26	24.19	14.20	38.39	54.00	-15.61	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5510MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	9.40	43.26	52.66	68.30	-15.64	peak	
2		5460.000	0.68	43.26	43.94	54.00	-10.06	AVG	
3		5470.000	12.41	43.30	55.71	68.30	-12.59	peak	
4		5470.000	2.20	43.30	45.50	54.00	-8.50	AVG	
5	X	5507.600	54.75	43.46	98.21	68.30	29.91	peak	Fundamental frequency, no limit
6	*	5514.800	42.94	43.50	86.44	54.00	32.44	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5510MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.12	36.35	13.94	50.29	68.30	-18.01	peak	
2	*	11020.12	24.23	13.94	38.17	54.00	-15.83	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5510MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	1.46	43.26	44.72	54.00	-9.28	AVG	
2		5460.000	12.28	43.26	55.54	68.30	-12.76	peak	
3		5470.000	3.31	43.30	46.61	54.00	-7.39	AVG	
4		5470.000	13.58	43.30	56.88	68.30	-11.42	peak	
5	X	5495.200	55.83	43.40	99.23	68.30	30.93	peak	Fundamental frequency, no limit
6	*	5505.000	44.03	43.44	87.47	54.00	33.47	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5510MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.06	36.52	13.94	50.46	68.30	-17.84	peak	
2	*	11020.06	23.38	13.94	37.32	54.00	-16.68	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5550MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5558.800	59.46	43.72	103.18	68.30	34.88	peak	Fundamental frequency, no limit
2	*	5563.600	48.88	43.75	92.63	54.00	38.63	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5550MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11100.14	36.24	14.00	50.24	68.30	-18.06	peak	
2	*	11100.14	25.28	14.00	39.28	54.00	-14.72	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5550MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5539.000	54.64	43.62	98.26	68.30	29.96	peak	Fundamental frequency, no limit
2	*	5563.600	43.78	43.75	87.53	54.00	33.53	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5550MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11100.23	36.25	14.00	50.25	68.30	-18.05	peak	
2	*	11100.23	27.12	14.00	41.12	54.00	-12.88	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5670MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5662.400	56.98	44.25	101.23	68.30	32.93	peak	Fundamental frequency, no limit
2	*	5676.400	46.25	44.33	90.58	54.00	36.58	AVG	Fundamental frequency, no limit
3		5725.000	8.96	44.58	53.54	68.30	-14.76	peak	
4		5725.000	-0.19	44.58	44.39	54.00	-9.61	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5670MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11340.01	36.22	14.16	50.38	68.30	-17.92	peak	
2	*	11340.01	23.63	14.16	37.79	54.00	-16.21	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5670MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5674.800	46.74	44.32	91.06	54.00	37.06	AVG	Fundamental frequency, no limit
2	X	5675.000	58.31	44.32	102.63	68.30	34.33	peak	Fundamental frequency, no limit
3		5725.000	11.46	44.58	56.04	68.30	-12.26	peak	
4		5725.000	1.17	44.58	45.75	54.00	-8.25	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11339.96	36.56	14.16	50.72	68.30	-17.58	peak	
2	*	11339.96	24.37	14.16	38.53	54.00	-15.47	AVG	

ATTACHMENTE –26DB BANDWIDTH

Test Mode :Band 1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.40	16.70
CH40	5200	20.20	16.70
CH48	5240	20.40	16.60

TX CH36




Date: 7.JUL.2014 17:27:43

TX CH40



Date: 7.JUL.2014 17:29:51

TX CH48




Date: 7.JUL.2014 17:35:21

Test Mode :Band 1/TXN20 Mode_ CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.10	17.70
CH40	5200	21.20	17.70
CH48	5240	21.10	17.60

TX CH36




Date: 8.JUL.2014 15:27:25

TX CH40



Date: 8.JUL.2014 15:24:59

TX CH48




Date: 8.JUL.2014 15:15:07

Test Mode :Band 1/TXN20 Mode_ CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.10	17.60
CH40	5200	21.10	17.60
CH48	5240	21.00	17.60

TX CH36




Date: 8.JUL.2014 15:26:22

TX CH40



Date: 8.JUL.2014 15:23:52

TX CH48




Date: 8.JUL.2014 15:13:38

Test Mode :Band 1/TXN40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	46.40	36.40
CH46	5230	46.60	36.40

TX CH38



Date: 8.JUL.2014 16:38:14

TX CH46




Date: 8.JUL.2014 16:36:52

Test Mode :Band 1/TXN40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	46.20	36.40
CH46	5230	46.40	36.40

TX CH38



Date: 8.JUL.2014 16:39:32

TX CH46




Date: 8.JUL.2014 16:36:09

Test Mode : Band 2/TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.20	16.60
CH60	5300	20.20	16.70
CH64	5320	20.20	16.70

TX CH52



Date: 7.JUL.2014 17:37:26