


Orthogonal Axis :	X
Test Mode :	TX 2480MHz_CH78_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2480.100	47.93	33.61	81.54	54.00	27.54	AVG	Fundamental frequency, no limit
2	X	2480.150	58.22	33.61	91.83	74.00	17.83	peak	Fundamental frequency, no limit
3		2483.500	21.01	33.62	54.63	74.00	-19.37	peak	
4		2483.500	11.93	33.62	45.55	54.00	-8.45	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4959.960	36.61	6.83	43.44	74.00	-30.56	peak	
2	*	4960.210	27.72	6.83	34.55	54.00	-19.45	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2479.850	61.96	33.61	95.57	74.00	21.57	peak	Fundamental frequency, no limit
2	*	2480.100	51.67	33.61	85.28	54.00	31.28	AVG	Fundamental frequency, no limit
3		2483.500	21.52	33.62	55.14	74.00	-18.86	peak	
4		2483.500	11.92	33.62	45.54	54.00	-8.46	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4959.830	35.57	6.83	42.40	74.00	-31.60	peak	
2	*	4959.920	26.25	6.83	33.08	54.00	-20.92	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz_CH00_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	20.25	33.38	53.63	74.00	-20.37	peak	
2		2390.000	12.15	33.38	45.53	54.00	-8.47	AVG	
3	X	2401.800	62.46	33.41	95.87	74.00	21.87	peak	Fundamental frequency, no limit
4	*	2402.100	52.53	33.41	85.94	54.00	31.94	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4804.130	36.84	6.38	43.22	74.00	-30.78	peak	
2	*	4804.220	27.51	6.38	33.89	54.00	-20.11	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz_CH00_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	21.35	33.38	54.73	74.00	-19.27	peak	
2		2390.000	12.17	33.38	45.55	54.00	-8.45	AVG	
3	*	2402.100	52.45	33.41	85.86	54.00	31.86	AVG	Fundamental frequency, no limit
4	X	2402.150	62.68	33.41	96.09	74.00	22.09	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4803.980	36.16	6.38	42.54	74.00	-31.46	peak	
2	*	4804.140	27.21	6.38	33.59	54.00	-20.41	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz_CH39_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2440.850	65.35	33.51	98.86	74.00	24.86	peak	Fundamental frequency, no limit
2	*	2441.100	54.93	33.51	88.44	54.00	34.44	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4881.870	36.42	6.61	43.03	74.00	-30.97	peak	
2	*	4881.960	27.13	6.61	33.74	54.00	-20.26	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2440.850	64.15	33.51	97.66	74.00	23.66	peak	Fundamental frequency, no limit
2	*	2441.100	53.80	33.51	87.31	54.00	33.31	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4882.090	35.32	6.61	41.93	74.00	-32.07	peak	
2	*	4882.170	26.18	6.61	32.79	54.00	-21.21	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2479.850	61.96	33.61	95.57	74.00	21.57	peak	Fundamental frequency,no limit
2	*	2480.100	51.68	33.61	85.29	54.00	31.29	AVG	Fundamental frequency,no limit
3		2483.500	21.24	33.62	54.86	74.00	-19.14	peak	
4		2483.500	11.96	33.62	45.58	54.00	-8.42	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_3Mbps


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4959.830	35.87	6.83	42.70	74.00	-31.30	peak	
2 *	4960.120	26.83	6.83	33.66	54.00	-20.34	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2479.850	60.24	33.61	93.85	74.00	19.85	peak	Fundamental frequency,no limit
2	*	2480.100	49.90	33.61	83.51	54.00	29.51	AVG	Fundamental frequency,no limit
3		2483.500	21.90	33.62	55.52	74.00	-18.48	peak	
4		2483.500	11.90	33.62	45.52	54.00	-8.48	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_3Mbps

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4959.850	35.55	6.83	42.38	74.00	-31.62	peak	
2	*	4960.170	26.31	6.83	33.14	54.00	-20.86	AVG	

ATTACHMENT E - NUMBER OF HOPPING CHANNEL

Test Mode Hopping Mode_1Mbps


Number of Hopping Channel 79



Date: 22.JUL.2014 15:39:04

Test Mode Hopping Mode_3Mbps

Number of Hopping Channel 79




Date: 22.JUL.2014 16:23:25

ATTACHMENT F - AVERAGE TIME OF OCCUPANCY

Test Mode : TX Mode_1Mbps


Data Packet	Frequency	Pulse Duration(ms)	Dwell Time(s)	Limits(s)	Test Result
DH5	2402 MHz	3.0400	0.3243	0.4000	Complies
DH3	2402 MHz	1.7200	0.2752	0.4000	Complies
DH1	2402 MHz	0.4350	0.1392	0.4000	Complies
DH5	2441 MHz	3.0400	0.3243	0.4000	Complies
DH3	2441 MHz	1.7200	0.2752	0.4000	Complies
DH1	2441 MHz	0.4400	0.1408	0.4000	Complies
DH5	2480 MHz	3.0400	0.3243	0.4000	Complies
DH3	2480 MHz	1.7200	0.2752	0.4000	Complies
DH1	2480 MHz	0.4300	0.1376	0.4000	Complies

CH00-DH1




Date: 22.JUL.2014 15:30:59


CH00-DH3




Date: 22.JUL.2014 15:41:53

CH00-DH5


Date: 22.JUL.2014 15:44:30

CH39-DH1

Date: 22.JUL.2014 15:32:21


CH39-DH3

Date: 22.JUL.2014 15:42:33

CH39-DH5


Date: 22.JUL.2014 15:44:58

CH78-DH1




Date: 22.JUL.2014 15:33:58

CH78-DH3



Date: 22.JUL.2014 15:43:23

CH78-DH5




Date: 22.JUL.2014 15:46:05

Test Mode :	TX Mode_3Mbps
-------------	---------------


Data Packet	Frequency	Pulse Duration(ms)	Dwell Time(s)	Limits(s)	Test Result
DH5	2402 MHz	2.9600	0.3157	0.4000	Complies
DH3	2402 MHz	1.7200	0.2752	0.4000	Complies
DH1	2402 MHz	0.4400	0.1408	0.4000	Complies
DH5	2441 MHz	2.9600	0.3157	0.4000	Complies
DH3	2441 MHz	1.7200	0.2752	0.4000	Complies
DH1	2441 MHz	0.4400	0.1408	0.4000	Complies
DH5	2480 MHz	3.0000	0.3200	0.4000	Complies
DH3	2480 MHz	1.7200	0.2752	0.4000	Complies
DH1	2480 MHz	0.4400	0.1408	0.4000	Complies

CH00-DH1




Date: 22.JUL.2014 16:11:09

CH00-DH3




Date: 22.JUL.2014 16:24:05

CH00-DH5




Date: 22.JUL.2014 16:27:51

CH39-DH1




Date: 22.JUL.2014 16:11:55

CH39-DH3




Date: 22.JUL.2014 16:24:50

CH39-DH5




Date: 22.JUL.2014 16:28:15

CH78-DH1




Date: 22.JUL.2014 16:12:29

CH78-DH3



Date: 22.JUL.2014 16:25:24

CH78-DH5




Date: 22.JUL.2014 16:28:46

ATTACHMENT G - HOPPING CHANNEL SEPARATION MEASUREMENT

Test Mode : Hopping on _1Mbps

Frequency (MHz)	Channel Separation(MH)	2/3 of 20dB Bandwidth(MH)	Test Result
2402	0.998	0.459	Complies
2441	0.998	0.459	Complies
2480	1.005	0.456	Complies




Date: 22.JUL.2014 15:35:14

CH39



Ref 10 dBm *Att 20 dB
 *RBW 30 kHz Delta 1 [T1] 0.00 dB
 *VBW 100 kHz
 *SWT 20 ms 997.500000000 kHz




Date: 22.JUL.2014 15:36:25

CH78




Ref 10 dBm *Att 20 dB
 *RBW 30 kHz Delta 1 [T1] 0.02 dB
 *VBW 100 kHz
 *SWT 20 ms 1.005000000 MHz



Date: 22.JUL.2014 15:37:32


Test Mode : Hopping on _3Mbps

Frequency (MHz)	Channel Separation(MH)	2/3 of 20dB Bandwidth(MH)	Test Result
2402	0.998	0.835	Complies
2441	1.005	0.835	Complies
2480	1.005	0.838	Complies



Date: 22.JUL.2014 16:15:02

CH39



Date: 22.JUL.2014 16:16:58

CH78




Date: 22.JUL.2014 16:18:13

ATTACHMENT H - BANDWIDTH

Test Mode : TX Mode _1Mbps

Frequency (MHz)	20dB Bandwidth(MH)	99% Occupied BW(MHz)	Test Result
2402	0.688	0.830	Complies
2441	0.688	0.830	Complies
2480	0.683	0.820	Complies

CH00



Date: 22.JUL.2014 15:13:32