


Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4924.000	33.39	6.66	40.05	54.00	-13.95	AVG	
2		4924.080	38.33	6.66	44.99	74.00	-29.01	peak	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2483.500	16.82	33.62	50.44	54.00	-3.56	AVG	
2	*	2461.200	68.58	33.56	102.14	54.00	48.14	AVG	Fundamental frequency, no limit
3		2483.500	24.02	33.62	57.64	74.00	-16.36	peak	
4	X	2461.100	70.54	33.56	104.10	74.00	30.10	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4923.820	35.97	6.66	42.63	74.00	-31.37	peak	
2	*	4923.980	30.32	6.66	36.98	54.00	-17.02	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	37.04	33.38	70.42	74.00	-3.58	peak	
2		2390.000	17.62	33.38	51.00	54.00	-3.00	AVG	
3	*	2409.100	64.96	33.43	98.39	54.00	44.39	AVG	Fundamental frequency, no limit
4	X	2415.100	74.54	33.44	107.98	74.00	33.98	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4823.620	39.06	6.44	45.50	74.00	-28.50	peak	
2 *	4823.620	28.16	6.44	34.60	54.00	-19.40	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	35.71	33.38	69.09	74.00	-4.91	peak	
2		2390.000	16.44	33.38	49.82	54.00	-4.18	AVG	
3	*	2408.900	64.37	33.43	97.80	54.00	43.80	AVG	Fundamental frequency, no limit
4	X	2409.700	73.08	33.43	106.51	74.00	32.51	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4823.500	25.17	6.44	31.61	54.00	-22.39	AVG	
2		4824.240	36.21	6.44	42.65	74.00	-31.35	peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2433.800	73.23	33.50	106.73	74.00	32.73	peak	Fundamental frequency, no limit
2	*	2433.800	65.98	33.50	99.48	54.00	45.48	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4873.840	28.70	6.55	35.25	54.00	-18.75	AVG	
2		4874.020	37.72	6.55	44.27	74.00	-29.73	peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2433.600	64.84	33.50	98.34	54.00	44.34	AVG	Fundamental frequency, no limit
2	X	2433.800	72.06	33.50	105.56	74.00	31.56	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4873.720	34.06	6.55	40.61	74.00	-33.39	peak	
2 *	4873.720	24.65	6.55	31.20	54.00	-22.80	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2458.500	73.12	33.56	106.68	74.00	32.68	peak	Fundamental frequency, no limit
2	*	2459.000	63.83	33.56	97.39	54.00	43.39	AVG	Fundamental frequency, no limit
3		2483.500	33.96	33.62	67.58	74.00	-6.42	peak	
4		2483.500	16.30	33.62	49.92	54.00	-4.08	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4923.800	34.98	6.66	41.64	74.00	-32.36	peak	
2 *	4923.800	26.30	6.66	32.96	54.00	-21.04	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2458.600	61.00	33.56	94.56	54.00	40.56	AVG	Fundamental frequency, no limit
2	X	2463.500	69.84	33.57	103.41	74.00	29.41	peak	Fundamental frequency, no limit
3		2483.500	34.92	33.62	68.54	74.00	-5.46	peak	
4		2483.500	15.48	33.62	49.10	54.00	-4.90	AVG	