


Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4923.740	33.73	6.66	40.39	74.00	-33.61	peak	
2 *	4923.840	24.19	6.66	30.85	54.00	-23.15	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	35.64	33.38	69.02	74.00	-4.98	peak	
2		2390.000	16.33	33.38	49.71	54.00	-4.29	AVG	
3	X	2408.700	72.16	33.43	105.59	74.00	31.59	peak	Fundamental frequency, no limit
4	*	2409.300	62.73	33.43	96.16	54.00	42.16	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4824.650	37.90	6.44	44.34	74.00	-29.66	peak	
2	*	4824.650	28.63	6.44	35.07	54.00	-18.93	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	32.08	33.38	65.46	74.00	-8.54	peak	
2		2390.000	15.35	33.38	48.73	54.00	-5.27	AVG	
3	X	2407.800	71.01	33.43	104.44	74.00	30.44	peak	Fundamental frequency, no limit
4	*	2408.500	61.08	33.43	94.51	54.00	40.51	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4822.750	28.18	6.44	34.62	54.00	-19.38	AVG	
2		4823.050	37.33	6.44	43.77	74.00	-30.23	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2434.200	74.84	33.50	108.34	74.00	34.34	peak	Fundamental frequency, no limit
2	*	2434.200	65.07	33.50	98.57	54.00	44.57	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4874.050	33.36	6.55	39.91	74.00	-34.09	peak	
2 *	4874.050	24.47	6.55	31.02	54.00	-22.98	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2433.500	71.64	33.50	105.14	74.00	31.14	peak	Fundamental frequency, no limit
2	*	2433.500	62.96	33.50	96.46	54.00	42.46	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4874.300	33.01	6.55	39.56	74.00	-34.44	peak	
2 *	4874.300	24.43	6.55	30.98	54.00	-23.02	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2459.300	62.57	33.56	96.13	54.00	42.13	AVG	Fundamental frequency, no limit
2	X	2460.400	72.17	33.56	105.73	74.00	31.73	peak	Fundamental frequency, no limit
3		2483.500	37.23	33.62	70.85	74.00	-3.15	peak	
4		2483.500	16.63	33.62	50.25	54.00	-3.75	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4924.350	33.74	6.66	40.40	74.00	-33.60	peak	
2	*	4924.350	26.18	6.66	32.84	54.00	-21.16	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2458.700	59.36	33.56	92.92	54.00	38.92	AVG	Fundamental frequency, no limit
2	X	2458.900	69.88	33.56	103.44	74.00	29.44	peak	Fundamental frequency, no limit
3		2483.500	31.99	33.62	65.61	74.00	-8.39	peak	
4		2483.500	15.50	33.62	49.12	54.00	-4.88	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4923.650	32.42	6.66	39.08	74.00	-34.92	peak	
2 *	4923.650	24.10	6.66	30.76	54.00	-23.24	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	34.31	33.38	67.69	74.00	-6.31	peak	
2		2390.000	16.70	33.38	50.08	54.00	-3.92	AVG	
3	*	2409.400	53.83	33.43	87.26	54.00	33.26	AVG	Fundamental frequency, no limit
4	X	2418.400	64.58	33.45	98.03	74.00	24.03	peak	Fundamental frequency, no limit