


Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5235.300	56.81	42.34	99.15	68.30	30.85	peak	Fundamental frequency, no limit
2	*	5236.700	49.21	42.34	91.55	54.00	37.55	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10480.36	34.78	15.51	50.29	68.00	-17.71	peak	
2	*	10480.56	22.93	15.51	38.44	54.00	-15.56	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5236.400	58.35	42.34	100.69	68.30	32.39	peak	Fundamental frequency, no limit
2	*	5236.600	51.36	42.34	93.70	54.00	39.70	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX A Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10479.73	34.21	15.52	49.73	68.00	-18.27	peak	
2	*	10479.86	22.76	15.52	38.28	54.00	-15.72	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	7.19	41.99	49.18	68.30	-19.12	peak	
2		5150.000	0.28	41.99	42.27	54.00	-11.73	AVG	
3	*	5176.100	47.03	42.09	89.12	54.00	35.12	AVG	Fundamental frequency, no limit
4	X	5176.400	58.58	42.10	100.68	68.30	32.38	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10360.45	35.14	15.70	50.84	68.00	-17.16	peak	
2	*	10360.46	23.79	15.70	39.49	54.00	-14.51	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	9.34	41.99	51.33	68.30	-16.97	peak	
2		5150.000	1.05	41.99	43.04	54.00	-10.96	AVG	
3	*	5176.300	48.94	42.09	91.03	54.00	37.03	AVG	Fundamental frequency, no limit
4	X	5176.400	60.84	42.10	102.94	68.30	34.64	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10359.78	34.81	15.70	50.51	68.00	-17.49	peak	
2	*	10359.81	23.00	15.70	38.70	54.00	-15.30	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5203.000	58.62	42.21	100.83	68.30	32.53	peak	Fundamental frequency, no limit
2	*	5203.000	50.27	42.21	92.48	54.00	38.48	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.57	34.93	15.63	50.56	68.00	-17.44	peak	
2	*	10400.98	23.48	15.63	39.11	54.00	-14.89	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5201.500	53.51	42.21	95.72	54.00	41.72	AVG	Fundamental frequency, no limit
2	X	5202.500	62.72	42.21	104.93	68.30	36.63	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.75	34.56	15.63	50.19	68.00	-17.81	peak	
2	*	10400.96	23.62	15.63	39.25	54.00	-14.75	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5243.000	59.16	42.37	101.53	68.30	33.23	peak	Fundamental frequency, no limit
2	*	5243.000	51.77	42.37	94.14	54.00	40.14	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10479.43	34.93	15.52	50.45	68.00	-17.55	peak	
2	*	10480.67	24.22	15.51	39.73	54.00	-14.27	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5235.800	63.68	42.34	106.02	68.30	37.72	peak	Fundamental frequency, no limit
2	*	5236.300	54.23	42.34	96.57	54.00	42.57	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N20 Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10479.23	34.52	15.52	50.04	68.00	-17.96	peak	
2	*	10480.76	23.82	15.51	39.33	54.00	-14.67	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5190MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	16.42	41.99	58.41	68.30	-9.89	peak	
2		5150.000	4.82	41.99	46.81	54.00	-7.19	AVG	
3	*	5176.400	45.08	42.10	87.18	54.00	33.18	AVG	Fundamental frequency, no limit
4	X	5185.200	55.56	42.14	97.70	68.30	29.40	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5190MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10379.45	37.49	15.67	53.16	68.00	-14.84	peak	
2	*	10380.78	28.87	15.67	44.54	54.00	-9.46	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	23.44	41.99	65.43	68.30	-2.87	peak	
2		5150.000	8.26	41.99	50.25	54.00	-3.75	AVG	
3	X	5175.800	62.17	42.09	104.26	68.30	35.96	peak	Fundamental frequency, no limit
4	*	5176.400	50.79	42.10	92.89	54.00	38.89	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10380.78	36.56	15.67	52.23	68.00	-15.77	peak	
2	*	10380.98	27.63	15.67	43.30	54.00	-10.70	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5212.600	55.15	42.25	97.40	68.30	29.10	peak	Fundamental frequency, no limit
2	*	5212.600	46.64	42.25	88.89	54.00	34.89	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10429.72	39.00	15.59	54.59	68.00	-13.41	peak	
2	*	10460.87	29.76	15.54	45.30	54.00	-8.70	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5212.600	60.19	42.25	102.44	68.30	34.14	peak	Fundamental frequency, no limit
2	*	5212.600	51.81	42.25	94.06	54.00	40.06	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10460.65	37.44	15.54	52.98	68.00	-15.02	peak	
2	*	10460.86	29.06	15.54	44.60	54.00	-9.40	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5262.100	56.11	42.45	98.56	68.30	30.26	peak	Fundamental frequency, no limit
2	*	5263.500	47.83	42.46	90.29	54.00	36.29	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.43	34.45	15.47	49.92	68.00	-18.08	peak	
2	*	10519.67	22.64	15.47	38.11	54.00	-15.89	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5256.100	57.49	42.42	99.91	68.30	31.61	peak	Fundamental frequency, no limit
2	*	5256.100	50.65	42.42	93.07	54.00	39.07	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.64	34.54	15.47	50.01	68.00	-17.99	peak	
2	*	10520.85	22.19	15.47	37.66	54.00	-16.34	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5293.500	53.05	42.58	95.63	68.30	27.33	peak	Fundamental frequency, no limit
2	*	5304.000	45.37	42.62	87.99	54.00	33.99	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10599.63	34.88	15.45	50.33	68.00	-17.67	peak	
2	*	10599.85	22.73	15.45	38.18	54.00	-15.82	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5303.000	57.46	42.62	100.08	68.30	31.78	peak	Fundamental frequency, no limit
2	*	5303.100	50.06	42.62	92.68	54.00	38.68	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.23	34.21	15.45	49.66	68.00	-18.34	peak	
2	*	10600.76	22.37	15.45	37.82	54.00	-16.18	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5320MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5316.200	46.70	42.67	89.37	54.00	35.37	AVG	Fundamental frequency, no limit
2	X	5316.500	54.62	42.67	97.29	68.30	28.99	peak	Fundamental frequency, no limit
3		5350.000	10.94	42.81	53.75	68.30	-14.55	peak	
4		5350.000	0.09	42.81	42.90	54.00	-11.10	AVG	