


Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5320MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.25	34.33	15.43	49.76	68.00	-18.24	peak	
2	*	10639.53	22.62	15.43	38.05	54.00	-15.95	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5320MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5317.100	49.61	42.67	92.28	54.00	38.28	AVG	Fundamental frequency, no limit
2	X	5321.900	57.48	42.69	100.17	68.30	31.87	peak	Fundamental frequency, no limit
3		5350.000	8.51	42.81	51.32	68.30	-16.98	peak	
4		5350.000	0.61	42.81	43.42	54.00	-10.58	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5320MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.17	34.01	15.43	49.44	68.00	-18.56	peak	
2	*	10640.87	22.33	15.43	37.76	54.00	-16.24	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5260MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5256.400	60.61	42.42	103.03	68.30	34.73	peak	Fundamental frequency, no limit
2	*	5256.400	51.92	42.42	94.34	54.00	40.34	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5260MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10520.46	35.94	15.47	51.41	68.00	-16.59	peak	
2	*	10520.68	24.86	15.47	40.33	54.00	-13.67	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5260MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5256.200	61.52	42.42	103.94	68.30	35.64	peak	Fundamental frequency, no limit
2	*	5256.200	54.14	42.42	96.56	54.00	42.56	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5260MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.23	34.78	15.47	50.25	68.00	-17.75	peak	
2	*	10519.64	22.99	15.47	38.46	54.00	-15.54	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5303.000	60.22	42.62	102.84	68.30	34.54	peak	Fundamental frequency, no limit
2	*	5303.000	52.85	42.62	95.47	54.00	41.47	AVG	Fundamental frequency, no limit



Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.23	35.90	15.45	51.35	68.00	-16.65	peak	
2	*	10600.76	24.62	15.45	40.07	54.00	-13.93	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5303.000	61.39	42.62	104.01	68.30	35.71	peak	Fundamental frequency, no limit
2	*	5303.800	53.54	42.62	96.16	54.00	42.16	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX A Mode 5300MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10600.79	34.70	15.45	50.15	68.00	-17.85	peak	
2 *	10600.97	22.76	15.45	38.21	54.00	-15.79	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5320MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5317.900	62.78	42.67	105.45	68.30	37.15	peak	Fundamental frequency, no limit
2	*	5323.200	52.30	42.70	95.00	54.00	41.00	AVG	Fundamental frequency, no limit
3		5350.000	13.14	42.81	55.95	68.30	-12.35	peak	
4		5350.000	3.39	42.81	46.20	54.00	-7.80	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5320MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.12	35.90	15.43	51.33	68.00	-16.67	peak	
2	*	10639.53	25.04	15.43	40.47	54.00	-13.53	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5320MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5316.500	53.23	42.67	95.90	54.00	41.90	AVG	Fundamental frequency, no limit
2	X	5318.200	62.56	42.68	105.24	68.30	36.94	peak	Fundamental frequency, no limit
3		5350.000	13.32	42.81	56.13	68.30	-12.17	peak	
4		5350.000	3.90	42.81	46.71	54.00	-7.29	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N20 Mode 5320MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.45	34.78	15.43	50.21	68.00	-17.79	peak	
2	*	10640.78	24.25	15.43	39.68	54.00	-14.32	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5270MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5276.200	58.52	42.50	101.02	68.30	32.72	peak	Fundamental frequency, no limit
2	*	5276.400	48.55	42.51	91.06	54.00	37.06	AVG	Fundamental frequency, no limit



Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5270MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10540.43	39.24	15.47	54.71	68.00	-13.29	peak	
2	*	10540.78	30.23	15.47	45.70	54.00	-8.30	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode5270MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5256.400	60.27	42.42	102.69	68.30	34.39	peak	Fundamental frequency, no limit
2	*	5266.400	50.79	42.47	93.26	54.00	39.26	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5270MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10539.15	37.88	15.47	53.35	68.00	-14.65	peak	
2	*	10540.76	29.10	15.47	44.57	54.00	-9.43	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5310MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5305.200	48.84	42.63	91.47	54.00	37.47	AVG	Fundamental frequency, no limit
2	X	5326.600	58.99	42.72	101.71	68.30	33.41	peak	Fundamental frequency, no limit
3		5350.000	16.51	42.81	59.32	68.30	-8.98	peak	
4		5350.000	6.82	42.81	49.63	54.00	-4.37	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5310MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10619.39	39.32	15.44	54.76	68.00	-13.24	peak	
2	*	10620.76	29.82	15.43	45.25	54.00	-8.75	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5310MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5313.800	50.02	42.66	92.68	54.00	38.68	AVG	Fundamental frequency, no limit
2	X	5314.200	60.26	42.66	102.92	68.30	34.62	peak	Fundamental frequency, no limit
3		5350.000	16.75	42.81	59.56	68.30	-8.74	peak	
4		5350.000	6.68	42.81	49.49	54.00	-4.51	AVG	

Orthogonal Axis :	X
Test Mode :	Band 2/ TX N40 Mode 5310MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10620.81	28.91	15.43	44.34	54.00	-9.66	AVG	
2		10620.97	38.25	15.43	53.68	68.00	-14.32	peak	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5500MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5470.000	10.66	43.30	53.96	68.30	-14.34	peak	
2		5470.000	1.33	43.30	44.63	54.00	-9.37	AVG	
3	*	5496.900	50.57	43.41	93.98	54.00	39.98	AVG	Fundamental frequency, no limit
4	X	5498.600	59.31	43.41	102.72	68.30	34.42	peak	Fundamental frequency, no limit



Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5500MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.81	36.15	15.31	51.46	68.00	-16.54	peak	
2	*	11000.95	25.43	15.31	40.74	54.00	-13.26	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5500MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5470.000	10.60	43.30	53.90	68.30	-14.40	peak	
2		5470.000	3.02	43.30	46.32	54.00	-7.68	AVG	
3	*	5496.500	50.93	43.41	94.34	54.00	40.34	AVG	Fundamental frequency, no limit
4	X	5497.600	59.04	43.41	102.45	68.30	34.15	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5500MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10998.97	34.77	15.31	50.08	68.00	-17.92	peak	
2	*	10999.52	23.03	15.31	38.34	54.00	-15.66	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5580MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5576.300	57.53	43.82	101.35	68.30	33.05	peak	Fundamental frequency, no limit
2	*	5576.300	50.43	43.82	94.25	54.00	40.25	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5580MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.08	35.30	15.69	50.99	68.00	-17.01	peak	
2	*	11160.08	24.28	15.69	39.97	54.00	-14.03	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5580MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5576.300	45.46	43.82	89.28	54.00	35.28	AVG	Fundamental frequency, no limit
2	X	5583.000	53.27	43.85	97.12	68.30	28.82	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5580MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.36	34.27	15.68	49.95	68.00	-18.05	peak	
2	*	11159.81	23.71	15.69	39.40	54.00	-14.60	AVG	

Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5700MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5695.600	57.60	44.43	102.03	68.30	33.73	peak	Fundamental frequency, no limit
2	*	5696.200	49.95	44.43	94.38	54.00	40.38	AVG	Fundamental frequency, no limit
3		5725.000	10.57	44.58	55.15	68.30	-13.15	peak	
4		5725.000	1.73	44.58	46.31	54.00	-7.69	AVG	



Orthogonal Axis :	X
Test Mode :	Band 3/ TX A Mode 5700MHz

### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.26	34.19	16.25	50.44	68.00	-17.56	peak	
2	*	11400.45	23.62	16.25	39.87	54.00	-14.13	AVG	