



11B HCH Graphs Ant 1

Pref/11B/HCH




Puw/11B/HCH




11G LCH Graphs Ant 1

Pref/11G/LCH




Puw/11G/LCH




11G MCH Graphs Ant 1

Pref/11G/MCH




Puw/11G/MCH




11G HCH Graphs Ant 1

Pref/11G/HCH




Puw/11G/HCH




11N20SISO LCH Graphs Ant 1

Pref/11N20SIS
O/LCH




Puw/11N20
SISO/LCH




11N20SISO MCH Graphs Ant 1


Pref/11N20
SISO/MCH




Puw/11N20
SISO/MCH



11N20SISO HCH Graphs Ant 1




11N40SISO LCH Graphs Ant 1




11N40SISO MCH Graphs Ant 1

Pref/11N40
SISO/MCH




Puw/11N40
SISO/MCH




11N40SISO HCH Graphs Ant 1

Pref/11N40
SISO/HCH




Puw/11N40
SISO/HCH




A.6 Band-edge for RF Conducted Emissions

Ant_0


Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
11B	LCH	0.553	-48.934	-19.45	PASS
	HCH	0.697	-49.513	-19.3	PASS
11G	LCH	-9.457	-49.412	-29.46	PASS
	HCH	-8.907	-49.228	-28.91	PASS
11N20SISO	LCH	-10.940	-49.397	-30.94	PASS
	HCH	-10.174	-49.148	-30.17	PASS
11N40SISO	LCH	-9.657	-49.753	-29.66	PASS
	HCH	-12.399	-49.191	-32.4	PASS




11B/HCH



11G/LCH




11G/HCH




Frequency	2.47500000 GHz
Auto Tune	
Center Freq	2.47500000 GHz
Start Freq	2.45000000 GHz
Stop Freq	2.50000000 GHz
CF Step	5.000000 MHz
Freq Offset	0 Hz

11N20SISO/LCH




Frequency	2.36750000 GHz
Auto Tune	
Center Freq	2.36750000 GHz
Start Freq	2.31000000 GHz
Stop Freq	2.42500000 GHz
CF Step	11.500000 MHz
Freq Offset	0 Hz

11N20SISO/HCH




Frequency	
Auto Tune	
Center Freq	2.47500000 GHz
Start Freq	2.45000000 GHz
Stop Freq	2.50000000 GHz
CF Step	5.000000 MHz
Freq Offset	0 Hz

11N40SISO/LCH



Frequency	
Auto Tune	
Center Freq	2.37750000 GHz
Start Freq	2.31000000 GHz
Stop Freq	2.44500000 GHz
CF Step	13.500000 MHz
Freq Offset	0 Hz


11N40SISO/HCH




Ant 1

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
11B	LCH	0.429	-49.969	-19.57	PASS
	HCH	0.566	-49.481	-19.43	PASS
11G	LCH	-6.225	-49.864	-26.23	PASS
	HCH	-9.218	-49.624	-29.22	PASS
11N20SISO	LCH	-10.069	-49.484	-30.07	PASS
	HCH	-10.152	-48.900	-30.15	PASS
11N40SISO	LCH	-9.541	-50.362	-29.54	PASS
	HCH	-12.571	-48.728	-32.57	PASS


Test Graphs_Ant_1




11B/HCH




11G/LCH




11G/HCH



11N20SISO/LCH




11N20SISO/HCH




Frequency	2.47500000 GHz
Auto Tune	
Center Freq	2.47500000 GHz
Start Freq	2.45000000 GHz
Stop Freq	2.50000000 GHz
CF Step	5.000000 MHz
Freq Offset	0 Hz

11N40SISO/LCH



Frequency	2.37750000 GHz
Auto Tune	
Center Freq	2.37750000 GHz
Start Freq	2.31000000 GHz
Stop Freq	2.44500000 GHz
CF Step	13.500000 MHz
Freq Offset	0 Hz

11N40SISO/HCH



A.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
11B	2412	Ant_0	2310.0	-43.50	5	0	56.73	PEAK	74	PASS
	2412	Ant_0	2310.0	-53.72	5	0	46.51	AV	54	PASS
	2412	Ant_0	2390.0	-43.12	5	0	57.11	PEAK	74	PASS
	2412	Ant_0	2390.0	-53.13	5	0	47.10	AV	54	PASS
	2462	Ant_0	2483.5	-42.80	5	0	57.43	PEAK	74	PASS
	2462	Ant_0	2483.5	-52.86	5	0	47.37	AV	54	PASS
	2462	Ant_0	2500.0	-41.33	5	0	58.90	PEAK	74	PASS
	2462	Ant_0	2500.0	-52.64	5	0	47.59	AV	54	PASS
11G	2412	Ant_0	2310.0	-43.66	5	0	56.57	PEAK	74	PASS
	2412	Ant_0	2310.0	-53.70	5	0	46.53	AV	54	PASS
	2412	Ant_0	2390.0	-42.64	5	0	57.59	PEAK	74	PASS
	2412	Ant_0	2390.0	-53.10	5	0	47.13	AV	54	PASS
	2462	Ant_0	2483.5	-42.43	5	0	57.80	PEAK	74	PASS
	2462	Ant_0	2483.5	-52.84	5	0	47.39	AV	54	PASS
	2462	Ant_0	2500.0	-42.46	5	0	57.77	PEAK	74	PASS
	2462	Ant_0	2500.0	-52.64	5	0	47.59	AV	54	PASS
11N20 SISO	2412	Ant_0	2310.0	-42.25	5	0	57.98	PEAK	74	PASS
	2412	Ant_0	2310.0	-53.68	5	0	46.55	AV	54	PASS
	2412	Ant_0	2390.0	-43.03	5	0	57.20	PEAK	74	PASS
	2412	Ant_0	2390.0	-53.10	5	0	47.13	AV	54	PASS
	2462	Ant_0	2483.5	-42.57	5	0	57.66	PEAK	74	PASS
	2462	Ant_0	2483.5	-52.86	5	0	47.37	AV	54	PASS
	2462	Ant_0	2500.0	-42.23	5	0	58.00	PEAK	74	PASS
	2462	Ant_0	2500.0	-52.67	5	0	47.56	AV	54	PASS
11N40 SISO	2422	Ant_0	2310.0	-43.18	5	0	57.05	PEAK	74	PASS
	2422	Ant_0	2310.0	-53.74	5	0	46.49	AV	54	PASS

	2422	Ant_0	2390.0	-40.69	5	0	59.54	PEAK	74	PASS
	2422	Ant_0	2390.0	-53.01	5	0	47.22	AV	54	PASS
	2452	Ant_0	2483.5	-42.45	5	0	57.78	PEAK	74	PASS
	2452	Ant_0	2483.5	-52.79	5	0	47.44	AV	54	PASS
	2452	Ant_0	2500.0	-42.87	5	0	57.36	PEAK	74	PASS
	2452	Ant_0	2500.0	-52.67	5	0	47.56	AV	54	PASS


Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
11B	2412	Ant_1	2310.0	-42.75	5.0	0	57.48	PEAK	74	PASS
	2412	Ant_1	2310.0	-53.67	5.0	0	46.56	AV	54	PASS
	2412	Ant_1	2390.0	-42.52	5.0	0	57.71	PEAK	74	PASS
	2412	Ant_1	2390.0	-53.10	5.0	0	47.13	AV	54	PASS
	2462	Ant_1	2483.5	-41.24	5.0	0	58.99	PEAK	74	PASS
	2462	Ant_1	2483.5	-52.82	5.0	0	47.41	AV	54	PASS
	2462	Ant_1	2500.0	-40.98	5.0	0	59.25	PEAK	74	PASS
	2462	Ant_1	2500.0	-52.67	5.0	0	47.56	AV	54	PASS
11G	2412	Ant_1	2310.0	-43.21	5.0	0	57.02	PEAK	74	PASS
	2412	Ant_1	2310.0	-53.70	5.0	0	46.53	AV	54	PASS
	2412	Ant_1	2390.0	-41.80	5.0	0	58.43	PEAK	74	PASS
	2412	Ant_1	2390.0	-53.13	5.0	0	47.10	AV	54	PASS
	2462	Ant_1	2483.5	-42.18	5.0	0	58.05	PEAK	74	PASS
	2462	Ant_1	2483.5	-52.83	5.0	0	47.40	AV	54	PASS
	2462	Ant_1	2500.0	-40.90	5.0	0	59.33	PEAK	74	PASS
	2462	Ant_1	2500.0	-52.63	5.0	0	47.60	AV	54	PASS
11N20 SISO	2412	Ant_1	2310.0	-43.48	5.0	0	56.75	PEAK	74	PASS
	2412	Ant_1	2310.0	-53.65	5.0	0	46.58	AV	54	PASS
	2412	Ant_1	2390.0	-42.97	5.0	0	57.26	PEAK	74	PASS
	2412	Ant_1	2390.0	-53.05	5.0	0	47.18	AV	54	PASS
	2462	Ant_1	2483.5	-43.36	5.0	0	56.87	PEAK	74	PASS
	2462	Ant_1	2483.5	-52.81	5.0	0	47.42	AV	54	PASS

	2462	Ant_1	2500.0	-41.99	5.0	0	58.24	PEAK	74	PASS
	2462	Ant_1	2500.0	-52.62	5.0	0	47.61	AV	54	PASS
11N40 SISO	2422	Ant_1	2310.0	-42.99	5.0	0	57.24	PEAK	74	PASS
	2422	Ant_1	2310.0	-53.61	5.0	0	46.62	AV	54	PASS
	2422	Ant_1	2390.0	-42.55	5.0	0	57.68	PEAK	74	PASS
	2422	Ant_1	2390.0	-52.87	5.0	0	47.36	AV	54	PASS
	2452	Ant_1	2483.5	-42.79	5.0	0	57.44	PEAK	74	PASS
	2452	Ant_1	2483.5	-52.70	5.0	0	47.53	AV	54	PASS
	2452	Ant_1	2500.0	-41.70	5.0	0	58.53	PEAK	74	PASS
	2452	Ant_1	2500.0	-52.59	5.0	0	47.64	AV	54	PASS

Combined Ant_0 and Ant_1

Test Mode	Test Channel	Freq.	Power [dBm]			Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
			Ant0	Ant1	Sum						
11N20	2412	2310.0	-42.25	-43.48	-39.81	8.01	0	63.43	PEAK	74	PASS
	2412	2310.0	-53.68	-53.65	-50.65	8.01	0	52.59	AV	54	PASS
	2412	2390.0	-43.03	-42.97	-39.99	8.01	0	63.25	PEAK	74	PASS
	2412	2390.0	-53.10	-53.05	-50.06	8.01	0	53.18	AV	54	PASS
	2462	2483.5	-42.57	-43.36	-39.94	8.01	0	63.30	PEAK	74	PASS
	2462	2483.5	-52.86	-52.81	-49.82	8.01	0	53.42	AV	54	PASS
	2462	2500.0	-42.23	-41.99	-39.10	8.01	0	64.14	PEAK	74	PASS
	2462	2500.0	-52.67	-52.62	-49.63	8.01	0	53.61	AV	54	PASS
11N40	2422	2310.0	-43.18	-42.99	-40.07	8.01	0	63.17	PEAK	74	PASS
	2422	2310.0	-53.74	-53.61	-50.66	8.01	0	52.58	AV	54	PASS
	2422	2390.0	-40.69	-42.55	-38.51	8.01	0	64.73	PEAK	74	PASS
	2422	2390.0	-53.01	-52.87	-49.93	8.01	0	53.31	AV	54	PASS
	2452	2483.5	-42.45	-42.79	-39.61	8.01	0	63.63	PEAK	74	PASS
	2452	2483.5	-52.79	-52.70	-49.73	8.01	0	53.51	AV	54	PASS
	2452	2500.0	-42.87	-41.70	-39.24	8.01	0	64.00	PEAK	74	PASS
	2452	2500.0	-52.67	-52.59	-49.62	8.01	0	53.62	AV	54	PASS

Restrict-band band-edge measurements_11B_2412_Ant_0_PEAK



Restrict-band band-edge measurements_11B_2412_Ant_0_AV

