Planex Communications INC. F Nissei Ebisu Bldg 2F.16-3 Higashi 3-chome,Shibuya-ku, Tokyo, 150-0011,Japan

Federal Communications Commission Authorization and Evaluation Division Equipment Authorization Branch 7435 Oakland Mills Road Columbia, MD 21046

Applicant's declaration concerning RF Radiation Exposure

We hereby indicate that the product

Product description: Bluetooth Headphone adapter touch sensor

Model No: BT-HP02AD-DX

The equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The integral antennas used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter within the host device.

A safety statement concerning minimum separation distances from enclosure of the Product : Bluetooth Headphone adapter touch sensor will be integrated in the user's manual to provide end-users with transmitter operating conditions for satisfying RF exposure compliance.

The appropriate information and the accompanying calculation can be found in next page. RF power is below low threshold value and therefore no SAR evaluation is required.

Date: 31/05/2010

Name: Hiroshi Ikegami

Title: CEO

Company: Planex Communications INC.

<u>Idiroshi Ikegami</u> Signature RF EXPOSURE for Bluetooth Headphone adapter touch sensor

MODEL NO.: BT-HP02AD-DX

Approval holder: PLANEX COMMUNICATIONS INC.

FCC ID: SJ9-BT-HP02AD-DX

Conclusion: No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Conducted Power	1.83 dBm	
	(1.524 mW)	
EIRP Power	2.33 dBm	
	(1.698 mW)	

• The antenna is chip antenna, antenna gain is 0.5 dBi.

Threshold for no SAR evaluation is 24.58 mW.

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold.