

Bluetooth Audio Transmitter

PCi BT-WTM01

Product Description:

BT-WTM01 enables wireless connectivity of your music player via the Bluetooth Technology. Before Bluetooth becomes a standard for music players, the unique and portable Bluetooth stereo adapter is your intermediate solution to reach the wireless world. This model is Bluetooth Standard 2.1 compliant.

Now, you may Bluetooth enable your music player by plug in your BT-WTM01 into 3.5mm audio connector. No special software is required for installation. It allows an operating range of more than 10 meters (33 feet). This Bluetooth Audio Adapter brings you unlimited multimedia applications. Listen to music from music player in full-range quality stereo sound wirelessly.


Product Picture:



Bluetooth Audio Transmitter

PCi **BT-WTM01**

Button Function :



Quick Start :

1. Power On dongle

To press button for 3 seconds , the BT-WTM01 will power on and blue LED flash.

2. Power Off dongle

To press button for 6 seconds , the BT-WTM01 will power off and red LED flash.

3. Pairing

power off the BT-WTM01 and then press button for 6 seconds till red and blue LED flash alternative, then BT-WTM01 is under pairing mode. You can pair BT-WTM01 with Bluetooth stereo headset(ex. VS-1000). BT-WTM01 supported Bluetooth stereo device which pin code is "0000" ,"1234" ,"8888" ,"1111", "7777"

Step 1. Let BT-WTM01 under pairing mode

Step 2. Let Bluetooth stereo headset under pairing mode

Step 3. BT-WTM01 will complete pairing process with headset automatically

4. Connect

1. To press connect button of headset to establish connection.

or

2. To press button of the BT-WTM01 establish connection.

Bluetooth Audio Transmitter

PCi **BT-WTM01**

- Single click : default volume
- Double click : higher volume

Note :

1. The higher volume is only effective when connection be established from BT-WTM01 by double click. If connection is established from headset, the volume is default.
2. The connection maybe can not establish, if both BT-WTM01 and headset are initiating connection.

5. Auto power off

The BT-WTM01 will auto power off if there is no connection be established for 1 minute.

6. LED indicator

Pairing : blue and red LED alternate flash

Connected : blue LED quick flash 1time/sec

Standby(disconnect) : blue LED slow flash 1time/2sec

Low Battery : red LED flash

Low Battery

When the **RED** indicator starts to flash, it indicates that the Adapter is running low on battery.

Charge the Adapter until the **RED** indicator turns off.

Bluetooth Audio Transmitter

PCi BT-WTM01

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the installation. , May cause harmful interference to radio communication. However, there is no guarantee that interference Will not occur in a particular installation. if this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio / TV technician for help

You are cautioned that changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions

(1) This device may not cause harmful interference and

This device must accept any interference received, including interference that may cause undesired operation