THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

Request for Modular/Limited Modular Approval

Date: August 12, 2022

Subject: Manufacturer's Declaration for 🖾 - Modular Approval 🔅 - Split Modular Approval 🔅 - Limited Modular Approval

Confidentiality Request for: SJC-ETERNA2

8 Basic Requirements – FCC Part 15.212(a)(1)			
For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Following Pages Modular Approval Requirement Requirement Met			
 The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i) 	e r g ⊠ - YES	- NO(*)	
Details: The module contains a metal shield which covers all RF components and circuitry.			
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rate or over-modulation. 15.212(a)(1)(ii)		□ - NO(*)	
Details: No direct access is provided to the modulator / up converter and as such it can not be stimulated to over-modulate or modify the transmitters data rate>			
3. The modular transmitter must have its own power supply regulation on the module. This is intende to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)		□ - NO(*)	
Details: The transmitter has it's own power supply regulation.			
4. The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)	🛛 - YES	□ - NO(*)	
Details: The antenna is not user replaceable			
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	I. I I X - YES	□ - NO(*)	
Details: The module has been tested in a configuration with supporting hardware will the sole purpose of providing power and a control mechanism			

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

	Modular Approval Requirement	Require	ement Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in	⊠ - YES	□ - NO(*)
	the application for equipment authorization. 15.212(a)(1)(vi)		
7.	Details: The ETERNA2 module is labeled with its own FCC ID number The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	🛛 - YES	□ - NO(*)
	Details: The module complies with all specific rules applicable to the transmitter. No option is provid modify the operation of the transmitter in this regard.	led to the inte	grator to
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	🛛 - YES	□ - NO(*)
	Details: The ETERNA2 complies with all RF exposure requirements by specification. The module is the radiating structure is within 20 cm of the body of the user. As such the module does not fall under portable device per FCC Rules in Section 2.1093. While the module qualifies as a mobile device per	r the definitio	n of a

portable device per FCC Rules in Section 2.1093. While the module qualifies as a mobile device per FCC Rules in Section 2.1091, the module has a maximum radiated output power of 0.01 Watts EIRP. As such, the module is below the 3 W power limit that would necessitate environmental evaluation for RF exposure. The radio does not operate in the bands specified by 15.319(i), 15.407(f), 15.253(g) and 15.255(g).

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement Requirement Met		
 For <u>non-Software Defined Radio</u> transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280. 	Provided in Separate Cover Letter	🛛 - N/A	
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
2. For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	Provided in Separate Cover Letter	🖾 - N/A	
Details: <example a="" –n=""></example>			

Split Modular Requirements				
Requirement	Provided in Manual			
1. For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.	Provided in Separate Cover Letter	🖾 - N/A		
Details: <example a="" n="" –=""></example>				

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

OEM	I Integration Manual G	uidance – KDB 996369 D03 Section 2				
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.						
Requirement						
		□ - No,				
		If No, and LMA applies, the applicant can optionally choose to				
Is this module intended for sale to third parties?	🖾 - YES	not make the following detailed info pu needs to be basic integration instruction the information below must still be ind description. <u>If the applicant wishes to k</u> this will require a separate statement of	ns for a users manual and cluded in the operational seep this info confidential,			
		module is not for sale to third partie				
		instructions are internal confide	ential documents.			
		nual – See KDB 996369 D03, Section 2 nformation to be in the installation manual	M. J. J. 4. 144			
For example information on tra grantees own products and not ir	ce antenna design could ntended for sale to third l in the operational desc	for all these items indicating clearly when indicate "Not Applicable". Also if a modu parties, the user instructions may not need ription, but this should include a cover lef 2.2	lle is limited to only a l to be detailed and the			
	ated to the transmitter.					
2. Summarize the specific operation		996369 D03. Section 2.3				
		e loss, reduction of power for point to point				
	onal installation info					
3. Limited Module Procedures. KD		2.4				
		uses to verify the host meets the necessary				
limiting condition			\boxtimes - All Items shown to			
b. When RF exposu	re evaluation is necessary.	, state how control will be maintained such	the left are provided in			
	s ensured, such as Class II	I for new hosts, etc.	the Modular Integration			
4. Trace antenna designs. KDB 99			Guide (or UM) for Full			
a. Layout of trace design, parts list, antenna, connectors, isolation requirements, tests for design verification, and production test procedures for ensuring compliance. If confidential, the method used to keep confidential must be identified and information provided in the operational description.						
5. RF exposure considerations. KD		6	🗆 - An LMA applies			
a. Clearly and expli- module. Two typ define conditions needed to be prov	and is approved ONLY for use by the grantee in their own products, and not intended for sale to					
6. Antennas. KDB 996369 D03, Se	ection 2.7	•	3 rd parties as provided in			
instructions when	applicable. The antenna l	and all applicable professional installer list shall also identify the antenna types omni-directional" is not considered a type)	a separate cover letter. Therefore the information shown to			
7. Label and compliance information			the left is found in the			
a. Advice to host int "Contains FCC II	tegrators that they need to D: " with their finished pro-	provide a physical or e-label stating oduct	theory of operation.			
a. Test modes that s	hould be taken into consid	ents. KDB 996369 D03, Section 2.9 deration by host integrators including				
clarifications necessary for stand-alone and simultaneous configurations.b. Provide information on how to configure test modes for evaluation						
9. Additional testing, Part 15 Subpa						
A						
Sincerely,		Nie Johnson Testus' 116	NCEE L -L-			
By: Signatu	re/Title ¹)	Nic Johnson, Technical Manager, (Print name)	NCEE Labs			

¹ - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.