## Global Certification Corp.

Date of Issue: May 02, 2013 Report No.: F331903

### **Radio frequency Exposure**

#### **LIMIT**

According to §15.247(i), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess of the Commission's guidelines. See § 1.1307(b)(1) of this chapter. According to RSS-Gen §5.5, before equipment certification is granted, the applicable requirements of RSS-102 shall be met.

#### **EUT Specification**

EUT	Bluetooth Speaker
Main Model	ECHO06
Frequency band	□ WLAN: 2.412GHz ~ 2.462GHz
(Operating)	□ WLAN: 5.18GHz ~ 5.32GHz / 5.50GHz ~ 5.70GHz
	□ WLAN: 5.745GHz ~ 5.825GHz
	☑ Others: Bluetooth: 2.402GHz ~ 2.480GHz
Device category	✓ Portable (<20cm separation)
	☐ Mobile (>20cm separation)
	☐ Others
<b>Exposure classification</b>	$\square$ Occupational/Controlled exposure ( $S = 5mW/cm_2$ )
	$\square$ General Population/Uncontrolled exposure ( $S=1mW/cm_2$ )
Antenna diversity	☑ Single antenna
	☐ Multiple antennas
	☐Tx diversity
	□Rx diversity
	□Tx/Rx diversity
Max. output power	2.36dBm (0.58076mW)
Antenna gain	1.61 dBi (Numeric gain: 1.45)
Evaluation applied	☑ MPE Evaluation
	☐ SAR Evaluation
	□ N/A



# Global Certification Corp.

Date of Issue: May 02, 2013 Report No.: F331903

EUT	Bluetooth Speaker
Series Model	ECHO10
Frequency band	□ WLAN: 2.412GHz ~ 2.462GHz
(Operating)	□ WLAN: 5.18GHz ~ 5.32GHz / 5.50GHz ~ 5.70GHz
	□ WLAN: 5.745GHz ~ 5.825GHz
	☑ Others: Bluetooth: 2.402GHz ~ 2.480GHz
Device category	☑ Portable (<20cm separation)
	☐ Mobile (>20cm separation)
	☐ Others
<b>Exposure classification</b>	$\square$ Occupational/Controlled exposure ( $S = 5mW/cm_2$ )
	$\square$ General Population/Uncontrolled exposure ( $S=1mW/cm_2$ )
Antenna diversity	☑ Single antenna
	☐ Multiple antennas
	☐Tx diversity
	□Rx diversity
	☐Tx/Rx diversity
Max. output power	2.36dBm (0.58076mW)
Antenna gain	1.61 dBi (Numeric gain: 1.45)
<b>Evaluation applied</b>	☑ MPE Evaluation
	☐ SAR Evaluation
	□ N/A

### **TEST RESULTS**

No non-compliance noted.

(SAR evaluation is not required for the PORTABLE device while its maximum output power is lower than the general population low threshold:  $60/f_{(GHz)}=60/2.441=24.58$ mW)