

部 品 承 认 书

Part No.: 1100040414

Model number: 4O053B

Manufacturer: Shanghai Jesoncom Communication Engineering
Co., Ltd _____

Adress: 1F, Building 9, No. 685 Zhenchen Road, Baoshan District,
Shanghai China

1 名词解释

dBi	Decibel relative isotropic antenna
Tx	Transmit frequency
Rx	Receive frequency
TRP	Total Radiated Power
TIS	Total Isotropic Sensitivity
VSWR	Voltage Standing Wave Ratio
GSM	Global Service for Mobile communication
DCS	Digital Communication System
CDMA	Code Division Multiple Access
WCDMA	Wideband Code Division Multiple Access

2 测试设备

可根据实际情况自行增减

矢量网络分析仪

综合测试仪

SATIMO64 位暗室

3 适用频段

将适用的频段用其他颜色标出。

制式	频段
BT (2.4G)	2412MHz~2483MHz
GPS (1.5G)	1556MHz~1580MHz

4 基本测试项目

4.1 驻波比图

4.2 史密斯阻抗图


4.3 辐射方向图

4.4 增益和效率

5 测试指标和数据图表

5.1 SWR


5.1.1 SWR



5.1.2 SWR Results


Freq/MHz	2400	2500
VSWR	1.2	1.2

5.2 史密斯阻抗圆图




5.3 Radiated Pattern

5.3.1 H-plane




5.3.2 E-plane

E1




E2



5.4 Gain and Efficiency

Freq (MHZ)	Eff(%)	GAIN(DBi)
2400	65.29	4.02
2420	62.55	3.96
2440	61.16	3.78
2450	63.39	3.95
2460	64.10	3.95
2470	64.93	4.07
2480	62.67	4.01
2490	61.58	3.99
2500	63.59	4.23



- Notes:
1. 产品表面无污垢、无外观不良
 2. 带*号为重点尺寸
 3. 所有物料均符合Rolls2.0要求

版本	修改内容	修订者	日期

②	PCB	PI 黑色	1	400538-36 T.G
①	Cable	RG113(黑色)一代扣子	1	400538-46 T.A
NO	名称	说明	数量	备注
PROJECTION				
UNLESS OTHERWISE SPECIFIED				
DIMENSIONS ARE IN mm				
GENERAL TOLERANCE				
X	±0.3			
XX	±0.2			
ANGULAR	±0.5°			
颜色:	颜色:			

上海杰盛康通信工程有限公司
Shanghai Jesoncom Communication Engineering Co., Ltd

