


Product : MOXA IEEE802.11 a/b/g mini PCI module
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 3: Transmit (802.11a 6Mbps) (5825MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
165	5825.000	-14.567	< 8dBm	Pass


Figure Channel 165:



Product : MOXA IEEE802.11 a/b/g mini PCI module
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 4: Transmit Turbo Mode (2.4G Band) (2437MHz)

Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
6	2437.000	-13.489	< 8dBm	Pass


Figure Channel 6:



Product : MOXA IEEE802.11 a/b/g mini PCI module
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 5: Transmit Turbo Mode (5G Band) (5760MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
152	5760.00	-13.983	< 8dBm	Pass


Figure Channel 152:



Product : MOXA IEEE802.11 a/b/g mini PCI module
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 5: Transmit Turbo Mode (5G Band) (5800MHz)

Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
160	5800.000	-13.049	< 8dBm	Pass

Figure Channel 160:



9. EMI Reduction Method During Compliance Testing

No modification was made during testing.