Technical Description

The Equipment Under Test (EUT), is a portable 2.4GHz Transceiver (Truck Unit) for a RC Truck. The sample supplied operated on 71 channels, normally at 2405 - 2475MHz. The channels are separated with 1MHz spacing.

The EUT is powered by $3 \times 1.5 \text{V}$ AAA batteries. The truck has 2 modes, the "TRY ME" mode and the on mode. For the "TRY ME" mode, after switching on the EUT, sound will be emitted from the truck based on the button pressed on the truck. For the on mode, it has all the functions that the "TRY ME" mode has. In addition, the truck will be moved forward or backward and turned left and right based on the switches pressed in the controller. Sound will be emitted from the truck based on the button pressed on the controller.

Antenna Type: Internal, Integral antenna

Antenna Gain: OdBi

Nominal rated field strength is 88.8dBµV/m at 3m (Peak), 77.2dBµV/m at 3m (Average)

Maximum allowed production tolerance: +/- 3dB

The brief circuit description is listed as follows:

- 1. U2 acts as MCU
- 2. Y1 acts as 16MHz Oscillator
- 3. L1, C1 and C4 act as antenna matching circuit
- 4. U1 and U9 acts as motor driver
- 5. K4 acts as switch
- 6. U5 acts as voltage regulator
- 7. U3 acts as audio IC.