



Mueller Systems

FCC Part 15 ID label
IC ID label
MIHUBXR-R

PN 130-0058-001 Rev A02

This label is applied to the Top Level and shall include text indicating that the MiHUB XR-R product complies with Part 15 of the FCC Rules as illustrated below. Adding this label verifies that the product has passed FCC requirements. This label is applied to the enclosure per the specific product Assembly Documentation.

Label Specifications:

Material: 2 mil Gloss White Polyester (Thermal Transfer) base w/2 mil Acrylic Adhesive UL recognized and CSA certified for outdoor use that will not rub off under a 50% alcohol/water solution or equivalent process. Able to withstand outside exposure to -40C, rain and direct sunlight

Thermal Transfer printing: Resin ribbon or equivalent, Black

Font: Arial / **Size:** 7pt

Dimensions: 2.00 / 2.25 wide by .75 high

<p>MODEL: MIHUBXR-R FCC ID: SM6-HUBXRR / IC: 9235A-HUBXRR</p> <p>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions; (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
--

Revision History

Rev	Description of change	Changed by	Effective Date
A00	Originated	Murgo	01/14/13
A01	Revised (changed Model # and HUBXR-R)	Murgo	4/4/13

A02	Revised per ECN13022	Murgo	4/26/13
-----	----------------------	-------	---------



FCC Part 15 ID label

MiHUB XR with Multi-Tech Socket Modem

PN 130-0055-001 Rev A00

This label is applied to the Top Level and shall include text indicating that the MiHUB XR product with the Multi-Tech socket modem complies with Part 15 of the FCC Rules and IC as illustrated below. Adding this label verifies that the product has passed FCC requirements. This label is applied to the enclosure per the specific product Assembly Documentation.

Label Specifications:

Material: 2 mil Gloss White Polyester (Thermal Transfer) base w/2 mil Acrylic Adhesive UL recognized and CA certified for outdoor use that will not rub off under a 50% alcohol/water solution or equivalent process. Able to withstand outside exposure to -40C, rain and direct sunlight

Thermal Transfer printing: Resin ribbon or equivalent, Black

Font: Arial / **Size:** 7pt

Dimensions: 2.00 wide by .75 high

**This product contains Multi-Tech modem
FCC ID: AU792U09D24824 / IC: 125A-0033**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions; (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Revision History

Rev	Description of change	Changed by	Effective Date
A00	Originated	Murgo	11/28/12

MODEL MIHUBXR-R

FCC ID: SWE-HUBDXT/IC: 9225A-HUBDXT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This product contains Multi-Tech Socket modem

FCC ID: AUR92409D24824

This device complies with Part 15 of the FCC Rules. Operation is subject to the following conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.




Manufactured by Mueller Systems
Made in USA

11005002



Product Code
MS-G-AC-B-G-R
MiHUB AC PWR-GPRS
XR-R (eXtended Range)

100-240VAC
15W 50/60Hz
9-15VDC 15W
-30° +70° C



WARNING
ELECTRIC SHOCK HAZARD.
This equipment is to be serviced by trained personnel only.

11005002
11005002