


A.6 Conducted Spurious Emission

ANT1

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	802.08	-50.43	-27	Pass	9700
1000	5150	0.1	Peak	5100.089	-47.19	-27	Pass	41499
5150	5350	0.1	Peak	5174.912	-3.69	24	Pass	2000
5350	10300	0.1	Peak	6895.248	-44.8	-27	Pass	49499
10300	10700	0.1	Peak	10692.098	-47.29	-27	Pass	4000
10700	25000	0.1	Peak	15496.85	-43.96	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	711.67	-51.34	-27	Pass	9700
1000	5150	0.1	Peak	5139.998	-46.4	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-3.13	24	Pass	2000
5350	10300	0.1	Peak	6904.349	-46.09	-27	Pass	49499
10300	10700	0.1	Peak	10578.77	-46.75	-27	Pass	4000
10700	25000	0.1	Peak	17771.421	-43.7	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	966.897	-50.59	-27	Pass	9700
1000	5150	0.1	Peak	5119.994	-46.81	-27	Pass	41499
5150	5350	0.1	Peak	5247.449	-2.53	24	Pass	2000
5350	10300	0.1	Peak	5637.309	-46.09	-27	Pass	49499
10300	10700	0.1	Peak	10684.896	-46.37	-27	Pass	4000
10700	25000	0.1	Peak	15302.844	-44.43	-27	Pass	142999



4. 802.11a_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	875.787	-50.64	-27	Pass	9700
1000	5650	1	Peak	4712.798	-36.2	-27	Pass	4650
5650	5700	1	Peak	5650	-37.4	-27	Pass	691
5700	5720	1	Peak	5700.638	-35.32	10.18	Pass	691
5720	5725	1	Peak	5720.08	-34.11	15.78	Pass	691
5725	5850	1	Peak	5739.493	8.98	30	Pass	691
5850	5855	1	Peak	5854.732	-34.93	16.21	Pass	691
5855	5875	1	Peak	5873.696	-35.17	10.37	Pass	691
5875	5925	1	Peak	5924.855	-36.95	-26.89	Pass	691
5925	25000	1	Peak	15829.519	-32.72	-27	Pass	19075



5. 802.11a_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	620.261	-50.09	-27	Pass	9700
1000	5650	1	Peak	5498.968	-36.02	-27	Pass	4650
5650	5700	1	Peak	5650.725	-37.17	-26.46	Pass	691
5700	5720	1	Peak	5704.899	-33.16	11.37	Pass	691
5720	5725	1	Peak	5720.101	-35.66	15.83	Pass	691
5725	5850	1	Peak	5787.681	10.22	30	Pass	691
5850	5855	1	Peak	5854.819	-35.25	16.01	Pass	691
5855	5875	1	Peak	5873.174	-34.7	10.51	Pass	691
5875	5925	1	Peak	5924.783	-36.52	-26.84	Pass	691
5925	25000	1	Peak	17105.586	-32.47	-27	Pass	19075



6. 802.11a_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	261.824	-50.42	-27	Pass	9700
1000	5650	1	Peak	5423.951	-36.84	-27	Pass	4650
5650	5700	1	Peak	5650.507	-36.79	-26.62	Pass	691
5700	5720	1	Peak	5704.928	-35.07	11.38	Pass	691
5720	5725	1	Peak	5720.275	-35.01	16.23	Pass	691
5725	5850	1	Peak	5829.167	8.12	30	Pass	691
5850	5855	1	Peak	5854.804	-33.86	16.05	Pass	691
5855	5875	1	Peak	5872.884	-35.04	10.59	Pass	691
5875	5925	1	Peak	5924.783	-36.13	-26.84	Pass	691
5925	25000	1	Peak	16570.558	-33.44	-27	Pass	19075



7. 802.11n_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	761.075	-50.46	-27	Pass	9700
1000	5150	0.1	Peak	5100.089	-47.86	-27	Pass	41499
5150	5350	0.1	Peak	5186.218	-4.26	24	Pass	2000
5350	10300	0.1	Peak	9341.19	-46.12	-27	Pass	49499
10300	10700	0.1	Peak	10694.699	-47.01	-27	Pass	4000
10700	25000	0.1	Peak	15407.447	-43.95	-27	Pass	142999



8. 802.11n_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	797.279	-50.53	-27	Pass	9700
1000	5150	0.1	Peak	5139.998	-45.7	-27	Pass	41499
5150	5350	0.1	Peak	5222.436	-3.43	24	Pass	2000
5350	10300	0.1	Peak	9418.399	-46.25	-27	Pass	49499
10300	10700	0.1	Peak	10394.724	-46.56	-27	Pass	4000
10700	25000	0.1	Peak	16389.878	-43.51	-27	Pass	142999



9. 802.11n_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	860.286	-50.94	-27	Pass	9700
1000	5150	0.1	Peak	5108.591	-47.64	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	-2.43	24	Pass	2000
5350	10300	0.1	Peak	9753.738	-45.71	-27	Pass	49499
10300	10700	0.1	Peak	10587.872	-46.69	-27	Pass	4000
10700	25000	0.1	Peak	16910.094	-43.93	-27	Pass	142999



10. 802.11n_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	956.596	-50.17	-27	Pass	9700
1000	5650	1	Peak	5423.951	-36.4	-27	Pass	4650
5650	5700	1	Peak	5650.507	-36.51	-26.62	Pass	691
5700	5720	1	Peak	5700.783	-35.85	10.22	Pass	691
5720	5725	1	Peak	5720.326	-27.22	16.34	Pass	691
5725	5850	1	Peak	5750	9.59	30	Pass	691
5850	5855	1	Peak	5854.964	-35.78	15.68	Pass	691
5855	5875	1	Peak	5874.652	-34.54	10.1	Pass	691
5875	5925	1	Peak	5924.275	-36.56	-26.46	Pass	691
5925	25000	1	Peak	16297.544	-32.66	-27	Pass	19075



11. 802.11n_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	968.197	-50.51	-27	Pass	9700
1000	5650	1	Peak	5333.932	-36.07	-27	Pass	4650
5650	5700	1	Peak	5650.797	-36.56	-26.41	Pass	691
5700	5720	1	Peak	5704.58	-32.95	11.28	Pass	691
5720	5725	1	Peak	5720.196	-35.15	16.05	Pass	691
5725	5850	1	Peak	5779.529	9.77	30	Pass	691
5850	5855	1	Peak	5854.71	-34.57	16.26	Pass	691
5855	5875	1	Peak	5873.609	-34.74	10.39	Pass	691
5875	5925	1	Peak	5924.71	-35.47	-26.79	Pass	691
5925	25000	1	Peak	16349.547	-32.61	-27	Pass	19075



12. 802.11n_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	925.392	-49.95	-27	Pass	9700
1000	5650	1	Peak	5336.933	-36.61	-27	Pass	4650
5650	5700	1	Peak	5650.58	-36.55	-26.57	Pass	691
5700	5720	1	Peak	5700.087	-35.57	10.02	Pass	691
5720	5725	1	Peak	5720.167	-35.68	15.98	Pass	691
5725	5850	1	Peak	5830.616	9.77	30	Pass	691
5850	5855	1	Peak	5854.362	-33.21	17.05	Pass	691
5855	5875	1	Peak	5873.319	-34.91	10.47	Pass	691
5875	5925	1	Peak	5924.855	-36.83	-26.89	Pass	691
5925	25000	1	Peak	16571.558	-33.13	-27	Pass	19075



13. 802.11ac_20M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	930.793	-50.67	-27	Pass	9700
1000	5150	0.1	Peak	5127.995	-47.36	-27	Pass	41499
5150	5350	0.1	Peak	5173.712	-3.59	24	Pass	2000
5350	10300	0.1	Peak	6995.451	-45.86	-27	Pass	49499
10300	10700	0.1	Peak	10374.219	-47.21	-27	Pass	4000
10700	25000	0.1	Peak	15928.763	-43.85	-27	Pass	142999



14. 802.11ac_20M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	952.295	-49.18	-27	Pass	9700
1000	5150	0.1	Peak	4718.409	-48.1	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-2.87	24	Pass	2000
5350	10300	0.1	Peak	6960.55	-45.96	-27	Pass	49499
10300	10700	0.1	Peak	10688.297	-46.82	-27	Pass	4000
10700	25000	0.1	Peak	16290.275	-43.63	-27	Pass	142999



15. 802.11ac_20M_Band1_H

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	706.47	-50.44	-27	Pass	9700
1000	5150	0.1	Peak	5120.894	-48.07	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	-2.48	24	Pass	2000
5350	10300	0.1	Peak	6890.448	-46.34	-27	Pass	49499
10300	10700	0.1	Peak	10560.865	-46.87	-27	Pass	4000
10700	25000	0.1	Peak	15405.247	-43.27	-27	Pass	142999



16. 802.11ac_20M_Band4_L

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	793.579	-49.17	-27	Pass	9700
1000	5650	1	Peak	5283.921	-36.5	-27	Pass	4650
5650	5700	1	Peak	5650.942	-36.43	-26.3	Pass	691
5700	5720	1	Peak	5700	-35.61	10	Pass	691
5720	5725	1	Peak	5720.101	-33.73	15.83	Pass	691
5725	5850	1	Peak	5738.768	8.73	30	Pass	691
5850	5855	1	Peak	5854.71	-35	16.26	Pass	691
5855	5875	1	Peak	5874.855	-34.69	10.04	Pass	691
5875	5925	1	Peak	5924.638	-36.19	-26.73	Pass	691
5925	25000	1	Peak	16934.577	-33.55	-27	Pass	19075



17. 802.11ac_20M_Band4_M

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	599.859	-49.88	-27	Pass	9700
1000	5650	1	Peak	5439.955	-36.55	-27	Pass	4650
5650	5700	1	Peak	5650.29	-37.46	-26.79	Pass	691
5700	5720	1	Peak	5704.957	-33.86	11.39	Pass	691
5720	5725	1	Peak	5720.348	-35.41	16.39	Pass	691
5725	5850	1	Peak	5791.486	9.68	30	Pass	691
5850	5855	1	Peak	5854.797	-34.57	16.06	Pass	691
5855	5875	1	Peak	5874.188	-34.84	10.23	Pass	691
5875	5925	1	Peak	5924.638	-35.36	-26.73	Pass	691
5925	25000	1	Peak	16378.548	-33.68	-27	Pass	19075



18. 802.11ac_20M_Band4_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	914.891	-50.35	-27	Pass	9700
1000	5650	1	Peak	5391.945	-36.68	-27	Pass	4650
5650	5700	1	Peak	5651.522	-36.23	-25.87	Pass	691
5700	5720	1	Peak	5702.783	-35.21	10.78	Pass	691
5720	5725	1	Peak	5720.007	-35.87	15.62	Pass	691
5725	5850	1	Peak	5831.884	7.92	30	Pass	691
5850	5855	1	Peak	5854.971	-34.51	15.67	Pass	691
5855	5875	1	Peak	5874.275	-34.57	10.2	Pass	691
5875	5925	1	Peak	5925	-36.25	-27	Pass	691
5925	25000	1	Peak	16308.544	-33.02	-27	Pass	19075



19. 802.11n_40M_Band1_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	965.796	-50.12	-27	Pass	9700
1000	5150	0.1	Peak	5109.992	-47.36	-27	Pass	41499
5150	5350	0.1	Peak	5204.927	-5.57	24	Pass	2000
5350	10300	0.1	Peak	5903.817	-46.62	-27	Pass	49499
10300	10700	0.1	Peak	10352.513	-46.45	-27	Pass	4000
10700	25000	0.1	Peak	20232.998	-43.78	-27	Pass	142999



20. 802.11n_40M_Band1_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	855.085	-49.9	-27	Pass	9700
1000	5150	0.1	Peak	5150	-46.46	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-5.17	24	Pass	2000
5350	10300	0.1	Peak	6900.748	-45.12	-27	Pass	49499
10300	10700	0.1	Peak	10587.272	-45.51	-27	Pass	4000
10700	25000	0.1	Peak	15961.264	-44.47	-27	Pass	142999



21. 802.11n_40M_Band4_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	989.199	-50.96	-27	Pass	9700
1000	5650	1	Peak	5317.929	-36.14	-27	Pass	4650
5650	5700	1	Peak	5650.652	-36.13	-26.52	Pass	691
5700	5720	1	Peak	5700.754	-35.73	10.21	Pass	691
5720	5725	1	Peak	5720.058	-33.29	15.73	Pass	691
5725	5850	1	Peak	5767.572	5.97	30	Pass	691
5850	5855	1	Peak	5854.986	-35.69	15.63	Pass	691
5855	5875	1	Peak	5873.58	-34.01	10.4	Pass	691
5875	5925	1	Peak	5924.203	-36.44	-26.41	Pass	691
5925	25000	1	Peak	15394.496	-33.31	-27	Pass	19075



22. 802.11n_40M_Band4_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	945.994	-51.06	-27	Pass	9700
1000	5650	1	Peak	5376.941	-36.24	-27	Pass	4650
5650	5700	1	Peak	5650.435	-36.83	-26.68	Pass	691
5700	5720	1	Peak	5704.029	-34.86	11.13	Pass	691
5720	5725	1	Peak	5720.014	-35.5	15.63	Pass	691
5725	5850	1	Peak	5782.971	6.7	30	Pass	691
5850	5855	1	Peak	5854.783	-34.06	16.1	Pass	691
5855	5875	1	Peak	5874.594	-34.15	10.11	Pass	691
5875	5925	1	Peak	5924.493	-36.37	-26.62	Pass	691
5925	25000	1	Peak	15400.497	-33.09	-27	Pass	19075



23. 802.11ac_40M_Band1_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	989.099	-49.66	-27	Pass	9700
1000	5150	0.1	Peak	4776.821	-47.55	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	-5.62	24	Pass	2000
5350	10300	0.1	Peak	5408.902	-46.5	-27	Pass	49499
10300	10700	0.1	Peak	10349.712	-46.58	-27	Pass	4000
10700	25000	0.1	Peak	16448.58	-43.78	-27	Pass	142999



24. 802.11ac_40M_Band1_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	968.797	-50.07	-27	Pass	9700
1000	5150	0.1	Peak	5150	-47	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	-5.42	24	Pass	2000
5350	10300	0.1	Peak	6925.749	-45.79	-27	Pass	49499
10300	10700	0.1	Peak	10684.596	-46.82	-27	Pass	4000
10700	25000	0.1	Peak	15727.757	-43.24	-27	Pass	142999



25. 802.11ac_40M_Band4_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	882.788	-50.14	-27	Pass	9700
1000	5650	1	Peak	5018.864	-36.65	-27	Pass	4650
5650	5700	1	Peak	5650.507	-36.9	-26.62	Pass	691
5700	5720	1	Peak	5702.551	-35.41	10.71	Pass	691
5720	5725	1	Peak	5720.101	-33.65	15.83	Pass	691
5725	5850	1	Peak	5743.297	5.78	30	Pass	691
5850	5855	1	Peak	5854.819	-35.37	16.01	Pass	691
5855	5875	1	Peak	5873.841	-35.02	10.32	Pass	691
5875	5925	1	Peak	5924.71	-36.31	-26.79	Pass	691
5925	25000	1	Peak	15390.496	-33.53	-27	Pass	19075



26. 802.11ac_40M_Band4_H

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	998.5	-50.6	-27	Pass	9700
1000	5650	1	Peak	5319.929	-36.91	-27	Pass	4650
5650	5700	1	Peak	5650	-36.22	-27	Pass	691
5700	5720	1	Peak	5700.029	-35.97	10.01	Pass	691
5720	5725	1	Peak	5720.101	-35.07	15.83	Pass	691
5725	5850	1	Peak	5797.101	6.52	30	Pass	691
5850	5855	1	Peak	5854.58	-32.79	16.56	Pass	691
5855	5875	1	Peak	5874.71	-33.61	10.08	Pass	691
5875	5925	1	Peak	5924.783	-35.67	-26.84	Pass	691
5925	25000	1	Peak	16285.543	-33.04	-27	Pass	19075



27. 802.11ac_80M_Band1_M

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	913.491	-49.53	-27	Pass	9700
1000	5150	0.1	Peak	5129.996	-46.77	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-6.53	24	Pass	2000
5350	10300	0.1	Peak	9850.749	-45.83	-27	Pass	49499
10300	10700	0.1	Peak	10591.673	-46.03	-27	Pass	4000
10700	25000	0.1	Peak	15860.261	-43.59	-27	Pass	142999



28. 802.11ac_80M_Band4_M

28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	963.296	-49.87	-27	Pass	9700
1000	5650	1	Peak	5331.932	-36.82	-27	Pass	4650
5650	5700	1	Peak	5650.652	-36.56	-26.52	Pass	691
5700	5720	1	Peak	5701.536	-34.04	10.43	Pass	691
5720	5725	1	Peak	5720.08	-33.32	15.78	Pass	691
5725	5850	1	Peak	5766.123	3.96	30	Pass	691
5850	5855	1	Peak	5854.899	-32.44	15.83	Pass	691
5855	5875	1	Peak	5873.928	-34.76	10.3	Pass	691
5875	5925	1	Peak	5924.928	-36.31	-26.95	Pass	691
5925	25000	1	Peak	15400.497	-33	-27	Pass	19075




ANT2

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	907.79	-50.12	-27	Pass	9700
1000	5150	0.1	Peak	5099.989	-45.97	-27	Pass	41499
5150	5350	0.1	Peak	5173.612	-3.47	24	Pass	2000
5350	10300	0.1	Peak	10155.784	-47.06	-27	Pass	49499
10300	10700	0.1	Peak	10662.791	-45.61	-27	Pass	4000
10700	25000	0.1	Peak	15836.661	-43.76	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	867.586	-50.15	-27	Pass	9700
1000	5150	0.1	Peak	5139.998	-45.41	-27	Pass	41499
5150	5350	0.1	Peak	5213.632	-2.91	24	Pass	2000
5350	10300	0.1	Peak	9834.847	-45.17	-27	Pass	49499
10300	10700	0.1	Peak	10357.214	-47.06	-27	Pass	4000
10700	25000	0.1	Peak	16300.575	-43.23	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	951.995	-50.27	-27	Pass	9700
1000	5150	0.1	Peak	4647.094	-47.56	-27	Pass	41499
5150	5350	0.1	Peak	5233.742	-2	24	Pass	2000
5350	10300	0.1	Peak	6993.151	-46.35	-27	Pass	49499
10300	10700	0.1	Peak	10691.398	-46.58	-27	Pass	4000
10700	25000	0.1	Peak	16318.676	-42.92	-27	Pass	142999



4. 802.11a_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	959.796	-50.66	-27	Pass	9700
1000	5650	1	Peak	5397.946	-35.93	-27	Pass	4650
5650	5700	1	Peak	5650.145	-36.89	-26.89	Pass	691
5700	5720	1	Peak	5700.319	-36.15	10.09	Pass	691
5720	5725	1	Peak	5720.572	-33.58	16.91	Pass	691
5725	5850	1	Peak	5740.58	8.52	30	Pass	691
5850	5855	1	Peak	5854.899	-35.68	15.83	Pass	691
5855	5875	1	Peak	5874.594	-34.97	10.11	Pass	691
5875	5925	1	Peak	5924.638	-36.66	-26.73	Pass	691
5925	25000	1	Peak	15909.523	-33.07	-27	Pass	19075



5. 802.11a_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	949.295	-50.32	-27	Pass	9700
1000	5650	1	Peak	5421.951	-36.42	-27	Pass	4650
5650	5700	1	Peak	5650.145	-37.28	-26.89	Pass	691
5700	5720	1	Peak	5704.87	-33.62	11.36	Pass	691
5720	5725	1	Peak	5720.159	-35.55	15.96	Pass	691
5725	5850	1	Peak	5782.065	9.73	30	Pass	691
5850	5855	1	Peak	5854.957	-35.48	15.7	Pass	691
5855	5875	1	Peak	5873.029	-34.54	10.55	Pass	691
5875	5925	1	Peak	5925	-36.96	-27	Pass	691
5925	25000	1	Peak	16390.549	-32.81	-27	Pass	19075



6. 802.11a_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	272.525	-50.27	-27	Pass	9700
1000	5650	1	Peak	5107.883	-36.09	-27	Pass	4650
5650	5700	1	Peak	5650.29	-36.54	-26.79	Pass	691
5700	5720	1	Peak	5700.435	-35.98	10.12	Pass	691
5720	5725	1	Peak	5720.022	-35.21	15.65	Pass	691
5725	5850	1	Peak	5830.072	8.55	30	Pass	691
5850	5855	1	Peak	5854.942	-34.52	15.73	Pass	691
5855	5875	1	Peak	5874.681	-34.16	10.09	Pass	691
5875	5925	1	Peak	5924.855	-36.32	-26.89	Pass	691
5925	25000	1	Peak	17145.588	-33.48	-27	Pass	19075



7. 802.11n_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	858.485	-49.47	-27	Pass	9700
1000	5150	0.1	Peak	5013.071	-47.28	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	-3.02	24	Pass	2000
5350	10300	0.1	Peak	5869.916	-45.65	-27	Pass	49499
10300	10700	0.1	Peak	10686.997	-46.91	-27	Pass	4000
10700	25000	0.1	Peak	16801.991	-44.19	-27	Pass	142999



8. 802.11n_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	859.386	-50.8	-27	Pass	9700
1000	5150	0.1	Peak	5139.998	-44.49	-27	Pass	41499
5150	5350	0.1	Peak	5224.937	-2.35	24	Pass	2000
5350	10300	0.1	Peak	5704.611	-46.8	-27	Pass	49499
10300	10700	0.1	Peak	10367.617	-46.16	-27	Pass	4000
10700	25000	0.1	Peak	15814.36	-43.47	-27	Pass	142999



9. 802.11n_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	918.092	-50.84	-27	Pass	9700
1000	5150	0.1	Peak	4538.871	-48.19	-27	Pass	41499
5150	5350	0.1	Peak	5244.947	-2.15	24	Pass	2000
5350	10300	0.1	Peak	10158.184	-46.42	-27	Pass	49499
10300	10700	0.1	Peak	10617.179	-46.99	-27	Pass	4000
10700	25000	0.1	Peak	16667.586	-43.96	-27	Pass	142999



10. 802.11n_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	762.676	-50.74	-27	Pass	9700
1000	5650	1	Peak	5352.936	-36.65	-27	Pass	4650
5650	5700	1	Peak	5651.667	-35.64	-25.77	Pass	691
5700	5720	1	Peak	5701.507	-35.85	10.42	Pass	691
5720	5725	1	Peak	5720.138	-34.53	15.91	Pass	691
5725	5850	1	Peak	5750.181	8.82	30	Pass	691
5850	5855	1	Peak	5854.971	-35.58	15.67	Pass	691
5855	5875	1	Peak	5874.391	-35.2	10.17	Pass	691
5875	5925	1	Peak	5923.333	-34.81	-25.77	Pass	691
5925	25000	1	Peak	15403.497	-33.55	-27	Pass	19075



11. 802.11n_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	716.571	-49.9	-27	Pass	9700
1000	5650	1	Peak	5018.864	-36.35	-27	Pass	4650
5650	5700	1	Peak	5650.145	-37.23	-26.89	Pass	691
5700	5720	1	Peak	5700.58	-34.77	10.16	Pass	691
5720	5725	1	Peak	5720.167	-36.02	15.98	Pass	691
5725	5850	1	Peak	5791.304	9.67	30	Pass	691
5850	5855	1	Peak	5854.855	-34.68	15.93	Pass	691
5855	5875	1	Peak	5865.261	-32.24	12.73	Pass	691
5875	5925	1	Peak	5924.275	-35.91	-26.46	Pass	691
5925	25000	1	Peak	16287.543	-33.31	-27	Pass	19075



12. 802.11n_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	763.176	-50.78	-27	Pass	9700
1000	5650	1	Peak	5331.932	-36.63	-27	Pass	4650
5650	5700	1	Peak	5650.797	-36.68	-26.41	Pass	691
5700	5720	1	Peak	5700.29	-36.26	10.08	Pass	691
5720	5725	1	Peak	5720.109	-34.68	15.85	Pass	691
5725	5850	1	Peak	5818.297	8.13	30	Pass	691
5850	5855	1	Peak	5854.891	-34.1	15.85	Pass	691
5855	5875	1	Peak	5874.304	-34.97	10.19	Pass	691
5875	5925	1	Peak	5924.275	-35.37	-26.46	Pass	691
5925	25000	1	Peak	15394.496	-33.47	-27	Pass	19075



13. 802.11ac_20M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	953.795	-50.56	-27	Pass	9700
1000	5150	0.1	Peak	5066.682	-46.78	-27	Pass	41499
5150	5350	0.1	Peak	5174.912	-3.41	24	Pass	2000
5350	10300	0.1	Peak	6979.751	-45.65	-27	Pass	49499
10300	10700	0.1	Peak	10389.422	-46.62	-27	Pass	4000
10700	25000	0.1	Peak	15432.248	-44.27	-27	Pass	142999



14. 802.11ac_20M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	987.899	-50.17	-27	Pass	9700
1000	5150	0.1	Peak	5140.098	-46.18	-27	Pass	41499
5150	5350	0.1	Peak	5224.937	-2.25	24	Pass	2000
5350	10300	0.1	Peak	10271.197	-46.44	-27	Pass	49499
10300	10700	0.1	Peak	10450.138	-46.52	-27	Pass	4000
10700	25000	0.1	Peak	17669.318	-44.14	-27	Pass	142999



15. 802.11ac_20M_Band1_H

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	577.356	-50.55	-27	Pass	9700
1000	5150	0.1	Peak	5088.987	-47.54	-27	Pass	41499
5150	5350	0.1	Peak	5244.947	-1.88	24	Pass	2000
5350	10300	0.1	Peak	6901.748	-46.18	-27	Pass	49499
10300	10700	0.1	Peak	10589.972	-47.18	-27	Pass	4000
10700	25000	0.1	Peak	16330.876	-43.21	-27	Pass	142999



16. 802.11ac_20M_Band4_L

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	478.846	-50.37	-27	Pass	9700
1000	5650	1	Peak	5616.993	-36.56	-27	Pass	4650
5650	5700	1	Peak	5650.217	-37.51	-26.84	Pass	691
5700	5720	1	Peak	5702.435	-35.86	10.68	Pass	691
5720	5725	1	Peak	5720.109	-34.85	15.85	Pass	691
5725	5850	1	Peak	5739.13	9.25	30	Pass	691
5850	5855	1	Peak	5854.971	-35.8	15.67	Pass	691
5855	5875	1	Peak	5874.913	-35.58	10.02	Pass	691
5875	5925	1	Peak	5924.855	-36.67	-26.89	Pass	691
5925	25000	1	Peak	15418.498	-32.32	-27	Pass	19075



17. 802.11ac_20M_Band4_M

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	388.837	-49.67	-27	Pass	9700
1000	5650	1	Peak	5502.968	-36.83	-27	Pass	4650
5650	5700	1	Peak	5650.29	-36.37	-26.79	Pass	691
5700	5720	1	Peak	5704.928	-33.91	11.38	Pass	691
5720	5725	1	Peak	5720.152	-35.96	15.95	Pass	691
5725	5850	1	Peak	5790.399	9.84	30	Pass	691
5850	5855	1	Peak	5854.92	-35.36	15.78	Pass	691
5855	5875	1	Peak	5873.783	-34.7	10.34	Pass	691
5875	5925	1	Peak	5924.42	-35.69	-26.57	Pass	691
5925	25000	1	Peak	15407.497	-33.14	-27	Pass	19075



18. 802.11ac_20M_Band4_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	467.345	-50.01	-27	Pass	9700
1000	5650	1	Peak	4343.719	-36.92	-27	Pass	4650
5650	5700	1	Peak	5650.072	-36.93	-26.95	Pass	691
5700	5720	1	Peak	5703.42	-35.37	10.96	Pass	691
5720	5725	1	Peak	5720.007	-35.81	15.62	Pass	691
5725	5850	1	Peak	5831.703	8.39	30	Pass	691
5850	5855	1	Peak	5855	-34.32	15.6	Pass	691
5855	5875	1	Peak	5873.029	-34.36	10.55	Pass	691
5875	5925	1	Peak	5924.783	-35.97	-26.84	Pass	691
5925	25000	1	Peak	16378.548	-33.55	-27	Pass	19075



19. 802.11n_40M_Band1_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	981.898	-50.73	-27	Pass	9700
1000	5150	0.1	Peak	5109.992	-47.46	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	-6.05	24	Pass	2000
5350	10300	0.1	Peak	5802.914	-46.03	-27	Pass	49499
10300	10700	0.1	Peak	10586.472	-46.72	-27	Pass	4000
10700	25000	0.1	Peak	15412.247	-44.77	-27	Pass	142999



20. 802.11n_40M_Band1_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	690.768	-50.44	-27	Pass	9700
1000	5150	0.1	Peak	5026.574	-47.88	-27	Pass	41499
5150	5350	0.1	Peak	5233.742	-5.3	24	Pass	2000
5350	10300	0.1	Peak	9732.735	-46.08	-27	Pass	49499
10300	10700	0.1	Peak	10396.824	-46.82	-27	Pass	4000
10700	25000	0.1	Peak	15392.647	-43.31	-27	Pass	142999



21. 802.11n_40M_Band4_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	965.696	-50	-27	Pass	9700
1000	5650	1	Peak	5398.946	-35.99	-27	Pass	4650
5650	5700	1	Peak	5650.725	-36.67	-26.46	Pass	691
5700	5720	1	Peak	5700.87	-35.62	10.24	Pass	691
5720	5725	1	Peak	5720	-34.31	15.6	Pass	691
5725	5850	1	Peak	5767.21	6.06	30	Pass	691
5850	5855	1	Peak	5854.884	-35.1	15.86	Pass	691
5855	5875	1	Peak	5874.826	-34.19	10.05	Pass	691
5875	5925	1	Peak	5924.13	-35.6	-26.36	Pass	691
5925	25000	1	Peak	16385.548	-33.07	-27	Pass	19075



22. 802.11n_40M_Band4_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	970.197	-50.06	-27	Pass	9700
1000	5650	1	Peak	5152.893	-36.41	-27	Pass	4650
5650	5700	1	Peak	5650.29	-36.31	-26.79	Pass	691
5700	5720	1	Peak	5700.29	-36.05	10.08	Pass	691
5720	5725	1	Peak	5720.188	-34.96	16.03	Pass	691
5725	5850	1	Peak	5798.37	7.19	30	Pass	691
5850	5855	1	Peak	5854.92	-35.16	15.78	Pass	691
5855	5875	1	Peak	5874.159	-33.09	10.24	Pass	691
5875	5925	1	Peak	5924.855	-36.01	-26.89	Pass	691
5925	25000	1	Peak	15397.497	-32.19	-27	Pass	19075



23. 802.11ac_40M_Band1_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	916.791	-50.86	-27	Pass	9700
1000	5150	0.1	Peak	5105.991	-47.15	-27	Pass	41499
5150	5350	0.1	Peak	5193.722	-5.9	24	Pass	2000
5350	10300	0.1	Peak	9517.711	-46.05	-27	Pass	49499
10300	10700	0.1	Peak	10685.196	-46.69	-27	Pass	4000
10700	25000	0.1	Peak	15390.847	-43.71	-27	Pass	142999



24. 802.11ac_40M_Band1_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	990.699	-49.8	-27	Pass	9700
1000	5150	0.1	Peak	4690.603	-47	-27	Pass	41499
5150	5350	0.1	Peak	5233.742	-5.12	24	Pass	2000
5350	10300	0.1	Peak	5389.901	-45.88	-27	Pass	49499
10300	10700	0.1	Peak	10474.544	-47.06	-27	Pass	4000
10700	25000	0.1	Peak	15311.444	-43.96	-27	Pass	142999



25. 802.11ac_40M_Band4_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	956.896	-50.44	-27	Pass	9700
1000	5650	1	Peak	4804.818	-36.58	-27	Pass	4650
5650	5700	1	Peak	5650.87	-36.52	-26.36	Pass	691
5700	5720	1	Peak	5700.783	-35.49	10.22	Pass	691
5720	5725	1	Peak	5720.036	-33.6	15.68	Pass	691
5725	5850	1	Peak	5750.543	5.85	30	Pass	691
5850	5855	1	Peak	5855	-35.28	15.6	Pass	691
5855	5875	1	Peak	5874.536	-35	10.13	Pass	691
5875	5925	1	Peak	5923.551	-35.52	-25.93	Pass	691
5925	25000	1	Peak	15937.525	-33.31	-27	Pass	19075



26. 802.11ac_40M_Band4_H


26.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	950.795	-49.7	-27	Pass	9700
1000	5650	1	Peak	5634.997	-35.57	-27	Pass	4650
5650	5700	1	Peak	5650.072	-37.36	-26.95	Pass	691
5700	5720	1	Peak	5701.826	-36.74	10.51	Pass	691
5720	5725	1	Peak	5720.036	-36.45	15.68	Pass	691
5725	5850	1	Peak	5829.348	-35.71	30	Pass	691
5850	5855	1	Peak	5854.688	-35.72	16.31	Pass	691
5855	5875	1	Peak	5874.855	-36.13	10.04	Pass	691
5875	5925	1	Peak	5924.71	-37.56	-26.79	Pass	691
5925	25000	1	Peak	17758.62	-33.07	-27	Pass	19075



26.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	311.029	-50.88	-27	Pass	9700
1000	5650	1	Peak	5438.955	-35.46	-27	Pass	4650
5650	5700	1	Peak	5650.145	-37.36	-26.89	Pass	691
5700	5720	1	Peak	5700.087	-36.41	10.02	Pass	691
5720	5725	1	Peak	5720.094	-35.58	15.81	Pass	691
5725	5850	1	Peak	5792.754	6.05	30	Pass	691
5850	5855	1	Peak	5854.826	-34.22	16	Pass	691
5855	5875	1	Peak	5874.507	-33.5	10.14	Pass	691
5875	5925	1	Peak	5924.058	-36.14	-26.3	Pass	691
5925	25000	1	Peak	15401.497	-33.34	-27	Pass	19075



27. 802.11ac_80M_Band1_M

27.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	973.497	-50.46	-27	Pass	9700
1000	5150	0.1	Peak	5129.996	-47.18	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-6.56	24	Pass	2000
5350	10300	0.1	Peak	6914.949	-46.15	-27	Pass	49499
10300	10700	0.1	Peak	10578.47	-46.7	-27	Pass	4000
10700	25000	0.1	Peak	15305.144	-43.47	-27	Pass	142999



28. 802.11ac_80M_Band4_M

28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	965.196	-50.53	-27	Pass	9700
1000	5650	1	Peak	5412.949	-36.84	-27	Pass	4650
5650	5700	1	Peak	5650.217	-36.96	-26.84	Pass	691
5700	5720	1	Peak	5701.217	-34.66	10.34	Pass	691
5720	5725	1	Peak	5720.022	-33.73	15.65	Pass	691
5725	5850	1	Peak	5766.304	3.48	30	Pass	691
5850	5855	1	Peak	5854.696	-31.99	16.29	Pass	691
5855	5875	1	Peak	5874.623	-34.96	10.11	Pass	691
5875	5925	1	Peak	5924.928	-35.82	-26.95	Pass	691
5925	25000	1	Peak	16370.548	-32.7	-27	Pass	19075

