

1. Signal Calibration

1.1 Test Result


1.1.1 SC

Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11a	20	5260	0	0	-62.45	-55.36	Pass
			1	0	-62.45	-55.36	Pass
			2	0	-62.46	-55.36	Pass
			3	0	-62.44	-55.36	Pass
			4	0	-62.44	-55.36	Pass
			5	0	-62.40	-55.36	Pass
			6	0	-67.06	-55.36	Pass
802.11n (HT40)	40	5270	0	0	-60.87	-55.36	Pass
			1	0	-60.86	-55.36	Pass
			2	0	-60.87	-55.36	Pass
			3	0	-60.86	-55.36	Pass
			4	0	-60.86	-55.36	Pass
			5	0	-60.83	-55.36	Pass
			6	0	-65.59	-55.36	Pass


Note: The required detection threshold is $(-62+6.64)\text{dBm}=-55.36\text{dBm}$. The conducted radar burst levels set lower than -55.36dBm .

1.2 Test Graph


1.2.1 SC




Signal Calibration 802.11a 2A 5260MHz RadarType2 Trial0




Signal Calibration 802.11a 2A 5260MHz RadarType3 Trial0




Signal Calibration 802.11a 2A 5260MHz RadarType4 Trial0




Signal Calibration 802.11a 2A 5260MHz RadarType5 Trial0




Signal Calibration 802.11a 2A 5260MHz RadarType6 Trial0




Signal Calibration 802.11n(HT40) 2A 5270MHz RadarType0 Trial0




Signal Calibration 802.11n(HT40) 2A 5270MHz RadarType1 Trial0




Signal Calibration 802.11n(HT40) 2A 5270MHz RadarType2 Trial0




Signal Calibration 802.11n(HT40) 2A 5270MHz RadarType3 Trial0




Signal Calibration 802.11n(HT40) 2A 5270MHz RadarType4 Trial0



Signal Calibration 802.11n(HT40) 2A 5270MHz RadarType5 Trial0



Signal Calibration 802.11n(HT40) 2A 5270MHz RadarType6 Trial0



2. Channel Move Time and Closing Transmission Time


2.1 Test Result

2.1.1 CMT_CTT

Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time				Verdict
			CCT[ms]	Limit(ms)	CMT[ms]	Limit(ms)	
802.11a	20	5260	5.500	200+60	829	10000	Pass
802.11n (HT40)	40	5270	5.000	200+60	868	10000	Pass

2.2 Test Graph

2.2.1 CMT_CTT



3. Non-Occupancy Period

3.1 Test Result

3.1.1 Period

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit(S)	
802.11a	20	5260	see test graph	≥1800	Pass
802.11n (HT40)	40	5270	see test graph	≥1800	Pass

3.2 Test Graph

3.2.1 Period

