



1. Bandwidth

1.1 OBW


1.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5260	1	17.320	/	Pass
		5300	1	17.164	/	Pass
		5320	1	17.342	/	Pass
802.11n (HT20)	SISO	5260	1	17.922	/	Pass
		5300	1	17.949	/	Pass
		5320	1	17.961	/	Pass
802.11n (HT40)	SISO	5270	1	36.389	/	Pass
		5310	1	36.518	/	Pass


1.1.2 Test Graph




802.11a_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV



802.11n(HT40)_LCH_5270MHz_Ant1_NTNV



802.11n(HT40)_HCH_5310MHz_Ant1_NTNV





1.2 26dB BW


1.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5260	1	22.278	/	Pass
		5300	1	20.699	/	Pass
		5320	1	21.781	/	Pass
802.11n (HT20)	SISO	5260	1	20.672	/	Pass
		5300	1	23.109	/	Pass
		5320	1	21.932	/	Pass
802.11n (HT40)	SISO	5270	1	39.641	/	Pass
		5310	1	40.577	/	Pass


1.2.2 Test Graph




802.11a_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV



802.11n(HT40)_LCH_5270MHz_Ant1_NTNV



802.11n(HT40)_HCH_5310MHz_Ant1_NTNV



2. Maximum Conducted Output Power

2.1 Power

2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5260	7.42	<=23.98	Pass
		5300	7.77	<=23.98	Pass
		5320	7.47	<=23.98	Pass
802.11n (HT20)	SISO	5260	7.24	<=23.98	Pass
		5300	7.64	<=23.98	Pass
		5320	7.27	<=23.98	Pass
802.11n (HT40)	SISO	5270	7.79	<=23.98	Pass
		5310	8.03	<=23.98	Pass

Note1: Antenna Gain: Ant1: 3.46dBi;

3. Maximum Power Spectral Density



3.1 PSD

3.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5260	-2.74	<=11	Pass
		5300	-2.36	<=11	Pass
		5320	-2.80	<=11	Pass
802.11n (HT20)	SISO	5260	-3.04	<=11	Pass
		5300	-2.73	<=11	Pass
		5320	-3.10	<=11	Pass
802.11n (HT40)	SISO	5270	-4.86	<=11	Pass
		5310	-5.05	<=11	Pass

Note1: Antenna Gain: Ant1: 3.46dBi;


3.1.2 Test Graph




802.11a_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV



802.11n(HT40)_LCH_5270MHz_Ant1_NTNV



802.11n(HT40)_HCH_5310MHz_Ant1_NTNV



4. Frequency Stability

4.1 Ant1

4.1.1 Test Result

Ant1								
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict	
Carrier Wave	SISO	5260	20	102	5259.986	5250 to 5350	Pass	
				120	5259.985	5250 to 5350	Pass	
				138	5259.985	5250 to 5350	Pass	
			-30	120	5259.985	5250 to 5350	Pass	
				-20	120	5259.984	5250 to 5350	Pass
					120	5259.984	5250 to 5350	Pass
			0	120	5259.983	5250 to 5350	Pass	
				10	120	5259.983	5250 to 5350	Pass
					120	5259.983	5250 to 5350	Pass
		30	120	5259.983	5250 to 5350	Pass		
			40	120	5259.983	5250 to 5350	Pass	
				120	5259.982	5250 to 5350	Pass	
		5300	20	5300	102	5299.980	5250 to 5350	Pass
					120	5299.980	5250 to 5350	Pass
					138	5299.980	5250 to 5350	Pass
			-30	120	5299.980	5250 to 5350	Pass	
				-20	120	5299.979	5250 to 5350	Pass
					120	5299.979	5250 to 5350	Pass
			0	120	5299.979	5250 to 5350	Pass	
				10	120	5299.979	5250 to 5350	Pass
					120	5299.979	5250 to 5350	Pass
		30	120	5299.979	5250 to 5350	Pass		
			40	120	5299.979	5250 to 5350	Pass	
				120	5299.979	5250 to 5350	Pass	
		5320	20	5320	102	5319.979	5250 to 5350	Pass
					120	5319.979	5250 to 5350	Pass
					138	5319.979	5250 to 5350	Pass
			-30	120	5319.979	5250 to 5350	Pass	
				-20	120	5319.979	5250 to 5350	Pass
					120	5319.979	5250 to 5350	Pass
			0	120	5319.979	5250 to 5350	Pass	
				10	120	5319.979	5250 to 5350	Pass
					120	5319.978	5250 to 5350	Pass
		30	120	5319.978	5250 to 5350	Pass		
			40	120	5319.978	5250 to 5350	Pass	
				120	5319.978	5250 to 5350	Pass	
		5270	20	5270	102	5269.979	5250 to 5350	Pass
					120	5269.979	5250 to 5350	Pass
					138	5269.979	5250 to 5350	Pass
			-30	120	5269.979	5250 to 5350	Pass	
				-20	120	5269.983	5250 to 5350	Pass
					120	5269.983	5250 to 5350	Pass
			0	120	5269.982	5250 to 5350	Pass	
				10	120	5269.982	5250 to 5350	Pass
					120	5269.982	5250 to 5350	Pass
30	120	5269.982	5250 to 5350	Pass				
	40	120	5269.982	5250 to 5350	Pass			
		120	5269.981	5250 to 5350	Pass			
50	120	5269.981	5250 to 5350	Pass				
	5310	20	102	5309.980	5250 to 5350	Pass		
120			5309.980	5250 to 5350	Pass			

			138	5309.980	5250 to 5350	Pass	
			-30	120	5309.980	5250 to 5350	Pass
			-20	120	5309.980	5250 to 5350	Pass
			-10	120	5309.980	5250 to 5350	Pass
			0	120	5309.980	5250 to 5350	Pass
			10	120	5309.980	5250 to 5350	Pass
			30	120	5309.979	5250 to 5350	Pass
			40	120	5309.979	5250 to 5350	Pass
			50	120	5309.979	5250 to 5350	Pass