

## **Certification Exhibit**

FCC ID: SNA-M250RF IC: 9458A-M250RF

## FCC Rule Part: 15.247 IC Radio Standards Specification: RSS-210

ACS Project: 12-2123

Manufacturer: Woodstream Corporation Model: M250RF

# **User Manual**

## <u>User Manual for Victor® Kill-@lert Remote</u> <u>Notification System</u>

Victor® Kill-@lert Remote notification system is the latest innovation in Rodent Control. This system and traps are easy to use and operate. To set up your Kill-@lert Remote notification system, please follow the instructions below.

### <u>Step 1</u>

Once you receive your system in the mail and before you do anything else, please go to <u>www.victorkillalert.com</u>

### <u>Step 2</u>

Create Kill-@lert account. This will be your personal portal through which you will be able to monitor and customize your system

### <u>Step 3</u>

Download the Kill-@lert software to your PC. Make sure you select the appropriate software package based on the operating system your PC has.

## <u>Step 4</u>

Follow the installation instructions and install the software to your PC

### <u>Step 5</u>

Once the software is installed, plug in the Victor® Kill-@lert USB device into the USB slot on your PC

### <u>Step 6</u>

Go back to <u>www.victorkillalert.com</u> and register your traps using the trap code on the back of the electronic mouse/rat trap.

### <u>Step 7</u>

Turn on your electronic mouse/rat trap

#### <u>Step 8</u>

Once the trap information portal shows up on your screen you can name your trap and designate the location you will be placing it at

#### Step 9

Place the trap in the desired location.

Once the mouse has been caught, your web portal on victorkillalert.com will be updated with the catch information. If you have elected that option during the set up process, you will also receive either a text message or an email, notifying you of the catch.

#### FCC

Warning: Changes or modification to this device not expressly approved by Woodstream Corp. could void the user's authority to operate the equipment

**RF Exposure WARNING:** This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

"NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help."

#### IC

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication.

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante.

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.