

Test Report No.10052348 001

Appendix D: Radiated Spurious Emission Data

(File: 10052348AppendixD)


Contents

Spurious Emissions, Band Edges, 2.35-2.5G	2
Spurious Emissions, TX Mode, 1-18G.....	6
Spurious Emissions, TX Mode, 18-26G.....	12
Spurious Emissions, TX Mode, 30M-1G	18
Spurious Emissions, RX Mode, 1-18G	20
Spurious Emissions, RX Mode, 18-26G	26
Spurious Emissions, RX Mode, 30M-1G.....	32


Spurious Emissions, Band Edges, 2.35-2.5G

Radiated Bandedge (GFSK)

Low Channel (Hor)




Date: 4.AUG.2015 22:38:45




Date: 4.AUG.2015 22:39:03

Spurious Emissions, Band Edge, 2.35-2.5G

Low Channel (Ver)



Date: 4.AUG.2015 22:41:36




Date: 4.AUG.2015 22:40:18


Spurious Emissions, Band Edge, 2.35-2.5G

Radiated Bandedge (GFSK)

High Channel (Hor)





Date: 4.AUG.2015 22:44:18



Date: 4.AUG.2015 22:43:51

Spurious Emissions, Band Edge, 2.35-2.5G

High Channel (Ver)




Spurious Emissions, Band Edge, 2.35-2.5G

Spurious Emissions, TX Mode, 1-18G




TUV Taiwan
 11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 fax:+886-2528-0018




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:08:57
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2402-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4804.000	-2.35	49.97	47.62	74.00	-26.38	peak		0	
2	6015.000	4.14	46.40	50.54	74.00	-23.46	peak	100	155	
3	7206.000	5.78	46.52	52.30	74.00	-21.70	peak		0	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:10:00
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2402-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4804.000	-2.35	49.26	46.91	74.00	-27.09	peak			
2	5301.000	-0.24	50.29	50.05	74.00	-23.95	peak	100	3	
3	7206.000	5.78	44.70	50.48	74.00	-23.52	peak			




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:11:39
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4880.000	-2.16	49.62	47.46	74.00	-26.54	peak			
2	6049.000	4.27	46.12	50.39	74.00	-23.61	peak	100	359	
3	7320.000	6.12	43.27	49.39	74.00	-24.61	peak			




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:12:42
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4880.000	-2.16	48.33	46.17	74.00	-27.83	peak			
2	5369.000	0.12	49.75	49.87	74.00	-24.13	peak	100	213	
3	7320.000	6.12	44.14	50.26	74.00	-23.74	peak			



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:15:47
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2480-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4960.000	-1.97	48.91	46.94	74.00	-27.06	peak			
2	5420.000	0.39	49.04	49.43	74.00	-24.57	peak	100	61	
3	7440.000	6.47	43.46	49.93	74.00	-24.07	peak			




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:16:50
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2480-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4960.000	-1.97	49.12	47.15	74.00	-26.85	peak			
2	6576.000	5.91	45.62	51.53	74.00	-22.47	peak	100	44	
3	7440.000	6.47	43.44	49.91	74.00	-24.09	peak			

Spurious Emissions, TX Mode, 18-26G




TUV Taiwan
 11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 fax:+886-2528-0018




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:49:23
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2402-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	20626.500	29.27	20.12	49.39	74.00	-24.61	peak	100	287	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:49:32
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2402-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23712.000	29.32	19.40	48.72	74.00	-25.28	peak	100	2	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:49:45
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	20167.500	29.04	19.11	48.15	74.00	-25.85	peak	100	136	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:49:55
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23397.500	29.51	18.66	48.17	74.00	-25.83	peak	100	30	



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:50:08
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2480-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	20711.500	29.28	19.30	48.58	74.00	-25.42	peak	100	83	



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:50:17
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2480-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23032.000	29.88	18.92	48.80	74.00	-25.20	peak	100	44	


Spurious Emissions, TX Mode, 30M-1G



TUV Taiwan

11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105


Tel:+886-2172-7000 fax:+886-2528-0018



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Class B 3M Radiation	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 21:54:39
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	30.0000	-6.03	25.61	19.58	40.00	-20.42	QP	100	46	
2	127.0000	-12.79	33.39	20.60	43.50	-22.90	QP	100	205	
3	256.9800	-11.11	40.91	29.80	46.00	-16.20	QP	100	232	
4	292.8700	-10.57	41.79	31.22	46.00	-14.78	QP	100	256	
5	425.7599	-8.22	36.37	28.15	46.00	-17.85	QP	100	117	
6	996.1200	-0.29	33.64	33.35	54.00	-20.65	QP	100	261	

Spurious Emissions, RX Mode, 1-18G




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Class B 3M Radiation	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 21:55:43
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	32.9100	-7.70	36.38	28.68	40.00	-11.32	QP	100	256	
2	127.0000	-12.79	39.24	26.45	43.50	-17.05	QP	100	259	
3	418.0000	-8.33	41.00	32.67	46.00	-13.33	QP	100	189	
4	503.3600	-7.22	37.10	29.88	46.00	-16.12	QP	100	309	
5	566.4099	-6.46	37.68	31.22	46.00	-14.78	QP	100	160	
6	996.1200	-0.29	34.71	34.42	54.00	-19.58	QP	100	309	

Spurious Emissions, RX Mode, 1-18G




TUV Taiwan
 11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 fax:+886-2528-0018




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:21:09
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2402-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4247.000	-4.10	51.63	47.53	74.00	-26.47	peak	100	192	
2	5233.000	-0.62	50.74	50.12	74.00	-23.88	peak	100	305	
3	7035.000	5.26	46.15	51.41	74.00	-22.59	peak	100	92	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:22:12
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2402-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4247.000	-4.10	51.15	47.05	74.00	-26.95	peak	100	199	
2	5845.000	3.07	46.81	49.88	74.00	-24.12	peak	100	343	
3	7528.000	6.66	45.05	51.71	74.00	-22.29	peak	100	262	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:24:10
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4094.000	-4.71	50.88	46.17	74.00	-27.83	peak	100	48	
2	5267.000	-0.42	50.10	49.68	74.00	-24.32	peak	100	103	
3	6576.000	5.91	45.54	51.45	74.00	-22.55	peak	100	327	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:25:12
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4553.000	-2.96	51.21	48.25	74.00	-25.75	peak	100	127	
2	5403.000	0.30	49.11	49.41	74.00	-24.59	peak	100	265	
3	6593.000	5.87	45.73	51.60	74.00	-22.40	peak	100	80	



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:26:57
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2480-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4094.000	-4.71	50.71	46.00	74.00	-28.00	peak	100	186	
2	4604.000	-2.84	50.89	48.05	74.00	-25.95	peak	100	357	
3	6015.000	4.14	46.49	50.63	74.00	-23.37	peak	100	269	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:28:33
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2480-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4145.000	-4.51	52.31	47.80	74.00	-26.20	peak	100	332	
2	5233.000	-0.62	50.85	50.23	74.00	-23.77	peak	100	171	
3	6083.000	4.41	46.01	50.42	74.00	-23.58	peak	100	240	

Spurious Emissions, RX Mode, 18-26G




TUV Taiwan
 11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 fax:+886-2528-0018




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:50:39
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2402-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	20601.000	29.27	19.91	49.18	74.00	-24.82	peak		0	




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:50:50
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2402-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23873.500	29.24	18.96	48.20	74.00	-25.80	peak			




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:51:06
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	20354.500	29.16	19.43	48.59	74.00	-25.41	peak			




Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:51:15
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	22675.000	29.47	18.77	48.24	74.00	-25.76	peak			



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 22:51:32
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2480-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	20371.500	29.16	19.00	48.16	74.00	-25.84	peak			



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 22:51:41
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2480-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23006.500	29.91	18.56	48.47	74.00	-25.53	peak			


Spurious Emissions, RX Mode, 30M-1G



TUV Taiwan

11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105


Tel:+886-2172-7000 fax:+886-2528-0018



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Class B 3M Radiation	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2015/8/4 21:57:36
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	30.9699	-6.59	25.54	18.95	40.00	-21.05	QP	100	238	
2	126.0300	-12.82	33.60	20.78	43.50	-22.72	QP	100	192	
3	299.6600	-10.40	42.18	31.78	46.00	-14.22	QP	100	259	
4	408.3000	-8.45	36.67	28.22	46.00	-17.78	QP	100	86	
5	499.4800	-7.26	33.30	26.04	46.00	-19.96	QP	100	113	
6	566.4099	-6.46	32.96	26.50	46.00	-19.50	QP	100	209	

Spurious Emissions, Mains, 150kHz - 30MHz



Service No.:	114037734-NCC	Test Distance:	3m
Test Standard:	NCC Class B 3M Radiation	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2015/8/4 21:58:40
Applicant:	Elgato Systems GmbH	Test Rating:	DC 3V
Product:	Eve Door and Window	Temp.(°C)/Hum.(%):	22.8(°C)/55%
Model No.:	2ED309901000	Test Engineer:	Hugo Chang
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	32.9099	-7.70	37.56	29.86	40.00	-10.14	QP	100	282	
2	145.4299	-12.94	38.51	25.57	43.50	-17.93	QP	100	256	
3	325.8500	-9.80	36.40	26.60	46.00	-19.40	QP	100	224	
4	428.6700	-8.18	41.00	32.82	46.00	-13.18	QP	100	184	
5	566.4099	-6.46	37.89	31.43	46.00	-14.57	QP	100	147	
6	1000.0000	-0.29	36.77	36.48	54.00	-17.52	QP	100	325	