


## Appendix B: Test Results of Radiated Spurious Emissions

### Band Edges, 2.31GHz ~ 2.9GHz



#### BLE\_1M

##### Low Channel (Horizontal) Peak



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 2385.87 | 54.63 | 17.06 | 37.57  | 74.00 | -19.37 | 231  | 72   | Peak   | Horizontal |      |
| 2 *  | 2402.00 | 97.27 | 59.65 | 37.62  | 74.00 | 23.27  | 231  | 72   | Peak   | Horizontal |      |
| 3    | 2880.53 | 56.75 | 18.56 | 38.19  | 74.00 | -17.25 | 231  | 72   | Peak   | Horizontal |      |

##### Low Channel (Vertical) Peak




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 2330.30 | 55.38 | 18.27 | 37.11  | 74.00 | -18.62 | 371  | 293  | Peak   | Vertical  |      |
| 2 *  | 2402.00 | 96.12 | 58.60 | 37.32  | 74.00 | 22.12  | 371  | 293  | Peak   | Vertical  |      |
| 3    | 2880.29 | 57.13 | 18.95 | 38.18  | 74.00 | -16.87 | 371  | 293  | Peak   | Vertical  |      |

**BLE\_1M**

**Low Channel (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|---------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |         |            |      |
| 1   | 2376.55 | 42.49  | 4.95  | 37.54 | 54.00  | -11.51 |      | 231  | 72   | Average | Horizontal |      |
| 2 * | 2402.00 | 90.91  | 53.29 | 37.62 | 54.00  | 36.91  |      | 231  | 72   | Average | Horizontal |      |
| 3   | 2897.17 | 43.72  | 5.44  | 38.28 | 54.00  | -10.28 |      | 231  | 72   | Average | Horizontal |      |

**Low Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|---------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |         |           |      |
| 1   | 2315.19 | 42.21  | 5.20  | 37.01 | 54.00  | -11.79 |      | 371  | 293  | Average | Vertical  |      |
| 2 * | 2402.00 | 92.13  | 54.61 | 37.32 | 54.00  | 38.13  |      | 371  | 293  | Average | Vertical  |      |
| 3   | 2829.79 | 43.73  | 5.52  | 38.21 | 54.00  | -10.27 |      | 371  | 293  | Average | Vertical  |      |

**BLE\_1M**

**High Channel (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1   | 2336.55 | 55.58  | 18.17 | 37.41 | 74.00  | -18.42 | 100  | 83   | Peak | Horizontal |           |      |
| 2 * | 2480.00 | 97.15  | 59.56 | 37.59 | 74.00  | 23.15  | 100  | 83   | Peak | Horizontal |           |      |
| 3   | 2827.31 | 56.46  | 18.40 | 38.06 | 74.00  | -17.54 | 100  | 83   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1   | 2322.98 | 53.52  | 16.46 | 37.06 | 74.00  | -20.48 | 113  | 273  | Peak | Vertical |           |      |
| 2 * | 2480.00 | 97.18  | 59.49 | 37.69 | 74.00  | 23.18  | 113  | 273  | Peak | Vertical |           |      |
| 3   | 2483.81 | 55.08  | 17.37 | 37.71 | 74.00  | -18.92 | 113  | 273  | Peak | Vertical |           |      |

**BLE\_1M**

**High Channel (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1   | 2315.78 | 42.53  | 5.18  | 37.35 | 54.00  | -11.47 | 100  | 83   | Average | Horizontal |           |      |
| 2 * | 2480.00 | 91.75  | 54.16 | 37.59 | 54.00  | 37.75  | 100  | 83   | Average | Horizontal |           |      |
| 3   | 2631.31 | 43.93  | 5.75  | 38.18 | 54.00  | -10.07 | 100  | 83   | Average | Horizontal |           |      |

**High Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1   | 2377.61 | 40.89  | 3.60  | 37.29 | 54.00  | -13.11 | 113  | 273  | Average | Vertical |           |      |
| 2 * | 2480.00 | 94.51  | 56.82 | 37.69 | 54.00  | 40.51  | 113  | 273  | Average | Vertical |           |      |
| 3   | 2824.72 | 42.50  | 4.29  | 38.21 | 54.00  | -11.50 | 113  | 273  | Average | Vertical |           |      |

**BLE\_2M**

**Low Channel (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1   | 2362.98 | 53.85  | 16.35 | 37.50 | 74.00  | -20.15 | 245  | 68   | Peak | Horizontal |           |      |
| 2 * | 2402.00 | 100.48 | 62.86 | 37.62 | 74.00  | 26.48  | 245  | 68   | Peak | Horizontal |           |      |
| 3   | 2822.47 | 55.20  | 17.14 | 38.06 | 74.00  | -18.80 | 245  | 68   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1   | 2384.22 | 54.19  | 16.89 | 37.30 | 74.00  | -19.81 | 117  | 82   | Peak | Vertical |           |      |
| 2 * | 2402.00 | 100.23 | 62.91 | 37.32 | 74.00  | 26.23  | 117  | 82   | Peak | Vertical |           |      |
| 3   | 2822.95 | 56.17  | 17.97 | 38.20 | 74.00  | -17.83 | 117  | 82   | Peak | Vertical |           |      |

**BLE\_2M**

**Low Channel (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1   | 2371.48 | 41.69  | 4.17  | 37.52 | 54.00  | -12.31 | 245  | 68   | Average | Horizontal |           |      |
| 2 * | 2402.00 | 93.73  | 56.11 | 37.62 | 54.00  | 39.73  | 245  | 68   | Average | Horizontal |           |      |
| 3   | 2599.93 | 46.24  | 8.09  | 38.15 | 54.00  | -7.76  | 245  | 68   | Average | Horizontal |           |      |

**Low Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1   | 2379.97 | 41.75  | 4.46  | 37.29 | 54.00  | -12.25 | 117  | 82   | Average | Vertical |           |      |
| 2 * | 2402.00 | 95.59  | 58.27 | 37.32 | 54.00  | 41.59  | 117  | 82   | Average | Vertical |           |      |
| 3   | 2545.88 | 44.91  | 7.03  | 37.88 | 54.00  | -9.09  | 117  | 82   | Average | Vertical |           |      |

**BLE\_2M**

**High Channel (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1   | 2377.26 | 53.81  | 16.27 | 37.54 | 74.00  | -20.19 | 332  | 70   | Peak | Horizontal |           |      |
| 2 * | 2480.00 | 100.31 | 62.72 | 37.59 | 74.00  | 26.31  | 332  | 70   | Peak | Horizontal |           |      |
| 3   | 2825.90 | 55.33  | 17.27 | 38.06 | 74.00  | -18.67 | 332  | 70   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1   | 2349.41 | 54.16  | 16.00 | 37.26 | 74.00  | -19.84 | 393  | 266  | Peak | Vertical |           |      |
| 2 * | 2480.00 | 100.49 | 62.80 | 37.69 | 74.00  | 26.49  | 393  | 266  | Peak | Vertical |           |      |
| 3   | 2821.06 | 55.79  | 17.59 | 38.20 | 74.00  | -18.21 | 393  | 266  | Peak | Vertical |           |      |

**BLE\_2M**

**High Channel (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|---------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |         |            |      |
| 1   | 2388.82 | 41.57  | 3.99  | 37.58 | 54.00  | -12.43 |      | 332  | 70   | Average | Horizontal |      |
| 2 * | 2480.00 | 94.20  | 56.61 | 37.59 | 54.00  | 40.20  |      | 332  | 70   | Average | Horizontal |      |
| 3   | 2599.93 | 45.58  | 7.43  | 38.15 | 54.00  | -8.42  |      | 332  | 70   | Average | Horizontal |      |

**High Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|---------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |         |           |      |
| 1   | 2362.04 | 41.30  | 4.03  | 37.27 | 54.00  | -12.70 |      | 393  | 266  | Average | Vertical  |      |
| 2 * | 2480.00 | 95.09  | 57.40 | 37.69 | 54.00  | 41.09  |      | 393  | 266  | Average | Vertical  |      |
| 3   | 2600.04 | 44.39  | 6.44  | 37.95 | 54.00  | -9.61  |      | 393  | 266  | Average | Vertical  |      |




## Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

### BLE\_2M

#### Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level  | Read  | Level | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm     | deg  |      |        |           |      |
| 1    | 0.01   | 60.38 | 42.67 | 17.71  | 127.60 | -67.22 | 100  | 358  | QP     | Open      |      |
| 2    | 0.02   | 45.43 | 27.21 | 18.22  | 123.71 | -76.28 | 100  | 180  | QP     | Open      |      |
| 3    | 0.03   | 46.75 | 27.24 | 19.51  | 118.05 | -71.30 | 100  | 43   | QP     | Open      |      |
| 4    | 0.04   | 37.95 | 18.56 | 19.39  | 115.07 | -77.12 | 100  | 117  | QP     | Open      |      |
| 5    | 0.06   | 40.95 | 21.91 | 19.04  | 111.72 | -70.77 | 100  | 47   | QP     | Open      |      |
| 6    | 0.12   | 29.39 | 11.08 | 18.31  | 105.70 | -76.31 | 100  | 26   | QP     | Open      |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level  | Read  | Level | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm     | deg  |      |        |           |      |
| 1    | 0.15   | 41.52 | 23.12 | 18.40  | 104.00 | -62.56 | 100  | 360  | QP     | Open      |      |
| 2    | 9.61   | 37.94 | 16.63 | 21.31  | 69.50  | -31.56 | 100  | 350  | QP     | Open      |      |
| 3    | 15.64  | 35.79 | 13.89 | 21.90  | 69.50  | -33.71 | 100  | 142  | QP     | Open      |      |
| 4    | 19.76  | 36.46 | 14.27 | 22.19  | 69.50  | -33.04 | 100  | 342  | QP     | Open      |      |
| 5    | 25.67  | 36.43 | 13.97 | 22.46  | 69.50  | -33.07 | 100  | 6    | QP     | Open      |      |
| 6    | 29.85  | 37.40 | 14.75 | 22.65  | 69.50  | -32.10 | 100  | 285  | QP     | Open      |      |

**BLE\_2M**

**Low Channel (Close) 9kHz~150kHz**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level  | Read  | Level | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm     | deg  |      |        |           |      |
| 1    | 0.01   | 53.01 | 35.30 | 17.71  | 127.60 | -74.59 | 100  | 319  | QP     | Close     |      |
| 2    | 0.03   | 40.76 | 21.25 | 19.51  | 118.00 | -77.24 | 100  | 3    | QP     | Close     |      |
| 3    | 0.04   | 37.09 | 17.71 | 19.38  | 114.96 | -77.87 | 100  | 360  | QP     | Close     |      |
| 4    | 0.06   | 37.65 | 18.61 | 19.04  | 111.72 | -74.07 | 100  | 318  | QP     | Close     |      |
| 5    | 0.07   | 36.20 | 17.24 | 18.96  | 111.25 | -75.05 | 100  | 315  | QP     | Close     |      |
| 6    | 0.08   | 30.58 | 11.97 | 18.61  | 109.33 | -78.75 | 100  | 152  | QP     | Close     |      |

**Low Channel (Close) 150kHz~30MHz**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level  | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 5.43   | 42.79 | 23.25 | 19.54  | 69.50 | -26.71 | 100  | 154  | QP     | Close     |      |
| 2    | 8.00   | 50.80 | 30.20 | 20.60  | 69.50 | -18.70 | 100  | 316  | QP     | Close     |      |
| 3    | 9.61   | 58.61 | 37.30 | 21.31  | 69.50 | -10.89 | 100  | 123  | QP     | Close     |      |
| 4    | 15.25  | 49.69 | 27.82 | 21.87  | 69.50 | -19.81 | 100  | 222  | QP     | Close     |      |
| 5    | 18.06  | 48.89 | 26.83 | 22.06  | 69.50 | -20.61 | 100  | 277  | QP     | Close     |      |
| 6    | 28.36  | 47.21 | 24.99 | 22.22  | 69.50 | -22.29 | 100  | 47   | QP     | Close     |      |

## Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


### BLE\_2M

#### Low Channel (Horizontal)

#### Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|---|--------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |        |            |      |
| 1 | 123.31 | 25.02  | 33.82 | -8.00 | 43.50  | -17.68 | 164  | 360  | QP   |        | Horizontal |      |
| 2 | 216.63 | 28.58  | 36.60 | -8.02 | 46.00  | -17.42 | 200  | 187  | QP   |        | Horizontal |      |
| 3 | 244.47 | 30.37  | 36.99 | -6.62 | 46.00  | -15.63 | 200  | 161  | QP   |        | Horizontal |      |
| 4 | 845.96 | 34.34  | 30.30 | 4.04  | 46.00  | -11.66 | 100  | 22   | QP   |        | Horizontal |      |
| 5 | 920.56 | 35.14  | 30.05 | 5.09  | 46.00  | -10.86 | 200  | 273  | QP   |        | Horizontal |      |
| 6 | 999.42 | 36.91  | 30.66 | 6.25  | 54.00  | -17.09 | 100  | 266  | QP   |        | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|--------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |        |           |      |
| 1 | 123.31 | 30.84  | 38.84 | -8.00 | 43.50  | -12.66 | 100  | 169  | QP   |        | Vertical  |      |
| 2 | 167.93 | 29.85  | 35.74 | -5.89 | 43.50  | -13.65 | 100  | 14   | QP   |        | Vertical  |      |
| 3 | 187.82 | 27.89  | 35.90 | -8.01 | 43.50  | -15.61 | 100  | 309  | QP   |        | Vertical  |      |
| 4 | 359.99 | 30.09  | 33.74 | -3.65 | 46.00  | -15.91 | 100  | 216  | QP   |        | Vertical  |      |
| 5 | 530.91 | 30.81  | 31.78 | -0.97 | 46.00  | -15.19 | 100  | 111  | QP   |        | Vertical  |      |
| 6 | 844.99 | 33.61  | 29.58 | 4.03  | 46.00  | -12.39 | 100  | 191  | QP   |        | Vertical  |      |

## Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


### BLE\_1M

#### Low Channel (Horizontal)

#### Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4884.00 | 39.19 | 48.21 | -9.02  | 74.00 | -34.81 | 200  | 3    | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4884.00 | 38.88 | 48.29 | -9.41  | 74.00 | -35.12 | 400  | 10   | Peak   | Vertical  |      |

**BLE\_1M**

**Middle Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1 | 7320.00 | 49.72  | 56.23 | -6.51 | 74.00  | -24.28 |      | 200  | 303  | Peak   | Horizontal |      |

**Middle Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1 | 4880.00 | 45.29  | 54.65 | -9.36 | 74.00  | -28.71 |      | 200  | 51   | Peak   | Vertical  |      |
| 2 | 7320.00 | 52.95  | 59.58 | -6.63 | 74.00  | -21.05 |      | 306  | 69   | Peak   | Vertical  |      |

**BLE\_1M**

**High Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 7440.00 | 50.50 | 56.73 | -6.23  | 74.00 | -23.50 | 300  | 39   | Peak   | Horizontal |      |

**High Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4960.00 | 43.12 | 52.39 | -9.27  | 74.00 | -30.88 | 200  | 50   | Peak   | Vertical  |      |
| 2    | 7440.00 | 52.27 | 58.86 | -6.59  | 74.00 | -21.73 | 100  | 70   | Peak   | Vertical  |      |


**BLE\_2M**

**Low Channel (Horizontal)**

**Low Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4884.00 | 39.84 | 48.86 | -9.02  | 74.00 | -34.16 | 200  | 199  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4884.00 | 40.07 | 49.48 | -9.41  | 74.00 | -33.93 | 400  | 69   | Peak   | Vertical  |      |

**BLE\_2M**

**Middle Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 7320.00 | 50.58 | 57.09 | -6.51  | 74.00 | -23.42 | 200  | 67   | Peak   | Horizontal |      |

**Middle Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4880.00 | 45.71 | 55.07 | -9.36  | 74.00 | -28.29 | 100  | 321  | Peak   | Vertical  |      |
| 2    | 7320.00 | 52.44 | 59.07 | -6.63  | 74.00 | -21.56 | 200  | 63   | Peak   | Vertical  |      |




**BLE\_2M**

**High Channel (Horizontal)**

**High Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 7440.00 | 49.74 | 55.97 | -6.23  | 74.00 | -24.26 | 200  | 67   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4960.00 | 42.31 | 51.58 | -9.27  | 74.00 | -31.69 | 200  | 51   | Peak   | Vertical  |      |
| 2    | 7440.00 | 52.67 | 59.26 | -6.59  | 74.00 | -21.33 | 400  | 269  | Peak   | Vertical  |      |