

No.	Freq.	Cut#1(Theta- Avg. [dB]	Peak [dB]	[deg]	Null [dB]	[deg]	Diff. [dB]	BW [deg]
1	2400.000	-5.74	-3.29	261.00	-9.74	7.00	6.45	72.70
2	2410.000	-5.74	-3.49	161.00	-9.39	6.00	5.90	78.39
3	2420.000	-5.65	-3.27	274.00	-9.38	356.00	6.11	71.60
4	2430.000	-5.72	-3.32	167.00	-9.61	8.00	6.29	90.18
5	2440.000	-6.29	-3.73	265.00	-9.84	4.00	6.11	70.45
6	2450.000	-6.46	-3.91	268.00	-10.81	11.00	6.91	71.52
7	2460.000	-7.79	-4.76	273.00	-12.68	14.00	7.93	66.94
8	2470.000	-7.54	-4.66	270.00	-12.94	354.00	8.28	61.64
9	2480.000	-7.77	-4.59	277.00	-12.27	6.00	7.68	56.78
10	2490.000	-8.11	-4.72	271.00	-12.74	24.00	8.02	59.00
11	2500.000	-8.35	-5.02	279.00	-12.72	10.00	7.69	57.00

Data Set

Polarization : **Theta-pol(** v

Cut : **90** [deg]

Freq. : [MHz]

- 2400,000
- 2410,000
- 2420,000
- 2430,000
- 2440,000
- 2450,000
- 2460,000
- 2470,000
- 2480,000
- 2490,000
- 2500,000




Param.

BW[dB] : -3

F/B[deg] : ±30

Lobe Filter [dB] : 1

Apply



Graph Option

Style

- Polar
- Rect. angular

Mark

- Beam Peak
- Beam Width
- Side Lobes

Zoom

Cut #1 Cut #2 Cut #3

Scale

Max : 20

Min : -40

Apply

Report Form



No.	Freq.	Cut#1(Theta-							
		Avg.	Peak		Null		Diff.	BW	
		[dB]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	
1	2400.000	-5.85	-0.09	268.00	-38.98	11.00	38.89	59.93	
2	2410.000	-6.30	-0.29	268.00	-43.33	10.00	43.04	57.53	
3	2420.000	-6.36	-0.34	265.00	-43.26	8.00	42.91	58.89	
4	2430.000	-6.78	-0.87	259.00	-36.99	9.00	36.12	56.92	
5	2440.000	-7.76	-1.92	260.00	-34.44	12.00	32.51	55.96	
6	2450.000	-8.02	-2.01	270.00	-37.01	10.00	35.00	54.89	
7	2460.000	-9.45	-3.03	252.00	-51.24	11.00	48.21	49.50	
8	2470.000	-9.18	-3.17	265.00	-46.73	10.00	43.57	56.68	
9	2480.000	-9.40	-3.12	275.00	-57.66	12.00	54.54	54.28	
10	2490.000	-9.80	-3.28	263.00	-48.43	12.00	45.15	46.16	
11	2500.000	-9.88	-3.46	257.00	-39.04	14.00	35.58	43.91	

Data Set

Polarization : **Phi-pol(V)**Cut : **90** [deg]

Freq. : [MHz]

2400,000
2410,000
2420,000
2430,000
2440,000
2450,000
2460,000
2470,000
2480,000
2490,000
2500,000

Param.

BW[dB] :

-3

F/B[deg] :

±30

Lobe Filter

[dB] :

1

Apply

Graph Option

Style

 Polar Rect. angular

Mark

 Beam Peak Beam Width Side Lobes

Zoom

Cut #1

Cut #2

Cut #3

Scale

Max :

20

Min :

-40

Apply

 Report Form