FCC ID: SOVAC80CP2

WLAN (Portable device)

According to §15.247(e)(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

According to KDB447498 D01 General RF Exposure Guidance V05

١	١/	ΙF	۱.

Frequency Range		Center	
Low Frequency (MHz)	High Frequency(MHz)	frequency (MHz)	Limitation (mw)
2412	2462	2437	10mw

Maximum measured transmitter power: 802.11b

Conducted Power (dBm)	Conducted Power (mw)	Max Antenna Gain (dBi)	EIRP (mw)
8.57	7.19	1	9.06

Maximum measured transmitter power: 802.11g

Conducted Power (dBm)	Conducted Power (mw)	Max Antenna Gain (dBi)	EIRP (mw)
7.91	6.18	1	7.78

Maximum measured transmitter power: 802.11n

Conducted Power (dBm)	Conducted Power (mw)	Max Antenna Gain (dBi)	EIRP (mw)
6.98	4.99	1	6.28

Bluetooth:

Frequency Range		Center	
Low Frequency (MHz)	High Frequency(MHz)	frequency (MHz)	Limitation (mw)
2402	2480	2441	10mw

Maximum measured transmitter power:

Conducted Power (dBm)	Conducted Power (mw)	Max Antenna Gain (dBi)	EIRP (mw)
1.35	1.36	1	1.71

For the Tune Up information from the applicant, the maximum output power is 9.06mW, so the worst case of Conducted Power and EIRP will be still less than FCC SAR exemption threshold. Threshold at which no SAR required is 10mw.

Maximum Tx power is 9.06mw EIRP Conclusion: No SAR is required.

Sincerely,

Signature

Company Name: SHENZHEN EMTEK CO., LTD.

Address: Bldg 69, Majialong Industry Zone, NanshanDistrict, Shenzhen, China

david Lee/ Manager