

Report No.: E2/2016/50044

Page: 1 of 283

MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1093 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time				
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm ²)	(minute)				
Limits for General Population/Uncontrolled Exposure								
0.3-1.34	614	1.63	*(100)	30				
1.34-30	824/f	2.19/f	*(180/f ²)	30				
30-300	27.5	0.073	0.2	30				
300-1500	/	/	F/1500	30				
1500-15000	/	/	1.0	30				

F = frequency in MHz

Prediction of MPE limit at a given distance Equation from page 18 of OET Bulletin 65, Edition 97-01

 $S=PG/4\pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

^{* =} Plane-wave equipment power density



Report No.: E2/2016/50044

Page: 2 of 283

802.11a Max. output power (Worst case)

802.11a Main

СН	Frequency (MHz)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
	, ,	(dBm)	(mW)	(dBm)			
36	5180	14.78	30.061	23.98		PASS	
44	5220	14.76	29.923	23.98		PASS	
48	5240	14.91	30.974	23.98		PASS	
52	5260	14.74	29.785	23.98	or 11+10log(B) =	24.25	PASS
60	5300	14.99	31.550	23.98	or 11+10log(B) =	24.31	PASS
64	5320	14.85	30.549	23.98	or 11+10log(B) =	24.41	PASS
100	5500	14.97	31.405	23.98	or 11+10log(B) =	24.44	PASS
116	5580	14.94	31.189	23.98	or 11+10log(B) =	24.37	PASS
140	5700	14.91	30.974	23.98	or 11+10log(B) =	24.46	PASS
149	5745	14.97	31.405	30		PASS	
157	5785	14.78	30.061	30		PASS	
165	5825	14.71	29.580	30		PASS	

MPE Prediction (802.11a)

Max. output power including tune-up tolerancel:	14.99	(dBm)		
Max. output power including tune-up tolerancel:	31.550046	(mW)		
Duty cycle:	87.21	(%)		
Maximum Pav :	27.514795	(mW)		
Peak Antenna gain (Maximum):	3.95	(dBi)		
Peak Antenna gain (linear):	2.4831331	(numeric)		
Prediction distance:	20	(cm)		
Prediction frequency:	5300	(MHz)		
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)		
Power density at predication frequency at 20 (cm)	0.014	(mW/cm^2)		
Measurement Result The predicted power density level at 20 cm is 0.014 mW/cm2.				

~ End of Report ~

This is below the uncontrolled exposure limit of 1 mW/cm2 at 5300MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresent of this document is unauthal and effenders may be prospected to the full lest extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488