



RF EXPOSURE REPORT

(For Bluetooth)

REPORT NO.: SA971106L10-1

MODEL NO.: IT8000

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: BITATEK CO., LTD.

ADDRESS: 6F-1, 190, Ta-Tung Road, Sec. 3, Hsichih221,
Taipei County, TAIWAN

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)
Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,
Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)	
Conducted Power	3.57	2.275
EIRP Power	5.57	3.606

***Note:** The antenna is dipole antenna with 2dBi gain.

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 3.606mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold