

## RF EXPOSURE REPORT (For Bluetooth)

**REPORT NO.:** SA991214C29-1

**MODEL NO.:** IT9000

FCC ID: SPYPDT003

**ACCORDING:** FCC Guidelines for Human Exposure

**IEEE C95.1** 

APPLICANT: BITATEK CO., LTD.

ADDRESS: 6F., No.115, Wugong 3rd Rd., Wugu Township,

Taipei County 248, Taiwan

**ISSUED BY:** Bureau Veritas Consumer Products Services (H.K.)

Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,

Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei

Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



## **RELEASE CONTROL RECORD**

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	NA	Jan. 06, 2011

Report No.: SA991214C29-1 2 Report Format Version 4.0.0



No Evaluation required if power is below this threshold:

F(GHz)		mW	
Low	2.402	24.58	
High	2.480		

Maximum measured transmitter power:

Pout (dBr	Pout (mW)	
Conducted Power	1.15	1.303
EIRP Power	2.71	1.866

<sup>\*</sup>Note: The antenna is PIFA antenna with 1.56dBi gain.

Threshold for no SAR evaluation is 24.58mW Transmitter power is 1.866mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold