

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40
50.80 ±0.40

ConnexLink™ 4490

I/O

FHSS Interface: ■ RS232 ■ RS485

Model: CL4490-1000-232 R2

Type: ■ Server ■ Client

FCC ID: SQG-CL4490

IC: 3147A-CL4490

7-18 VDC



Antenna

■ - 02

■ - 03

■ - 04

TX

RX

LINK


PWR

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

Product Page: <https://www.lairdconnect.com/cl4490-series>

Quick Start Guide: <https://www.lairdconnect.com/cl4490-quick-start>

- Notes:
1. Material: PC Film + Adhesive Transfer Tape
 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
 3. The basis of the color printed on the label. Pantone P299C and K100.
 4. Font: Arial



UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm


UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN MILLIMETERS
 TOLERANCES:
 ANGULAR: ±.5
 X.X ±.2
 X.XX ±.1

INTERPRET GEOMETRIC TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02317

DATE: May 23, 2022

SHEET 1 OF 1 SCALE: 3:1



TITLE:
Label, Product Identifier, CL4490 Series, 87.9mm x 50.8mm

SIZE	DWG. NO.	REV
B	160-02317	1.0

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40
50.80 ±0.40

ConnexLink™ 4490

I/O

FHSS Interface: ■ RS232 ■ RS485

Model: CL4490-1000-485 R2

Type: ■ Server ■ Client

FCC ID: SQG-CL4490

IC: 3147A-CL4490

7-18 VDC



Antenna

■ - 02

■ - 03

■ - 04

TX

RX

LINK


PWR

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

Product Page: <https://www.lairdconnect.com/cl4490-series>

Quick Start Guide: <https://www.lairdconnect.com/cl4490-quick-start>

- Notes:
1. Material: PC Film + Adhesive Transfer Tape
 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
 3. The basis of the color printed on the label. Pantone P299C and K100.
 4. Font: Arial



UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm


UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN MILLIMETERS
 TOLERANCES:
 ANGULAR: ±.5
 X.X ±.2
 X.XX ±.1

INTERPRET GEOMETRIC TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02317

DATE: May 23, 2022

SHEET 1 OF 1 SCALE: 3:1



TITLE:
Label, Product Identifier, CL4490 Series, 87.9mm x 50.8mm

SIZE	DWG. NO.	REV
B	160-02317	1.0

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40
50.80 ±0.40

ConnexLink™ 4790

I/O

FHSS Interface: ■ RS232 ■ RS485

Model: CL4790-1000-232 R2

Type: Peer-to-Peer

FCC ID: SQG-CL4490

IC: 3147A-CL4490

7-18 VDC

Product Page: <https://www.lairdconnect.com/cl4790-series>

Quick Start Guide: <https://www.lairdconnect.com/cl4790-quick-start>



Antenna

■ - 02

■ - 03

■ - 04

TX


RX

LINK

PWR

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

- Notes:**
1. Material: PC Film + Adhesive Transfer Tape
 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
 3. The basis of the color printed on the label. Pantone P299C and K100.
 4. Font: Arial



UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN MILLIMETERS
 TOLERANCES:
 ANGULAR: ±.5
 X.X ±.2
 X.XX ±.1

INTERPRET GEOMETRIC TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02328

DATE: May 23, 2022

SHEET 1 OF 1 SCALE: 3:1



TITLE:
Label, Product Identifier, CL4790 Series, 87.9mm x 50.8mm

SIZE: **B**

DWG. NO.: **160-02328**

REV: **1.0**

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40
50.80 ±0.40

ConnexLink™ 4790

I/O

FHSS Interface: ■ RS232 ■ RS485

Model: CL4790-1000-485 R2

Type: Peer-to-Peer

FCC ID: SQG-CL4490

IC: 3147A-CL4490

7-18 VDC

Product Page: <https://www.lairdconnect.com/cl4790-series>

Quick Start Guide: <https://www.lairdconnect.com/cl4790-quick-start>



Antenna

■ - 02

■ - 03

■ - 04

TX


RX

LINK

PWR

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

- Notes:**
1. Material: PC Film + Adhesive Transfer Tape
 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
 3. The basis of the color printed on the label. Pantone P299C and K100.
 4. Font: Arial



UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm


UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN MILLIMETERS
 TOLERANCES:
 ANGULAR: ±.5
 X.X ±.2
 X.XX ±.1

INTERPRET GEOMETRIC TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02328

DATE: May 23, 2022

SHEET 1 OF 1 SCALE: 3:1



TITLE:
Label, Product Identifier, CL4790 Series, 87.9mm x 50.8mm

SIZE	DWG. NO.	REV
B	160-02328	1.0

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40



900MHz RS-232/485/422
FCC ID: SQG-CL4490
IC: 3147A-CL4490

Antenna

I/O

CONNECTIVITY

CL4490-1000-Pro

Dip Switch

R2


This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

7-28 VDC **Product pages: <https://www.lairdconnect.com/cl4490-series>**
Quick start guides: <https://www.lairdconnect.com/cl4490-quick-start>

TX
RX
LINK
PWR

50.80 ±0.40

- Notes:
- 1.Material: PC Film + Adhesive Transfer Tape
 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
 - 3.The basis of the color printed on the label. Pantone P299C and K100.
 - 4.Font: Arial



UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN MILLIMETERS
 TOLERANCES:
 ANGULAR: ±.5
 X.X ±.2
 X.XX ±.1

INTERPRET GEOMETRIC TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02329

DATE: **May 23, 2022**


SHEET 1 OF 1 SCALE: 3:1



TITLE:
Label, Product Identifier, CL4490-1000M-PRO, 87.9mm x 50.8mm

SIZE: **B** DWG. NO.: **160-02329** REV: **1.0**

Label location



FCC ID : SQG-CL4490

IC: 3147A-CL4490