


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5500MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	PK	5.32408G	-51.05	-51.05
5.35G	5.46G	1M	PK	5.45824G	-40.72	-40.72
5.46G	5.47G	1M	PK	5.46976G	-34.87	-34.87
5.725G	5.75G	1M	PK	5.73968G	-49.70	-49.70
5.75G	7G	1M	PK	6.76781G	-49.15	-49.15

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5500MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	AV	5.35G	-61.75	-61.75
5.35G	5.47G	1M	AV	5.45992G	-53.00	-53.00

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5580MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	PK	5.20508G	-50.63	-50.63
5.35G	5.46G	1M	PK	5.45934G	-48.90	-48.90
5.46G	5.47G	1M	PK	5.46086G	-48.95	-48.95
5.725G	5.75G	1M	PK	5.74983G	-48.75	-48.75
5.75G	7G	1M	PK	6.905G	-48.70	-48.70

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5580MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	AV	5.35G	-61.98	-61.98
5.35G	5.47G	1M	AV	5.45956G	-61.18	-61.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	PK	5.28625G	-51.69	-51.69
5.35G	5.46G	1M	PK	5.35555G	-49.80	-49.80
5.46G	5.47G	1M	PK	5.46773G	-50.10	-50.10
5.725G	5.75G	1M	PK	5.72905G	-34.86	-34.86
5.75G	7G	1M	PK	5.75031G	-46.68	-46.68

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	AV	5.35G	-62.23	-62.23
5.35G	5.47G	1M	AV	5.35156G	-61.74	-61.74

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]


5720MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5745MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	PK	5.59523G	-49.81	-49.81
5.6G	5.65G	1M	PK	5.6082G	-48.55	-48.55
5.65G	5.7G	1M	PK	5.69G	-50.09	-50.09
5.7G	5.72G	1M	PK	5.7191G	-23.69	-23.69
5.72G	5.725G	1M	PK	5.72005G	-23.36	-23.36
5.85G	5.855G	1M	PK	5.85487G	-49.93	-49.93
5.855G	5.875G	1M	PK	5.87276G	-48.01	-48.01
5.875G	5.925G	1M	PK	5.92465G	-49.62	-49.62
5.925G	7G	1M	PK	6.88847G	-48.76	-48.76

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5745MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	AV	5.39375G	-59.33	-59.33

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5785MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	PK	5.5021G	-50.37	-50.37
5.6G	5.65G	1M	PK	5.6115G	-48.67	-48.67
5.65G	5.7G	1M	PK	5.65025G	-49.55	-49.55
5.7G	5.72G	1M	PK	5.70306G	-42.30	-42.30
5.72G	5.725G	1M	PK	5.72085G	-41.64	-41.64
5.85G	5.855G	1M	PK	5.85483G	-44.95	-44.95
5.855G	5.875G	1M	PK	5.8728G	-47.65	-47.65
5.875G	5.925G	1M	PK	5.9245G	-48.85	-48.85
5.925G	7G	1M	PK	6.00428G	-49.10	-49.10

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5785MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	AV	5.41905G	-61.33	-61.33

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	PK	5.2579G	-50.13	-50.13
5.6G	5.65G	1M	PK	5.6032G	-48.31	-48.31
5.65G	5.7G	1M	PK	5.65005G	-50.59	-50.59
5.7G	5.72G	1M	PK	5.70186G	-49.17	-49.17
5.72G	5.725G	1M	PK	5.72006G	-48.34	-48.34
5.85G	5.855G	1M	PK	5.85494G	-30.15	-30.15
5.855G	5.875G	1M	PK	5.85658G	-30.26	-30.26
5.875G	5.925G	1M	PK	5.92375G	-48.84	-48.84
5.925G	7G	1M	PK	6.82934G	-48.69	-48.69

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	AV	5.45095G	-61.19	-61.19

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5180MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	PK	5.0979G	-47.53	-47.53
5.1G	5.15G	1M	PK	5.14925G	-28.96	-28.96
5.35G	5.38G	1M	PK	5.37145G	-50.69	-50.69
5.38G	7G	1M	PK	6.46945G	-49.56	-49.56

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5180MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	AV	5.0994G	-61.57	-61.57
5.1G	5.15G	1M	AV	5.14915G	-48.70	-48.70
5.35G	5.38G	1M	AV	5.35468G	-62.24	-62.24
5.38G	7G	1M	AV	5.43103G	-62.11	-62.11

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5200MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	PK	5.1G	-46.30	-46.30
5.1G	5.15G	1M	PK	5.14835G	-28.85	-28.85
5.35G	5.38G	1M	PK	5.37946G	-50.27	-50.27
5.38G	7G	1M	PK	6.49254G	-48.51	-48.51

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5200MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	AV	5.0931G	-61.96	-61.96
5.1G	5.15G	1M	AV	5.14995G	-49.39	-49.39
5.35G	5.38G	1M	AV	5.37241G	-62.18	-62.18
5.38G	7G	1M	AV	5.42374G	-62.08	-62.08

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5240MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	PK	5.094G	-46.44	-46.44
5.1G	5.15G	1M	PK	5.1498G	-31.59	-31.59
5.35G	5.38G	1M	PK	5.35111G	-43.33	-43.33
5.38G	7G	1M	PK	6.54235G	-46.72	-46.72

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5240MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	AV	5.0997G	-61.46	-61.46
5.1G	5.15G	1M	AV	5.15G	-53.39	-53.39
5.35G	5.38G	1M	AV	5.35237G	-60.13	-60.13
5.38G	7G	1M	AV	5.38689G	-61.58	-61.58

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5260MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	PK	4.9716G	-51.38	-51.38
5.1G	5.15G	1M	PK	5.1437G	-49.89	-49.89
5.35G	5.38G	1M	PK	5.35504G	-48.92	-48.92
5.38G	7G	1M	PK	6.57516G	-47.88	-47.88

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5260MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	AV	5.0862G	-62.32	-62.32
5.1G	5.15G	1M	AV	5.14995G	-61.40	-61.40
5.35G	5.38G	1M	AV	5.35213G	-60.77	-60.77
5.38G	7G	1M	AV	5.38648G	-61.34	-61.34

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	PK	5.0547G	-50.46	-50.46
5.1G	5.15G	1M	PK	5.13045G	-50.37	-50.37
5.35G	5.38G	1M	PK	5.35021G	-36.21	-36.21
5.38G	7G	1M	PK	6.62497G	-48.14	-48.14

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	AV	4.9989G	-62.41	-62.41
5.1G	5.15G	1M	AV	5.14875G	-61.65	-61.65
5.35G	5.38G	1M	AV	5.35027G	-54.01	-54.01
5.38G	7G	1M	AV	5.38162G	-59.41	-59.41

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5320MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	PK	4.989G	-51.60	-51.60
5.1G	5.15G	1M	PK	5.13385G	-51.06	-51.06
5.35G	5.38G	1M	PK	5.35009G	-29.18	-29.18
5.38G	7G	1M	PK	6.92427G	-49.17	-49.17

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5320MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.1G	1M	AV	5.0088G	-62.94	-62.94
5.1G	5.15G	1M	AV	5.14995G	-62.42	-62.42
5.35G	5.38G	1M	AV	5.35015G	-49.92	-49.92
5.38G	7G	1M	AV	5.38851G	-59.57	-59.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5500MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	PK	5.26245G	-51.92	-51.92
5.35G	5.46G	1M	PK	5.45681G	-42.89	-42.89
5.46G	5.47G	1M	PK	5.46946G	-34.85	-34.85
5.725G	5.75G	1M	PK	5.74043G	-49.33	-49.33
5.75G	7G	1M	PK	6.94188G	-49.73	-49.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5500MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	AV	5.35G	-62.27	-62.27
5.35G	5.47G	1M	AV	5.45992G	-56.91	-56.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5580MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	PK	5.22463G	-50.86	-50.86
5.35G	5.46G	1M	PK	5.43371G	-49.08	-49.08
5.46G	5.47G	1M	PK	5.46106G	-48.95	-48.95
5.725G	5.75G	1M	PK	5.73855G	-48.94	-48.94
5.75G	7G	1M	PK	6.95938G	-48.61	-48.61

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5580MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	AV	5.35G	-62.23	-62.23
5.35G	5.47G	1M	AV	5.43712G	-61.10	-61.10

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	PK	5.25438G	-51.20	-51.20
5.35G	5.46G	1M	PK	5.38487G	-50.84	-50.84
5.46G	5.47G	1M	PK	5.46016G	-50.73	-50.73
5.725G	5.75G	1M	PK	5.72523G	-34.69	-34.69
5.75G	7G	1M	PK	5.88188G	-49.56	-49.56

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.35G	1M	AV	4.95985G	-63.03	-63.03
5.35G	5.47G	1M	AV	5.35276G	-62.76	-62.76



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]


5720MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5745MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	PK	5.27257G	-49.01	-49.01
5.6G	5.65G	1M	PK	5.64G	-42.43	-42.43
5.65G	5.7G	1M	PK	5.63375G	-40.90	-40.90
5.7G	5.72G	1M	PK	5.71984G	-13.05	-13.05
5.72G	5.725G	1M	PK	5.7201G	-11.45	-11.45
5.85G	5.855G	1M	PK	5.85477G	-48.08	-48.08
5.855G	5.875G	1M	PK	5.875G	-48.94	-48.94
5.875G	5.925G	1M	PK	5.92455G	-49.15	-49.15
5.925G	7G	1M	PK	6.11339G	-49.13	-49.13

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5745MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	AV	5.39485G	-58.84	-58.84

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5785MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	PK	5.59542G	-49.45	-49.45
5.6G	5.65G	1M	PK	5.64915G	-46.58	-46.58
5.65G	5.7G	1M	PK	5.65155G	-48.31	-48.31
5.7G	5.72G	1M	PK	5.70266G	-37.58	-37.58
5.72G	5.725G	1M	PK	5.72011G	-36.21	-36.21
5.85G	5.855G	1M	PK	5.85483G	-38.41	-38.41
5.855G	5.875G	1M	PK	5.87014G	-41.78	-41.78
5.875G	5.925G	1M	PK	5.92495G	-49.37	-49.37
5.925G	7G	1M	PK	5.94301G	-49.64	-49.64

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5785MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	AV	5.4504G	-61.22	-61.22



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	PK	5.59927G	-49.12	-49.12
5.6G	5.65G	1M	PK	5.6378G	-49.36	-49.36
5.65G	5.7G	1M	PK	5.65G	-50.85	-50.85
5.7G	5.72G	1M	PK	5.70832G	-46.20	-46.20
5.72G	5.725G	1M	PK	5.72023G	-45.35	-45.35
5.85G	5.855G	1M	PK	5.85423G	-14.04	-14.04
5.855G	5.875G	1M	PK	5.85706G	-20.95	-20.95
5.875G	5.925G	1M	PK	5.9241G	-46.40	-46.40
5.925G	7G	1M	PK	6.93873G	-49.75	-49.75

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5825MHz



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
4.5G	5.6G	1M	AV	5.42895G	-61.61	-61.61

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	18G	40G	AV	4.40	-56.96	-56.96	-52.56	-41.2	-11.36
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	Pass	18G	40G	AV	4.40	-56.72	-56.72	-52.32	-41.20	-11.12
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	7G	18G	AV	4.40	-55.68	-55.68	-51.28	-41.2	-10.08
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	Pass	18G	40G	AV	4.40	-56.86	-56.86	-52.46	-41.20	-11.26
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	7G	18G	AV	4.40	-54.93	-54.93	-50.53	-41.2	-9.33
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	Pass	7G	18G	AV	4.40	-56.61	-56.61	-52.21	-41.20	-11.01
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	7G	18G	AV	4.40	-53.67	-53.67	-49.27	-41.20	-8.07
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	Pass	7G	18G	AV	4.40	-55.11	-55.11	-50.71	-41.20	-9.51

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7G	18G	AV	10.60009G	4.40	-72.36	-72.36	-67.96	-41.2	-26.76
5180MHz	Pass	7G	18G	AV	15.53772G	4.40	-60.34	-60.34	-55.94	-41.2	-14.74
5180MHz	Pass	18G	40G	AV	39.8185G	4.40	-57.13	-57.13	-52.73	-41.2	-11.53
5180MHz	Pass	7G	18G	PK	10.35844G	4.40	-48.35	-48.35	-43.95	-27	-16.95
5180MHz	Pass	7G	18G	PK	15.53669G	4.40	-52.63	-52.63	-48.23	-21.2	-27.03
5180MHz	Pass	18G	40G	PK	37.7395G	4.40	-48.86	-48.86	-44.46	-27	-17.46
5200MHz	Pass	7G	18G	AV	10.60009G	4.40	-71.95	-71.95	-67.55	-41.2	-26.35
5200MHz	Pass	7G	18G	AV	15.59994G	4.40	-62.73	-62.73	-58.33	-41.2	-17.13
5200MHz	Pass	18G	40G	AV	39.90238G	4.40	-57.32	-57.32	-52.92	-41.2	-11.72
5200MHz	Pass	7G	18G	PK	10.40244G	4.40	-44.85	-44.85	-40.45	-27	-13.45
5200MHz	Pass	7G	18G	PK	15.59272G	4.40	-55.38	-55.38	-50.98	-21.2	-29.78
5200MHz	Pass	18G	40G	PK	37.81994G	4.40	-48.44	-48.44	-44.04	-27	-17.04
5240MHz	Pass	7G	18G	AV	10.60009G	4.40	-72.56	-72.56	-68.16	-41.2	-26.96
5240MHz	Pass	7G	18G	AV	15.72403G	4.40	-63.12	-63.12	-58.72	-41.2	-17.52
5240MHz	Pass	18G	40G	AV	39.98213G	4.40	-56.96	-56.96	-52.56	-41.2	-11.36
5240MHz	Pass	7G	18G	PK	10.48116G	4.40	-48.25	-48.25	-43.85	-27	-16.85
5240MHz	Pass	7G	18G	PK	15.72369G	4.40	-55.16	-55.16	-50.76	-21.2	-29.56
5240MHz	Pass	18G	40G	PK	37.52569G	4.40	-48.91	-48.91	-44.51	-27	-17.51
5260MHz	Pass	7G	18G	AV	10.60009G	4.40	-72.2	-72.2	-67.80	-41.2	-26.60
5260MHz	Pass	7G	18G	AV	15.78281G	4.40	-61.76	-61.76	-57.36	-41.2	-16.16
5260MHz	Pass	18G	40G	AV	39.85906G	4.40	-57.44	-57.44	-53.04	-41.2	-11.84
5260MHz	Pass	7G	18G	PK	10.52069G	4.40	-47.44	-47.44	-43.04	-27	-16.04
5260MHz	Pass	7G	18G	PK	15.77731G	4.40	-53.22	-53.22	-48.82	-21.2	-27.62
5260MHz	Pass	18G	40G	PK	37.54288G	4.40	-48.91	-48.91	-44.51	-27	-17.51
5300MHz	Pass	7G	18G	AV	10.6025G	4.40	-55.68	-55.68	-51.28	-41.2	-10.08
5300MHz	Pass	7G	18G	AV	15.89866G	4.40	-61.41	-61.41	-57.01	-41.2	-15.81
5300MHz	Pass	18G	40G	AV	39.99313G	4.40	-57.34	-57.34	-52.94	-41.2	-11.74
5300MHz	Pass	7G	18G	PK	10.59769G	4.40	-48.42	-48.42	-44.02	-27	-17.02
5300MHz	Pass	7G	18G	PK	15.90038G	4.40	-52.94	-52.94	-48.54	-21.2	-27.34
5300MHz	Pass	18G	40G	PK	38.06744G	4.40	-48.24	-48.24	-43.84	-27	-16.84
5320MHz	Pass	7G	18G	AV	10.63653G	4.40	-62.36	-62.36	-57.96	-41.2	-16.76
5320MHz	Pass	7G	18G	AV	15.96638G	4.40	-64.82	-64.82	-60.42	-41.2	-19.22
5320MHz	Pass	18G	40G	AV	39.8515G	4.40	-56.75	-56.75	-52.35	-41.2	-11.15
5320MHz	Pass	7G	18G	PK	10.64753G	4.40	-55.02	-55.02	-50.62	-21.2	-29.42
5320MHz	Pass	7G	18G	PK	15.96053G	4.40	-56.52	-56.52	-52.12	-21.2	-30.92
5320MHz	Pass	7G	18G	PK	16.41531G	4.40	-56.14	-56.14	-51.74	-27	-24.74
5320MHz	Pass	18G	40G	PK	37.79313G	4.40	-48.01	-48.01	-43.61	-27	-16.61
5500MHz	Pass	7G	18G	AV	10.99781G	4.40	-61.13	-61.13	-56.73	-41.2	-15.53
5500MHz	Pass	7G	18G	AV	16.19978G	4.40	-68.08	-68.08	-63.68	-41.2	-22.48
5500MHz	Pass	18G	40G	AV	39.604G	4.40	-56.55	-56.55	-52.15	-41.2	-10.95
5500MHz	Pass	7G	18G	PK	10.99369G	4.40	-53.32	-53.32	-48.92	-21.2	-27.72
5500MHz	Pass	7G	18G	PK	16.51019G	4.40	-53.88	-53.88	-49.48	-27	-22.48
5500MHz	Pass	18G	40G	PK	37.701G	4.40	-49.25	-49.25	-44.85	-27	-17.85
5580MHz	Pass	7G	18G	AV	11.16075G	4.40	-58.23	-58.23	-53.83	-41.2	-12.63

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5580MHz	Pass	7G	18G	AV	16.19978G	4.40	-67.33	-67.33	-62.93	-41.2	-21.73
5580MHz	Pass	18G	40G	AV	39.86594G	4.40	-57.23	-57.23	-52.83	-41.2	-11.63
5580MHz	Pass	7G	18G	PK	11.15697G	4.40	-47.09	-47.09	-42.69	-21.2	-21.49
5580MHz	Pass	7G	18G	PK	16.74359G	4.40	-49.14	-49.14	-44.74	-27	-17.74
5580MHz	Pass	18G	40G	PK	36.83475G	4.40	-48.25	-48.25	-43.85	-27	-16.85
5700MHz	Pass	7G	18G	AV	11.40206G	4.40	-57.89	-57.89	-53.49	-41.2	-12.29
5700MHz	Pass	7G	18G	AV	17.70025G	4.40	-66.6	-66.6	-62.20	-41.2	-21.00
5700MHz	Pass	18G	40G	AV	39.87144G	4.40	-57.53	-57.53	-53.13	-41.2	-11.93
5700MHz	Pass	7G	18G	PK	11.40069G	4.40	-49.32	-49.32	-44.92	-21.2	-23.72
5700MHz	Pass	7G	18G	PK	17.10797G	4.40	-53.07	-53.07	-48.67	-27	-21.67
5700MHz	Pass	18G	40G	PK	38.05713G	4.40	-48.83	-48.83	-44.43	-27	-17.43
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	11.42888G	4.40	-54.93	-54.93	-50.53	-41.2	-9.33
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	17.70025G	4.40	-67.8	-67.8	-63.40	-41.2	-22.20
5720MHz Straddle 5.47-5.725GHz	Pass	18G	40G	AV	39.83294G	4.40	-57.22	-57.22	-52.82	-41.2	-11.62
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	11.43644G	4.40	-43.8	-43.8	-39.40	-21.2	-18.20
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	17.164G	4.40	-47.44	-47.44	-43.04	-27	-16.04
5720MHz Straddle 5.47-5.725GHz	Pass	18G	40G	PK	38.03581G	4.40	-48.82	-48.82	-44.42	-27	-17.42
5745MHz	Pass	7G	18G	AV	11.49109G	4.40	-53.67	-53.67	-49.27	-41.20	-8.07
5745MHz	Pass	7G	18G	AV	17.70025G	4.40	-67.31	-67.31	-62.91	-41.20	-21.71
5745MHz	Pass	18G	40G	AV	39.80819G	4.40	-57.30	-57.30	-52.90	-41.20	-11.70
5745MHz	Pass	7G	18G	PK	11.49144G	4.40	-45.42	-45.42	-41.02	-21.20	-19.82
5745MHz	Pass	7G	18G	PK	17.2355G	4.40	-45.23	-45.23	-40.83	-27.00	-13.83
5745MHz	Pass	18G	40G	PK	37.943G	4.40	-48.45	-48.45	-44.05	-27.00	-17.05
5785MHz	Pass	7G	18G	AV	11.56878G	4.40	-55.87	-55.87	-51.47	-41.20	-10.27
5785MHz	Pass	7G	18G	AV	17.70025G	4.40	-66.84	-66.84	-62.44	-41.20	-21.24
5785MHz	Pass	18G	40G	AV	39.85631G	4.40	-56.96	-56.96	-52.56	-41.20	-11.36
5785MHz	Pass	7G	18G	PK	11.56981G	4.40	-47.76	-47.76	-43.36	-21.20	-22.16
5785MHz	Pass	7G	18G	PK	17.35581G	4.40	-47.10	-47.10	-42.70	-27.00	-15.70
5785MHz	Pass	18G	40G	PK	38.12106G	4.40	-46.99	-46.99	-42.59	-27.00	-15.59
5825MHz	Pass	7G	18G	AV	11.64956G	4.40	-57.89	-57.89	-53.49	-41.20	-12.29
5825MHz	Pass	7G	18G	AV	17.70025G	4.40	-67.00	-67.00	-62.60	-41.20	-21.40
5825MHz	Pass	18G	40G	AV	39.89481G	4.40	-56.99	-56.99	-52.59	-41.20	-11.39
5825MHz	Pass	7G	18G	PK	11.64819G	4.40	-50.38	-50.38	-45.98	-21.20	-24.78
5825MHz	Pass	7G	18G	PK	17.47441G	4.40	-48.37	-48.37	-43.97	-27.00	-16.97
5825MHz	Pass	18G	40G	PK	37.58894G	4.40	-48.49	-48.49	-44.09	-27.00	-17.09
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7G	18G	AV	10.60009G	4.40	-71.82	-71.82	-67.42	-41.20	-26.22
5180MHz	Pass	7G	18G	AV	15.53497G	4.40	-65.43	-65.43	-61.03	-41.20	-19.83
5180MHz	Pass	7G	18G	AV	15.74191G	4.40	-64.78	-64.78	-60.38	-41.20	-19.18
5180MHz	Pass	18G	40G	AV	39.99244G	4.40	-57.54	-57.54	-53.14	-41.20	-11.94
5180MHz	Pass	7G	18G	PK	10.35638G	4.40	-54.74	-54.74	-50.34	-27.00	-23.34
5180MHz	Pass	7G	18G	PK	15.55422G	4.40	-57.24	-57.24	-52.84	-21.20	-31.64
5180MHz	Pass	18G	40G	PK	37.72163G	4.40	-48.50	-48.50	-44.10	-27.00	-17.10
5200MHz	Pass	7G	18G	AV	10.60009G	4.40	-72.21	-72.21	-67.81	-41.20	-26.61
5200MHz	Pass	7G	18G	AV	15.59341G	4.40	-64.29	-64.29	-59.89	-41.20	-18.69

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5200MHz	Pass	18G	40G	AV	39.98419G	4.40	-57.12	-57.12	-52.72	-41.20	-11.52
5200MHz	Pass	7G	18G	PK	10.39694G	4.40	-51.76	-51.76	-47.36	-27.00	-20.36
5200MHz	Pass	7G	18G	PK	15.59994G	4.40	-55.91	-55.91	-51.51	-21.20	-30.31
5200MHz	Pass	18G	40G	PK	37.76975G	4.40	-48.11	-48.11	-43.71	-27.00	-16.71
5240MHz	Pass	7G	18G	AV	10.60009G	4.40	-71.46	-71.46	-67.06	-41.20	-25.86
5240MHz	Pass	7G	18G	AV	15.71956G	4.40	-61.96	-61.96	-57.56	-41.20	-16.36
5240MHz	Pass	18G	40G	AV	39.90513G	4.40	-56.72	-56.72	-52.32	-41.20	-11.12
5240MHz	Pass	7G	18G	PK	10.48631G	4.40	-45.60	-45.60	-41.20	-27.00	-14.20
5240MHz	Pass	7G	18G	PK	15.7285G	4.40	-53.27	-53.27	-48.87	-21.20	-27.67
5240MHz	Pass	18G	40G	PK	37.888G	4.40	-48.08	-48.08	-43.68	-27.00	-16.68
5260MHz	Pass	7G	18G	AV	10.60009G	4.40	-71.46	-71.46	-67.06	-41.20	-25.86
5260MHz	Pass	7G	18G	AV	15.75359G	4.40	-64.16	-64.16	-59.76	-41.20	-18.56
5260MHz	Pass	7G	18G	AV	15.77697G	4.40	-64.49	-64.49	-60.09	-41.20	-18.89
5260MHz	Pass	18G	40G	AV	39.72775G	4.40	-57.23	-57.23	-52.83	-41.20	-11.63
5260MHz	Pass	7G	18G	PK	10.52172G	4.40	-51.52	-51.52	-47.12	-27.00	-20.12
5260MHz	Pass	7G	18G	PK	15.78316G	4.40	-56.76	-56.76	-52.36	-21.20	-31.16
5260MHz	Pass	18G	40G	PK	37.87081G	4.40	-48.23	-48.23	-43.83	-27.00	-16.83
5300MHz	Pass	7G	18G	AV	10.60113G	4.40	-59.83	-59.83	-55.43	-41.20	-14.23
5300MHz	Pass	7G	18G	AV	15.90003G	4.40	-63.09	-63.09	-58.69	-41.20	-17.49
5300MHz	Pass	18G	40G	AV	39.99244G	4.40	-56.86	-56.86	-52.46	-41.20	-11.26
5300MHz	Pass	7G	18G	PK	10.58978G	4.40	-53.72	-53.72	-49.32	-27.00	-22.32
5300MHz	Pass	7G	18G	PK	15.90691G	4.40	-55.74	-55.74	-51.34	-21.20	-30.14
5300MHz	Pass	18G	40G	PK	37.76494G	4.40	-48.32	-48.32	-43.92	-27.00	-16.92
5320MHz	Pass	7G	18G	AV	10.63963G	4.40	-62.46	-62.46	-58.06	-41.20	-16.86
5320MHz	Pass	7G	18G	AV	15.96397G	4.40	-64.82	-64.82	-60.42	-41.20	-19.22
5320MHz	Pass	18G	40G	AV	39.85356G	4.40	-57.28	-57.28	-52.88	-41.20	-11.68
5320MHz	Pass	7G	18G	PK	10.64066G	4.40	-56.20	-56.20	-51.80	-21.20	-30.60
5320MHz	Pass	7G	18G	PK	15.97463G	4.40	-56.87	-56.87	-52.47	-21.20	-31.27
5320MHz	Pass	7G	18G	PK	16.40122G	4.40	-54.86	-54.86	-50.46	-27.00	-23.46
5320MHz	Pass	18G	40G	PK	37.712G	4.40	-48.39	-48.39	-43.99	-27.00	-16.99
5500MHz	Pass	7G	18G	AV	10.99816G	4.40	-64.22	-64.22	-59.82	-41.20	-18.62
5500MHz	Pass	7G	18G	AV	16.19978G	4.40	-67.52	-67.52	-63.12	-41.20	-21.92
5500MHz	Pass	18G	40G	AV	39.81163G	4.40	-57.23	-57.23	-52.83	-41.20	-11.63
5500MHz	Pass	7G	18G	PK	11.00434G	4.40	-55.11	-55.11	-50.71	-21.20	-29.51
5500MHz	Pass	7G	18G	PK	16.36478G	4.40	-55.36	-55.36	-50.96	-27.00	-23.96
5500MHz	Pass	7G	18G	PK	16.51672G	4.40	-57.59	-57.59	-53.19	-27.00	-26.19
5500MHz	Pass	18G	40G	PK	38.16094G	4.40	-48.62	-48.62	-44.22	-27.00	-17.22
5580MHz	Pass	7G	18G	AV	11.15319G	4.40	-62.89	-62.89	-58.49	-41.20	-17.29
5580MHz	Pass	7G	18G	AV	16.19978G	4.40	-66.43	-66.43	-62.03	-41.20	-20.83
5580MHz	Pass	18G	40G	AV	39.83844G	4.40	-57.17	-57.17	-52.77	-41.20	-11.57
5580MHz	Pass	7G	18G	PK	11.15456G	4.40	-53.51	-53.51	-49.11	-21.20	-27.91
5580MHz	Pass	7G	18G	PK	16.73947G	4.40	-51.01	-51.01	-46.61	-27.00	-19.61
5580MHz	Pass	18G	40G	PK	37.53806G	4.40	-47.43	-47.43	-43.03	-27.00	-16.03
5700MHz	Pass	7G	18G	AV	11.39897G	4.40	-65.37	-65.37	-60.97	-41.20	-19.77
5700MHz	Pass	7G	18G	AV	15.74672G	4.40	-64.74	-64.74	-60.34	-41.20	-19.14
5700MHz	Pass	7G	18G	AV	17.70025G	4.40	-67.34	-67.34	-62.94	-41.20	-21.74


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5700MHz	Pass	18G	40G	AV	39.84875G	4.40	-57.39	-57.39	-52.99	-41.20	-11.79
5700MHz	Pass	7G	18G	PK	11.39828G	4.40	-56.42	-56.42	-52.02	-21.20	-30.82
5700MHz	Pass	7G	18G	PK	16.39194G	4.40	-54.23	-54.23	-49.83	-27.00	-22.83
5700MHz	Pass	7G	18G	PK	17.08631G	4.40	-57.82	-57.82	-53.42	-27.00	-26.42
5700MHz	Pass	18G	40G	PK	37.62056G	4.40	-48.16	-48.16	-43.76	-27.00	-16.76
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	11.43884G	4.40	-56.61	-56.61	-52.21	-41.20	-11.01
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	AV	17.70025G	4.40	-66.20	-66.20	-61.80	-41.20	-20.60
5720MHz Straddle 5.47-5.725GHz	Pass	18G	40G	AV	39.99794G	4.40	-57.06	-57.06	-52.66	-41.20	-11.46
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	11.44434G	4.40	-50.05	-50.05	-45.65	-21.20	-24.45
5720MHz Straddle 5.47-5.725GHz	Pass	7G	18G	PK	17.14372G	4.40	-52.00	-52.00	-47.60	-27.00	-20.60
5720MHz Straddle 5.47-5.725GHz	Pass	18G	40G	PK	37.41088G	4.40	-48.40	-48.40	-44.00	-27.00	-17.00
5745MHz	Pass	7G	18G	AV	11.48972G	4.40	-55.11	-55.11	-50.71	-41.20	-9.51
5745MHz	Pass	7G	18G	AV	17.70025G	4.40	-66.33	-66.33	-61.93	-41.20	-20.73
5745MHz	Pass	18G	40G	AV	39.99794G	4.40	-56.94	-56.94	-52.54	-41.20	-11.34
5745MHz	Pass	7G	18G	PK	11.49384G	4.40	-47.93	-47.93	-43.53	-21.20	-22.33
5745MHz	Pass	7G	18G	PK	17.24066G	4.40	-49.19	-49.19	-44.79	-27.00	-17.79
5745MHz	Pass	18G	40G	PK	37.756G	4.40	-48.80	-48.80	-44.40	-27.00	-17.40
5785MHz	Pass	7G	18G	AV	11.56844G	4.40	-56.79	-56.79	-52.39	-41.20	-11.19
5785MHz	Pass	7G	18G	AV	17.70025G	4.40	-67.81	-67.81	-63.41	-41.20	-22.21
5785MHz	Pass	18G	40G	AV	39.63494G	4.40	-57.24	-57.24	-52.84	-41.20	-11.64
5785MHz	Pass	7G	18G	PK	11.57738G	4.40	-48.88	-48.88	-44.48	-21.20	-23.28
5785MHz	Pass	7G	18G	PK	17.34481G	4.40	-45.80	-45.80	-41.40	-27.00	-14.40
5785MHz	Pass	18G	40G	PK	37.6845G	4.40	-48.57	-48.57	-44.17	-27.00	-17.17
5825MHz	Pass	7G	18G	AV	11.65094G	4.40	-59.18	-59.18	-54.78	-41.20	-13.58
5825MHz	Pass	7G	18G	AV	17.70025G	4.40	-67.81	-67.81	-63.41	-41.20	-22.21
5825MHz	Pass	18G	40G	AV	39.59988G	4.40	-57.52	-57.52	-53.12	-41.20	-11.92
5825MHz	Pass	7G	18G	PK	11.65644G	4.40	-50.68	-50.68	-46.28	-21.20	-25.08
5825MHz	Pass	7G	18G	PK	17.48163G	4.40	-48.82	-48.82	-44.42	-27.00	-17.42
5825MHz	Pass	18G	40G	PK	37.56213G	4.40	-48.60	-48.60	-44.20	-27.00	-17.20

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]


5180MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]


5180MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5200MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.40244G	-44.85	-44.85
7G	18G	1M	PK	15.59272G	-55.30	-55.30
18G	40G	1M	PK	37.81994G	-48.44	-48.44

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5200MHz




Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.60009G	-71.95	-71.95
7G	18G	1M	AV	15.59994G	-62.73	-62.73
18G	40G	1M	AV	39.90238G	-57.32	-57.32

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5240MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.48116G	-48.25	-48.25
7G	18G	1M	PK	15.72369G	-55.16	-55.16
18G	40G	1M	PK	37.52569G	-48.91	-48.91

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5240MHz




Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.60009G	-72.56	-72.56
7G	18G	1M	AV	15.72403G	-63.12	-63.12
18G	40G	1M	AV	39.98213G	-56.96	-56.96

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5260MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.52069G	-47.44	-47.44
7G	18G	1M	PK	15.77731G	-53.22	-53.22
18G	40G	1M	PK	37.54288G	-48.91	-48.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5260MHz



Limit:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.60009G	-72.20	-72.20
7G	18G	1M	AV	15.78281G	-61.76	-61.76
18G	40G	1M	AV	39.85906G	-57.44	-57.44



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.59769G	-48.42	-48.42
7G	18G	1M	PK	15.90039G	-52.94	-52.94
18G	40G	1M	PK	38.06744G	-48.24	-48.24

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.6025G	-55.68	-55.68
7G	18G	1M	AV	15.89866G	-61.41	-61.41
18G	40G	1M	AV	39.99313G	-57.34	-57.34

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5320MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.64753G	-55.02	-55.02
7G	18G	1M	PK	15.96053G	-56.52	-56.52
7G	18G	1M	PK	16.41531G	-56.14	-56.14
18G	40G	1M	PK	37.79313G	-48.01	-48.01

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5320MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.63653G	-62.36	-62.36
7G	18G	1M	AV	15.96638G	-64.82	-64.82
18G	40G	1M	AV	39.8515G	-56.75	-56.75

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5500MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.99369G	-53.32	-53.32
7G	18G	1M	PK	16.51019G	-53.88	-53.88
18G	40G	1M	PK	37.701G	-49.25	-49.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5500MHz




Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.99781G	-61.13	-61.13
7G	18G	1M	AV	16.19978G	-68.08	-68.08
18G	40G	1M	AV	39.604G	-56.55	-56.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5580MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.15697G	-47.09	-47.09
7G	18G	1M	PK	16.74359G	-49.14	-49.14
18G	40G	1M	PK	36.63475G	-48.25	-48.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5580MHz




Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.16075G	-58.23	-58.23
7G	18G	1M	AV	16.19978G	-67.33	-67.33
18G	40G	1M	AV	39.86594G	-57.23	-57.23

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.40069G	-49.32	-49.32
7G	18G	1M	PK	17.10797G	-53.07	-53.07
18G	40G	1M	PK	38.05713G	-48.83	-48.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.40206G	-57.89	-57.89
7G	18G	1M	AV	17.70025G	-66.60	-66.60
18G	40G	1M	AV	39.87144G	-57.53	-57.53

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.43644G	-43.80	-43.80
7G	18G	1M	PK	17.164G	-47.44	-47.44
18G	40G	1M	PK	38.03581G	-48.82	-48.82

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz




Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.42888G	-54.93	-54.93
7G	18G	1M	AV	17.70025G	-67.80	-67.80
18G	40G	1M	AV	39.83294G	-57.22	-57.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5745MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.49144G	-45.42	-45.42
7G	18G	1M	PK	17.2355G	-45.23	-45.23
18G	40G	1M	PK	37.943G	-48.45	-48.45

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5745MHz




Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.49109G	-53.67	-53.67
7G	18G	1M	AV	17.70025G	-47.31	-47.31
18G	40G	1M	AV	39.80619G	-57.30	-57.30

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5785MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.56881G	-47.76	-47.76
7G	18G	1M	PK	17.35581G	-47.10	-47.10
18G	40G	1M	PK	38.12106G	-46.99	-46.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5785MHz




Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.56878G	-55.87	-55.87
7G	18G	1M	AV	17.70025G	-66.84	-66.84
18G	40G	1M	AV	39.85631G	-56.96	-56.96

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.64819G	-50.38	-50.38
7G	18G	1M	PK	17.47441G	-48.37	-48.37
18G	40G	1M	PK	37.58894G	-48.49	-48.49

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.64956G	-57.89	-57.89
7G	18G	1M	AV	17.70025G	-67.00	-67.00
18G	40G	1M	AV	39.89481G	-56.99	-56.99



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]


5180MHz



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]


5180MHz



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5200MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.39694G	-51.76	-51.76
7G	18G	1M	PK	15.59994G	-55.91	-55.91
18G	40G	1M	PK	37.76875G	-48.11	-48.11

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5200MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.60009G	-72.21	-72.21
7G	18G	1M	AV	15.59341G	-64.29	-64.29
18G	40G	1M	AV	39.98419G	-57.12	-57.12

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5240MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.48631G	-45.60	-45.60
7G	18G	1M	PK	15.7285G	-53.27	-53.27
18G	40G	1M	PK	37.888G	-48.08	-48.08

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5240MHz



Limit:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.60009G	-71.46	-71.46
7G	18G	1M	AV	15.71856G	-61.96	-61.96
18G	40G	1M	AV	39.90513G	-56.72	-56.72



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5260MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.52172G	-51.52	-51.52
7G	18G	1M	PK	15.78316G	-56.76	-56.76
18G	40G	1M	PK	37.87081G	-48.23	-48.23

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5260MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.60009G	-71.46	-71.46
7G	18G	1M	AV	15.75359G	-64.16	-64.16
7G	18G	1M	AV	15.77697G	-64.49	-64.49
18G	40G	1M	AV	39.72775G	-57.23	-57.23

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.58978G	-53.72	-53.72
7G	18G	1M	PK	15.90691G	-55.74	-55.74
18G	40G	1M	PK	37.76494G	-48.32	-48.32

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.60113G	-59.83	-59.83
7G	18G	1M	AV	15.90003G	-63.09	-63.09
18G	40G	1M	AV	39.99244G	-56.86	-56.86

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5320MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	10.64066G	-56.20	-56.20
7G	18G	1M	PK	15.97463G	-56.87	-56.87
7G	18G	1M	PK	16.40122G	-54.86	-54.86
18G	40G	1M	PK	37.712G	-48.39	-48.39

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5320MHz




Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.63963G	-62.46	-62.46
7G	18G	1M	AV	15.96397G	-64.82	-64.82
18G	40G	1M	AV	39.85356G	-57.28	-57.28

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5500MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.00434G	-55.11	-55.11
7G	18G	1M	PK	16.36478G	-55.36	-55.36
7G	18G	1M	PK	16.51672G	-57.59	-57.59
18G	40G	1M	PK	38.16094G	-48.62	-48.62

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5500MHz



Limit:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	10.99816G	-64.22	-64.22
7G	18G	1M	AV	16.19978G	-67.52	-67.52
18G	40G	1M	AV	39.81163G	-57.23	-57.23



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]


5580MHz



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5580MHz






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]


5700MHz



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]


5700MHz



5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5720MHz Straddle 5.47-5.725GHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.44434G	-50.05	-50.05
7G	18G	1M	PK	17.14372G	-52.00	-52.00
18G	40G	1M	PK	37.41088G	-48.40	-48.40

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5720MHz Straddle 5.47-5.725GHz



Limit:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.43884G	-56.61	-56.61
7G	18G	1M	AV	17.70025G	-66.20	-66.20
18G	40G	1M	AV	39.99794G	-57.06	-57.06



5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]


5745MHz



5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]


5745MHz



5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5785MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.57738G	-48.88	-48.88
7G	18G	1M	PK	17.34481G	-45.90	-45.90
18G	40G	1M	PK	37.6845G	-48.57	-48.57

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5785MHz



Limit:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.56844G	-56.79	-56.79
7G	18G	1M	AV	17.70025G	-67.81	-67.81
18G	40G	1M	AV	39.63494G	-57.24	-57.24



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5825MHz




Limit:PK
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	PK	11.65644G	-50.68	-50.68
7G	18G	1M	PK	17.40163G	-48.82	-48.82
18G	40G	1M	PK	37.56213G	-48.60	-48.60

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5825MHz



Limit:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7G	18G	1M	AV	11.65094G	-59.18	-59.18
7G	18G	1M	AV	17.70025G	-67.81	-67.81
18G	40G	1M	AV	39.59988G	-57.52	-57.52



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	450.01M	42.82	46.00	-3.18	Vertical
Mode 2	Pass	QP	450.01M	42.79	46.00	-3.21	Vertical



Unwanted Emissions into Restricted Frequency Bands Below 1GHz

Appendix D.5

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	38.73M	23.36	40.00	-16.64	-9.16	3	Horizontal	-	-	-	32.52	18.37	0.58	28.11		
PK	131.85M	24.69	43.50	-18.81	-9.91	3	Horizontal	-	-	-	34.60	17.20	1.14	28.25		
PK	250.19M	26.54	46.00	-19.46	-9.77	3	Horizontal	-	-	-	36.31	16.91	1.57	28.25		
PK	324.88M	25.79	46.00	-20.21	-7.22	3	Horizontal	-	-	-	33.01	19.20	1.80	28.22		
PK	350.11M	36.57	46.00	-9.43	-6.88	3	Horizontal	-	-	-	43.45	19.50	1.82	28.20		
PK	450.01M	32.71	46.00	-13.29	-4.11	3	Horizontal	-	-	-	36.82	22.10	1.98	28.19		



Unwanted Emissions into Restricted Frequency Bands Below 1GHz

Appendix D.5

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	38.73M	33.26	40.00	-6.74	-9.16	3	Vertical	-	-	-	42.42	18.37	0.58	28.11		
PK	250.19M	25.95	46.00	-20.05	-9.77	3	Vertical	-	-	-	35.72	16.91	1.57	28.25		
QP	350.1M	42.38	46.00	-3.62	-6.88	3	Vertical	106	1.25	-	49.26	19.50	1.82	28.20		
QP	450.01M	42.82	46.00	-3.18	-4.11	3	Vertical	211	1.00	-	46.93	22.10	1.98	28.19		
PK	749.74M	36.72	46.00	-9.28	1.81	3	Vertical	-	-	-	34.91	26.99	2.75	27.93		
PK	849.65M	37.09	46.00	-8.91	3.12	3	Vertical	-	-	-	33.97	27.99	2.89	27.76		



Unwanted Emissions into Restricted Frequency Bands Below 1GHz

Appendix D.5

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	38.88M	23.16	40.00	-16.84	-9.14	3	Horizontal	-	-	-	32.30	18.39	0.58	28.11		
PK	131.68M	24.58	43.50	-18.92	-9.91	3	Horizontal	-	-	-	34.49	17.20	1.14	28.25		
PK	250.19M	26.64	46.00	-19.36	-9.77	3	Horizontal	-	-	-	36.41	16.91	1.57	28.25		
PK	327.55M	25.84	46.00	-20.16	-7.15	3	Horizontal	-	-	-	32.99	19.25	1.81	28.21		
PK	350.11M	36.48	46.00	-9.52	-6.88	3	Horizontal	-	-	-	43.36	19.50	1.82	28.20		
PK	450.01M	32.57	46.00	-13.43	-4.11	3	Horizontal	-	-	-	36.68	22.10	1.98	28.19		



Unwanted Emissions into Restricted Frequency Bands Below 1GHz

Appendix D.5

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	38.68M	33.31	40.00	-6.69	-9.16	3	Vertical	-	-	-	42.47	18.37	0.58	28.11		
PK	250.19M	25.88	46.00	-20.12	-9.77	3	Vertical	-	-	-	35.65	16.91	1.57	28.25		
QP	350.1M	42.16	46.00	-3.84	-6.88	3	Vertical	108	1.21	-	49.04	19.50	1.82	28.20		
QP	450.01M	42.79	46.00	-3.21	-4.11	3	Vertical	209	1.00	-	46.90	22.10	1.98	28.19		
PK	750.66M	36.84	46.00	-9.16	1.84	3	Vertical	-	-	-	35.00	27.01	2.75	27.92		
PK	849.67M	37.11	46.00	-8.89	3.12	3	Vertical	-	-	-	33.99	27.99	2.89	27.76		



Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	15.72G	46.07	54.00	-7.93	3	Vertical	25	2.11	-
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	Pass	AV	15.72G	45.55	54.00	-8.45	3	Vertical	5	1.72	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	15.9G	46.55	54.00	-7.45	3	Vertical	22	2.12	-
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	Pass	AV	15.78G	46.26	54.00	-7.74	3	Vertical	8	2.03	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	16.74G	59.95	68.20	-8.25	3	Vertical	23	1.92	-
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	Pass	PK	16.74G	59.85	68.20	-8.35	3	Vertical	156	1.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	17.475G	60.94	68.20	-7.26	3	Vertical	23	2.08	-
802.11ax HEW20_Nss1,(MCS0)_1TX-OFDMA	Pass	PK	17.475G	61.99	68.20	-6.21	3	Vertical	6	2.02	-



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.01	54.00	-20.99	35.03	3	Horizontal	189	1.98	-	29.70	6.28	38.00			
PK	4G	44.35	74.00	-29.65	46.37	3	Horizontal	189	1.98	-	29.70	6.28	38.00			
PK	10.36G	55.95	68.20	-12.25	48.59	3	Horizontal	208	1.00	-	39.70	9.78	42.12			
AV	15.54G	44.15	54.00	-9.85	40.19	3	Horizontal	133	1.00	-	38.34	11.30	45.68			
PK	15.54G	56.16	74.00	-17.84	52.20	3	Horizontal	133	1.00	-	38.34	11.30	45.68			



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)				
AV	4G	31.47	54.00	-22.53	33.49	3	Vertical	191	1.63	-	29.70	6.28	38.00				
PK	4G	43.41	74.00	-30.59	45.43	3	Vertical	191	1.63	-	29.70	6.28	38.00				
PK	10.36G	55.93	68.20	-12.27	48.57	3	Vertical	254	1.00	-	39.70	9.78	42.12				
AV	15.54G	44.07	54.00	-9.93	40.11	3	Vertical	22	1.00	-	38.34	11.30	45.68				
PK	15.54G	56.34	74.00	-17.66	52.38	3	Vertical	22	1.00	-	38.34	11.30	45.68				



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)				
AV	4G	33.17	54.00	-20.83	35.44	3	Horizontal	194	1.92	-	29.70	6.02	37.99				
PK	4G	44.41	74.00	-29.59	46.68	3	Horizontal	194	1.92	-	29.70	6.02	37.99				
PK	10.4G	55.99	68.20	-12.21	48.40	3	Horizontal	215	1.00	-	39.70	10.00	42.11				
AV	15.6G	44.14	54.00	-9.86	40.03	3	Horizontal	126	1.00	-	38.30	11.45	45.64				
PK	15.6G	56.19	74.00	-17.81	52.08	3	Horizontal	126	1.00	-	38.30	11.45	45.64				



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.48	54.00	-22.52	33.75	3	Vertical	186	1.67	-	29.70	6.02	37.99			
PK	4G	43.57	74.00	-30.43	45.84	3	Vertical	186	1.67	-	29.70	6.02	37.99			
PK	10.4G	55.90	68.20	-12.30	48.31	3	Vertical	158	1.00	-	39.70	10.00	42.11			
AV	15.6G	45.90	54.00	-8.10	41.79	3	Vertical	23	2.16	-	38.30	11.45	45.64			
PK	15.6G	58.92	74.00	-15.08	54.81	3	Vertical	23	2.16	-	38.30	11.45	45.64			



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)				
AV	4G	33.19	54.00	-20.81	35.46	3	Horizontal	189	1.94	-	29.70	6.02	37.99				
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	189	1.94	-	29.70	6.02	37.99				
PK	10.48G	55.91	68.20	-12.29	48.42	3	Horizontal	233	1.00	-	39.64	10.02	42.17				
AV	15.72G	44.41	54.00	-9.59	40.08	3	Horizontal	119	1.00	-	38.36	11.55	45.58				
PK	15.72G	56.54	74.00	-17.46	52.21	3	Horizontal	119	1.00	-	38.36	11.55	45.58				




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.54	54.00	-22.46	33.81	3	Vertical	191	1.63	-	29.70	6.02	37.99			
PK	4G	43.45	74.00	-30.55	45.72	3	Vertical	191	1.63	-	29.70	6.02	37.99			
PK	10.48G	55.73	68.20	-12.47	48.24	3	Vertical	204	1.00	-	39.64	10.02	42.17			
AV	15.72G	46.07	54.00	-7.93	41.74	3	Vertical	25	2.11	-	38.36	11.55	45.58			
PK	15.72G	59.11	74.00	-14.89	54.78	3	Vertical	25	2.11	-	38.36	11.55	45.58			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.32	54.00	-20.68	35.59	3	Horizontal	186	1.94	-	29.70	6.02	37.99			
PK	4G	44.27	74.00	-29.73	46.54	3	Horizontal	186	1.94	-	29.70	6.02	37.99			
PK	10.52G	55.60	68.20	-12.60	48.21	3	Horizontal	224	1.00	-	39.56	10.02	42.19			
AV	15.78G	44.15	54.00	-9.85	40.08	3	Horizontal	156	1.00	-	38.00	11.61	45.54			
PK	15.78G	56.34	74.00	-17.66	52.27	3	Horizontal	156	1.00	-	38.00	11.61	45.54			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.35	54.00	-22.65	33.62	3	Vertical	186	1.71	-	29.70	6.02	37.99			
PK	4G	43.37	74.00	-30.63	45.64	3	Vertical	186	1.71	-	29.70	6.02	37.99			
PK	10.52G	55.75	68.20	-12.45	48.36	3	Vertical	158	1.00	-	39.56	10.02	42.19			
AV	15.78G	46.27	54.00	-7.73	42.20	3	Vertical	26	2.23	-	38.00	11.61	45.54			
PK	15.78G	59.33	74.00	-14.67	55.26	3	Vertical	26	2.23	-	38.00	11.61	45.54			



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.18	54.00	-20.82	35.45	3	Horizontal	189	1.88	-	29.70	6.02	37.99			
PK	4G	44.29	74.00	-29.71	46.56	3	Horizontal	189	1.88	-	29.70	6.02	37.99			
AV	10.6G	42.81	54.00	-11.19	35.02	3	Horizontal	240	1.00	-	40.00	10.04	42.25			
PK	10.6G	56.15	74.00	-17.85	48.36	3	Horizontal	240	1.00	-	40.00	10.04	42.25			
AV	15.9G	44.56	54.00	-9.44	40.13	3	Horizontal	123	1.00	-	38.20	11.71	45.48			
PK	15.9G	56.60	74.00	-17.40	52.17	3	Horizontal	123	1.00	-	38.20	11.71	45.48			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.40	54.00	-22.60	33.67	3	Vertical	191	1.68	-	29.70	6.02	37.99			
PK	4G	43.46	74.00	-30.54	45.73	3	Vertical	191	1.68	-	29.70	6.02	37.99			
AV	10.6G	42.77	54.00	-11.23	34.98	3	Vertical	241	1.00	-	40.00	10.04	42.25			
PK	10.6G	56.05	74.00	-17.95	48.26	3	Vertical	241	1.00	-	40.00	10.04	42.25			
AV	15.9G	46.55	54.00	-7.45	42.12	3	Vertical	22	2.12	-	38.20	11.71	45.48			
PK	15.9G	59.56	74.00	-14.44	55.13	3	Vertical	22	2.12	-	38.20	11.71	45.48			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.11	54.00	-20.89	35.38	3	Horizontal	193	1.90	-	29.70	6.02	37.99			
PK	4G	44.25	74.00	-29.75	46.52	3	Horizontal	193	1.90	-	29.70	6.02	37.99			
AV	10.64G	42.79	54.00	-11.21	34.94	3	Horizontal	206	1.00	-	40.08	10.05	42.28			
PK	10.64G	56.17	74.00	-17.83	48.32	3	Horizontal	206	1.00	-	40.08	10.05	42.28			
AV	15.96G	44.49	54.00	-9.51	40.08	3	Horizontal	133	1.00	-	38.10	11.76	45.45			
PK	15.96G	56.50	74.00	-17.50	52.09	3	Horizontal	133	1.00	-	38.10	11.76	45.45			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.49	54.00	-22.51	33.76	3	Vertical	189	1.72	-	29.70	6.02	37.99			
PK	4G	43.57	74.00	-30.43	45.84	3	Vertical	189	1.72	-	29.70	6.02	37.99			
AV	10.64G	42.78	54.00	-11.22	34.93	3	Vertical	248	1.00	-	40.08	10.05	42.28			
PK	10.64G	56.03	74.00	-17.97	48.18	3	Vertical	248	1.00	-	40.08	10.05	42.28			
AV	15.96G	44.44	54.00	-9.56	40.03	3	Vertical	23	1.00	-	38.10	11.76	45.45			
PK	15.96G	56.80	74.00	-17.20	52.39	3	Vertical	23	1.00	-	38.10	11.76	45.45			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.19	54.00	-20.81	35.46	3	Horizontal	198	1.82	-	29.70	6.02	37.99			
PK	4G	44.36	74.00	-29.64	46.63	3	Horizontal	198	1.82	-	29.70	6.02	37.99			
AV	11G	43.04	54.00	-10.96	35.28	3	Horizontal	255	1.00	-	40.20	10.11	42.55			
PK	11G	56.29	74.00	-17.71	48.53	3	Horizontal	255	1.00	-	40.20	10.11	42.55			
PK	16.5G	58.88	68.20	-9.32	52.42	3	Horizontal	126	1.00	-	40.00	12.12	45.66			



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.46	54.00	-22.54	33.73	3	Vertical	190	1.67	-	29.70	6.02	37.99			
PK	4G	43.49	74.00	-30.51	45.76	3	Vertical	190	1.67	-	29.70	6.02	37.99			
AV	11G	43.16	54.00	-10.84	35.40	3	Vertical	155	1.00	-	40.20	10.11	42.55			
PK	11G	56.36	74.00	-17.64	48.60	3	Vertical	155	1.00	-	40.20	10.11	42.55			
PK	16.5G	58.93	68.20	-9.27	52.47	3	Vertical	27	1.00	-	40.00	12.12	45.66			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.09	54.00	-20.91	35.36	3	Horizontal	193	1.86	-	29.70	6.02	37.99			
PK	4G	44.25	74.00	-29.75	46.52	3	Horizontal	193	1.86	-	29.70	6.02	37.99			
AV	11.16G	42.52	54.00	-11.48	35.37	3	Horizontal	251	1.00	-	39.64	10.14	42.63			
PK	11.16G	55.74	74.00	-18.26	48.59	3	Horizontal	251	1.00	-	39.64	10.14	42.63			
PK	16.74G	59.73	68.20	-8.47	52.32	3	Horizontal	130	1.00	-	41.30	12.20	46.09			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.49	54.00	-22.51	33.76	3	Vertical	186	1.77	-	29.70	6.02	37.99			
PK	4G	43.55	74.00	-30.45	45.82	3	Vertical	186	1.77	-	29.70	6.02	37.99			
AV	11.16G	42.51	54.00	-11.49	35.36	3	Vertical	158	1.00	-	39.64	10.14	42.63			
PK	11.16G	55.69	74.00	-18.31	48.54	3	Vertical	158	1.00	-	39.64	10.14	42.63			
PK	16.74G	59.95	68.20	-8.25	52.54	3	Vertical	23	1.92	-	41.30	12.20	46.09			



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.18	54.00	-20.82	35.45	3	Horizontal	186	1.93	-	29.70	6.02	37.99			
PK	4G	44.40	74.00	-29.60	46.67	3	Horizontal	186	1.93	-	29.70	6.02	37.99			
AV	11.4G	42.91	54.00	-11.09	35.48	3	Horizontal	203	1.00	-	40.00	10.17	42.74			
PK	11.4G	56.05	74.00	-17.95	48.62	3	Horizontal	203	1.00	-	40.00	10.17	42.74			
PK	17.1G	59.26	68.20	-8.94	52.37	3	Horizontal	127	1.00	-	41.30	12.34	46.75			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.46	54.00	-22.54	33.73	3	Vertical	192	1.69	-	29.70	6.02	37.99			
PK	4G	43.47	74.00	-30.53	45.74	3	Vertical	192	1.69	-	29.70	6.02	37.99			
AV	11.4G	42.83	54.00	-11.17	35.40	3	Vertical	167	1.00	-	40.00	10.17	42.74			
PK	11.4G	55.98	74.00	-18.02	48.55	3	Vertical	167	1.00	-	40.00	10.17	42.74			
PK	17.1G	59.29	68.20	-8.91	52.40	3	Vertical	23	1.00	-	41.30	12.34	46.75			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.26	54.00	-20.74	35.53	3	Horizontal	188	1.89	-	29.70	6.02	37.99			
PK	4G	44.47	74.00	-29.53	46.74	3	Horizontal	188	1.89	-	29.70	6.02	37.99			
AV	11.44G	42.81	54.00	-11.19	35.39	3	Horizontal	248	1.00	-	40.00	10.18	42.76			
PK	11.44G	55.99	74.00	-18.01	48.57	3	Horizontal	248	1.00	-	40.00	10.18	42.76			
PK	17.16G	58.89	68.20	-9.31	52.37	3	Horizontal	126	1.00	-	41.02	12.37	46.87			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.47	54.00	-22.53	33.74	3	Vertical	189	1.80	-	29.70	6.02	37.99			
PK	4G	43.45	74.00	-30.55	45.72	3	Vertical	189	1.80	-	29.70	6.02	37.99			
AV	11.44G	42.79	54.00	-11.21	35.37	3	Vertical	148	1.00	-	40.00	10.18	42.76			
PK	11.44G	56.09	74.00	-17.91	48.67	3	Vertical	148	1.00	-	40.00	10.18	42.76			
PK	17.16G	59.09	68.20	-9.11	52.57	3	Vertical	23	2.03	-	41.02	12.37	46.87			



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.17	54.00	-20.83	35.44	3	Horizontal	189	1.86	-	29.70	6.02	37.99			
PK	4G	44.41	74.00	-29.59	46.68	3	Horizontal	189	1.86	-	29.70	6.02	37.99			
AV	11.49G	42.98	54.00	-11.02	35.42	3	Horizontal	251	1.00	-	40.16	10.19	42.79			
PK	11.49G	56.26	74.00	-17.74	48.70	3	Horizontal	251	1.00	-	40.16	10.19	42.79			
PK	17.235G	59.55	68.20	-8.65	52.84	3	Horizontal	130	1.00	-	41.31	12.41	47.01			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.27	54.00	-22.73	33.54	3	Vertical	190	1.82	-	29.70	6.02	37.99			
PK	4G	43.36	74.00	-30.64	45.63	3	Vertical	190	1.82	-	29.70	6.02	37.99			
AV	11.49G	42.96	54.00	-11.04	35.40	3	Vertical	151	1.00	-	40.16	10.19	42.79			
PK	11.49G	56.33	74.00	-17.67	48.77	3	Vertical	151	1.00	-	40.16	10.19	42.79			
PK	17.235G	59.90	68.20	-8.30	53.19	3	Vertical	23	2.11	-	41.31	12.41	47.01			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)				
AV	4G	33.24	54.00	-20.76	35.51	3	Horizontal	192	1.91	-	29.70	6.02	37.99				
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	192	1.91	-	29.70	6.02	37.99				
AV	11.57G	43.06	54.00	-10.94	35.59	3	Horizontal	248	1.00	-	40.08	10.20	42.81				
PK	11.57G	56.35	74.00	-17.65	48.88	3	Horizontal	248	1.00	-	40.08	10.20	42.81				
PK	17.355G	60.15	68.20	-8.05	53.29	3	Horizontal	126	1.00	-	41.63	12.47	47.24				




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.46	54.00	-22.54	33.73	3	Vertical	181	1.79	-	29.70	6.02	37.99			
PK	4G	43.59	74.00	-30.41	45.86	3	Vertical	181	1.79	-	29.70	6.02	37.99			
AV	11.57G	42.99	54.00	-11.01	35.52	3	Vertical	148	1.00	-	40.08	10.20	42.81			
PK	11.57G	56.33	74.00	-17.67	48.86	3	Vertical	148	1.00	-	40.08	10.20	42.81			
PK	17.355G	60.55	68.20	-7.65	53.69	3	Vertical	21	2.17	-	41.63	12.47	47.24			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.31	54.00	-20.69	35.58	3	Horizontal	189	1.88	-	29.70	6.02	37.99			
PK	4G	44.46	74.00	-29.54	46.73	3	Horizontal	189	1.88	-	29.70	6.02	37.99			
AV	11.65G	42.49	54.00	-11.51	35.62	3	Horizontal	256	1.00	-	39.50	10.20	42.83			
PK	11.65G	55.89	74.00	-18.11	49.02	3	Horizontal	256	1.00	-	39.50	10.20	42.83			
PK	17.475G	60.70	68.20	-7.50	53.39	3	Horizontal	133	1.00	-	42.25	12.53	47.47			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.60	54.00	-22.40	33.87	3	Vertical	186	1.80	-	29.70	6.02	37.99			
PK	4G	43.75	74.00	-30.25	46.02	3	Vertical	186	1.80	-	29.70	6.02	37.99			
AV	11.65G	42.31	54.00	-11.69	35.44	3	Vertical	151	1.00	-	39.50	10.20	42.83			
PK	11.65G	55.86	74.00	-18.14	48.99	3	Vertical	151	1.00	-	39.50	10.20	42.83			
PK	17.475G	60.94	68.20	-7.26	53.63	3	Vertical	23	2.08	-	42.25	12.53	47.47			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.10	54.00	-20.90	35.37	3	Horizontal	201	1.59	-	29.70	6.02	37.99			
PK	4G	44.27	74.00	-29.73	46.54	3	Horizontal	201	1.59	-	29.70	6.02	37.99			
PK	10.36G	56.02	68.20	-12.18	48.41	3	Horizontal	186	1.00	-	39.70	9.99	42.08			
AV	15.54G	44.19	54.00	-9.81	40.12	3	Horizontal	140	1.00	-	38.34	11.40	45.67			
PK	15.54G	56.15	74.00	-17.85	52.08	3	Horizontal	140	1.00	-	38.34	11.40	45.67			



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.50	54.00	-22.50	33.77	3	Vertical	186	1.72	-	29.70	6.02	37.99			
PK	4G	43.57	74.00	-30.43	45.84	3	Vertical	186	1.72	-	29.70	6.02	37.99			
PK	10.36G	56.05	68.20	-12.15	48.44	3	Vertical	266	1.00	-	39.70	9.99	42.08			
AV	15.54G	43.23	54.00	-10.77	39.16	3	Vertical	26	1.00	-	38.34	11.40	45.67			
PK	15.54G	56.54	74.00	-17.46	52.47	3	Vertical	26	1.00	-	38.34	11.40	45.67			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)				
AV	4G	33.44	54.00	-20.56	35.71	3	Horizontal	203	1.30	-	29.70	6.02	37.99				
PK	4G	43.34	74.00	-30.66	45.61	3	Horizontal	203	1.30	-	29.70	6.02	37.99				
PK	10.4G	56.19	68.20	-12.01	48.60	3	Horizontal	208	1.00	-	39.70	10.00	42.11				
AV	15.6G	44.35	54.00	-9.65	40.24	3	Horizontal	133	1.00	-	38.30	11.45	45.64				
PK	15.6G	57.67	74.00	-16.33	53.56	3	Horizontal	133	1.00	-	38.30	11.45	45.64				




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.29	54.00	-22.71	33.56	3	Vertical	181	1.72	-	29.70	6.02	37.99			
PK	4G	42.14	74.00	-31.86	44.41	3	Vertical	181	1.72	-	29.70	6.02	37.99			
PK	10.4G	55.86	68.20	-12.34	48.27	3	Vertical	147	1.00	-	39.70	10.00	42.11			
AV	15.6G	45.10	54.00	-8.90	40.99	3	Vertical	20	2.12	-	38.30	11.45	45.64			
PK	15.6G	57.82	74.00	-16.18	53.71	3	Vertical	20	2.12	-	38.30	11.45	45.64			



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.32	54.00	-20.68	35.59	3	Horizontal	204	1.89	-	29.70	6.02	37.99			
PK	4G	43.51	74.00	-30.49	45.78	3	Horizontal	204	1.89	-	29.70	6.02	37.99			
PK	10.48G	55.96	68.20	-12.24	48.47	3	Horizontal	241	1.00	-	39.64	10.02	42.17			
AV	15.72G	43.43	54.00	-10.57	39.10	3	Horizontal	123	1.00	-	38.36	11.55	45.58			
PK	15.72G	56.61	74.00	-17.39	52.28	3	Horizontal	123	1.00	-	38.36	11.55	45.58			



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.56	54.00	-22.44	33.83	3	Vertical	181	1.89	-	29.70	6.02	37.99			
PK	4G	43.61	74.00	-30.39	45.88	3	Vertical	181	1.89	-	29.70	6.02	37.99			
PK	10.48G	56.31	68.20	-11.89	48.82	3	Vertical	196	1.00	-	39.64	10.02	42.17			
AV	15.72G	45.55	54.00	-8.45	41.22	3	Vertical	5	1.72	-	38.36	11.55	45.58			
PK	15.72G	58.69	74.00	-15.31	54.36	3	Vertical	5	1.72	-	38.36	11.55	45.58			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.54	54.00	-20.46	35.81	3	Horizontal	199	1.65	-	29.70	6.02	37.99			
PK	4G	44.36	74.00	-29.64	46.63	3	Horizontal	199	1.65	-	29.70	6.02	37.99			
PK	10.52G	55.42	68.20	-12.78	48.03	3	Horizontal	231	1.00	-	39.56	10.02	42.19			
AV	15.78G	44.26	54.00	-9.74	40.19	3	Horizontal	160	1.00	-	38.00	11.61	45.54			
PK	15.78G	56.45	74.00	-17.55	52.38	3	Horizontal	160	1.00	-	38.00	11.61	45.54			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.66	54.00	-22.34	33.93	3	Vertical	182	1.81	-	29.70	6.02	37.99			
PK	4G	43.53	74.00	-30.47	45.80	3	Vertical	182	1.81	-	29.70	6.02	37.99			
PK	10.52G	55.77	68.20	-12.43	48.38	3	Vertical	166	1.00	-	39.56	10.02	42.19			
AV	15.78G	46.26	54.00	-7.74	42.19	3	Vertical	8	2.03	-	38.00	11.61	45.54			
PK	15.78G	59.42	74.00	-14.58	55.35	3	Vertical	8	2.03	-	38.00	11.61	45.54			



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.22	54.00	-20.78	35.49	3	Horizontal	202	1.88	-	29.70	6.02	37.99			
PK	4G	44.32	74.00	-29.68	46.59	3	Horizontal	202	1.88	-	29.70	6.02	37.99			
AV	10.6G	42.39	54.00	-11.61	34.60	3	Horizontal	241	1.00	-	40.00	10.04	42.25			
PK	10.6G	56.51	74.00	-17.49	48.72	3	Horizontal	241	1.00	-	40.00	10.04	42.25			
AV	15.9G	44.65	54.00	-9.35	40.22	3	Horizontal	136	1.00	-	38.20	11.71	45.48			
PK	15.9G	56.71	74.00	-17.29	52.28	3	Horizontal	136	1.00	-	38.20	11.71	45.48			



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.22	54.00	-22.78	33.49	3	Vertical	182	1.72	-	29.70	6.02	37.99			
PK	4G	43.82	74.00	-30.18	46.09	3	Vertical	182	1.72	-	29.70	6.02	37.99			
AV	10.6G	42.90	54.00	-11.10	35.11	3	Vertical	236	1.00	-	40.00	10.04	42.25			
PK	10.6G	55.90	74.00	-18.10	48.11	3	Vertical	236	1.00	-	40.00	10.04	42.25			
AV	15.9G	45.32	54.00	-8.68	40.89	3	Vertical	10	1.61	-	38.20	11.71	45.48			
PK	15.9G	59.34	74.00	-14.66	54.91	3	Vertical	10	1.61	-	38.20	11.71	45.48			



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.23	54.00	-20.77	35.50	3	Horizontal	198	1.57	-	29.70	6.02	37.99			
PK	4G	44.52	74.00	-29.48	46.79	3	Horizontal	198	1.57	-	29.70	6.02	37.99			
AV	10.64G	42.69	54.00	-11.31	34.84	3	Horizontal	211	1.00	-	40.08	10.05	42.28			
PK	10.64G	56.26	74.00	-17.74	48.41	3	Horizontal	211	1.00	-	40.08	10.05	42.28			
AV	15.96G	44.53	54.00	-9.47	40.12	3	Horizontal	125	1.00	-	38.10	11.76	45.45			
PK	15.96G	56.55	74.00	-17.45	52.14	3	Horizontal	125	1.00	-	38.10	11.76	45.45			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.55	54.00	-22.45	33.82	3	Vertical	188	1.86	-	29.70	6.02	37.99			
PK	4G	43.62	74.00	-30.38	45.89	3	Vertical	188	1.86	-	29.70	6.02	37.99			
AV	10.64G	42.87	54.00	-11.13	35.02	3	Vertical	246	1.00	-	40.08	10.05	42.28			
PK	10.64G	56.01	74.00	-17.99	48.16	3	Vertical	246	1.00	-	40.08	10.05	42.28			
AV	15.96G	44.52	54.00	-9.48	40.11	3	Vertical	16	1.00	-	38.10	11.76	45.45			
PK	15.96G	56.77	74.00	-17.23	52.36	3	Vertical	16	1.00	-	38.10	11.76	45.45			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.24	54.00	-20.76	35.51	3	Horizontal	199	1.87	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	199	1.87	-	29.70	6.02	37.99			
AV	11G	43.06	54.00	-10.94	35.30	3	Horizontal	203	1.00	-	40.20	10.11	42.55			
PK	11G	56.24	74.00	-17.76	48.48	3	Horizontal	203	1.00	-	40.20	10.11	42.55			
PK	16.5G	58.96	68.20	-9.24	52.50	3	Horizontal	115	1.00	-	40.00	12.12	45.66			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.50	54.00	-22.50	33.77	3	Vertical	192	1.68	-	29.70	6.02	37.99			
PK	4G	43.47	74.00	-30.53	45.74	3	Vertical	192	1.68	-	29.70	6.02	37.99			
AV	11G	43.13	54.00	-10.87	35.37	3	Vertical	165	1.00	-	40.20	10.11	42.55			
PK	11G	56.34	74.00	-17.66	48.58	3	Vertical	165	1.00	-	40.20	10.11	42.55			
PK	16.5G	59.00	68.20	-9.20	52.54	3	Vertical	223	1.00	-	40.00	12.12	45.66			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.18	54.00	-20.82	35.45	3	Horizontal	198	1.90	-	29.70	6.02	37.99			
PK	4G	44.36	74.00	-29.64	46.63	3	Horizontal	198	1.90	-	29.70	6.02	37.99			
AV	11.16G	42.42	54.00	-11.58	35.27	3	Horizontal	125	1.00	-	39.64	10.14	42.63			
PK	11.16G	55.75	74.00	-18.25	48.60	3	Horizontal	125	1.00	-	39.64	10.14	42.63			
PK	16.74G	59.79	68.20	-8.41	52.38	3	Horizontal	165	1.00	-	41.30	12.20	46.09			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.47	54.00	-22.53	33.74	3	Vertical	187	1.82	-	29.70	6.02	37.99			
PK	4G	43.41	74.00	-30.59	45.68	3	Vertical	187	1.82	-	29.70	6.02	37.99			
AV	11.16G	42.37	54.00	-11.63	35.22	3	Vertical	108	1.00	-	39.64	10.14	42.63			
PK	11.16G	55.65	74.00	-18.35	48.50	3	Vertical	108	1.00	-	39.64	10.14	42.63			
PK	16.74G	59.85	68.20	-8.35	52.44	3	Vertical	156	1.00	-	41.30	12.20	46.09			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.22	54.00	-20.78	35.49	3	Horizontal	189	1.92	-	29.70	6.02	37.99			
PK	4G	44.50	74.00	-29.50	46.77	3	Horizontal	189	1.92	-	29.70	6.02	37.99			
AV	11.4G	42.85	54.00	-11.15	35.42	3	Horizontal	147	1.00	-	40.00	10.17	42.74			
PK	11.4G	56.13	74.00	-17.87	48.70	3	Horizontal	147	1.00	-	40.00	10.17	42.74			
PK	17.1G	59.38	68.20	-8.82	52.49	3	Horizontal	250	1.00	-	41.30	12.34	46.75			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.50	54.00	-22.50	33.77	3	Vertical	192	1.72	-	29.70	6.02	37.99			
PK	4G	43.54	74.00	-30.46	45.81	3	Vertical	192	1.72	-	29.70	6.02	37.99			
AV	11.4G	42.81	54.00	-11.19	35.38	3	Vertical	158	1.00	-	40.00	10.17	42.74			
PK	11.4G	55.86	74.00	-18.14	48.43	3	Vertical	158	1.00	-	40.00	10.17	42.74			
PK	17.1G	59.26	68.20	-8.94	52.37	3	Vertical	126	1.00	-	41.30	12.34	46.75			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.30	54.00	-20.70	35.57	3	Horizontal	192	1.88	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	192	1.88	-	29.70	6.02	37.99			
AV	11.44G	42.89	54.00	-11.11	35.47	3	Horizontal	241	1.00	-	40.00	10.18	42.76			
PK	11.44G	56.30	74.00	-17.70	48.88	3	Horizontal	241	1.00	-	40.00	10.18	42.76			
PK	17.16G	59.05	68.20	-9.15	52.53	3	Horizontal	156	1.00	-	41.02	12.37	46.87			



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.57	54.00	-22.43	33.84	3	Vertical	191	1.86	-	29.70	6.02	37.99			
PK	4G	43.64	74.00	-30.36	45.91	3	Vertical	191	1.86	-	29.70	6.02	37.99			
AV	11.44G	42.85	54.00	-11.15	35.43	3	Vertical	251	1.00	-	40.00	10.18	42.76			
PK	11.44G	56.14	74.00	-17.86	48.72	3	Vertical	251	1.00	-	40.00	10.18	42.76			
PK	17.16G	59.15	68.20	-9.05	52.63	3	Vertical	123	1.00	-	41.02	12.37	46.87			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.26	54.00	-20.74	35.53	3	Horizontal	192	1.77	-	29.70	6.02	37.99			
PK	4G	44.46	74.00	-29.54	46.73	3	Horizontal	192	1.77	-	29.70	6.02	37.99			
AV	11.49G	42.84	54.00	-11.16	35.28	3	Horizontal	257	1.00	-	40.16	10.19	42.79			
PK	11.49G	56.36	74.00	-17.64	48.80	3	Horizontal	257	1.00	-	40.16	10.19	42.79			
PK	17.235G	59.59	68.20	-8.61	52.88	3	Horizontal	126	1.00	-	41.31	12.41	47.01			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5745MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.22	54.00	-22.78	33.49	3	Vertical	186	1.77	-	29.70	6.02	37.99			
PK	4G	43.49	74.00	-30.51	45.76	3	Vertical	186	1.77	-	29.70	6.02	37.99			
AV	11.49G	42.91	54.00	-11.09	35.35	3	Vertical	155	1.00	-	40.16	10.19	42.79			
PK	11.49G	56.44	74.00	-17.56	48.88	3	Vertical	155	1.00	-	40.16	10.19	42.79			
PK	17.235G	61.14	68.20	-7.06	54.43	3	Vertical	3	1.89	-	41.31	12.41	47.01			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.41	54.00	-20.59	35.68	3	Horizontal	196	1.66	-	29.70	6.02	37.99			
PK	4G	44.56	74.00	-29.44	46.83	3	Horizontal	196	1.66	-	29.70	6.02	37.99			
AV	11.57G	43.01	54.00	-10.99	35.54	3	Horizontal	252	1.00	-	40.08	10.20	42.81			
PK	11.57G	56.87	74.00	-17.13	49.40	3	Horizontal	252	1.00	-	40.08	10.20	42.81			
PK	17.355G	60.22	68.20	-7.98	53.36	3	Horizontal	120	1.00	-	41.63	12.47	47.24			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.55	54.00	-22.45	33.82	3	Vertical	180	1.81	-	29.70	6.02	37.99			
PK	4G	43.66	74.00	-30.34	45.93	3	Vertical	180	1.81	-	29.70	6.02	37.99			
AV	11.57G	42.96	54.00	-11.04	35.49	3	Vertical	144	1.00	-	40.08	10.20	42.81			
PK	11.57G	56.84	74.00	-17.16	49.37	3	Vertical	144	1.00	-	40.08	10.20	42.81			
PK	17.355G	60.31	68.20	-7.89	53.45	3	Vertical	16	1.00	-	41.63	12.47	47.24			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.42	54.00	-20.58	35.69	3	Horizontal	202	1.68	-	29.70	6.02	37.99			
PK	4G	44.53	74.00	-29.47	46.80	3	Horizontal	202	1.68	-	29.70	6.02	37.99			
AV	11.65G	42.55	54.00	-11.45	35.68	3	Horizontal	249	1.00	-	39.50	10.20	42.83			
PK	11.65G	55.49	74.00	-18.51	48.62	3	Horizontal	249	1.00	-	39.50	10.20	42.83			
PK	17.475G	61.03	68.20	-7.17	53.72	3	Horizontal	126	1.00	-	42.25	12.53	47.47			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.88	54.00	-22.12	34.15	3	Vertical	181	1.79	-	29.70	6.02	37.99			
PK	4G	43.79	74.00	-30.21	46.06	3	Vertical	181	1.79	-	29.70	6.02	37.99			
AV	11.65G	42.25	54.00	-11.75	35.38	3	Vertical	152	1.00	-	39.50	10.20	42.83			
PK	11.65G	55.95	74.00	-18.05	49.08	3	Vertical	152	1.00	-	39.50	10.20	42.83			
PK	17.475G	61.99	68.20	-6.21	54.68	3	Vertical	6	2.02	-	42.25	12.53	47.47			



Frequency: 5300 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-9.13	-10.50	-11.80	-12.26
T20°CVmin	-9.24	-10.68	-11.97	-12.42
T85°CVnom	1.05	6.97	11.58	14.00
T80°CVnom	0.70	5.95	11.29	13.59
T70°CVnom	-0.80	2.65	6.74	7.78
T60°CVnom	-4.02	-1.03	2.40	3.18
T50°CVnom	-6.46	-5.20	-4.18	-3.72
T40°CVnom	-7.25	-7.22	-7.20	-7.19
T30°CVnom	-8.23	-9.45	-10.51	-10.88
T20°CVnom	-9.22	-10.59	-11.87	-12.35
T10°CVnom	-8.32	-9.06	-9.17	-9.25
T0°CVnom	-7.55	-7.74	-7.80	-7.81
T-10°CVnom	-4.84	-3.19	-2.96	-2.76
T-20°CVnom	-2.58	1.21	2.14	2.33
T-30°CVnom	-2.02	2.63	3.33	3.82
T-40°CVnom	-1.45	3.50	4.74	5.13
Vnom [V]: 3.3	Vmax [V]: 3.6		Vmin [V]: 3	
Tnom [°C]: 20	Tmax [°C]: 85		Tmin [°C]: -40	

Frequency: 5785 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-8.50	-9.48	-10.53	-10.92
T20°CVmin	-8.61	-9.64	-10.64	-11.05
T85°CVnom	0.98	6.84	11.57	13.19
T80°CVnom	0.60	6.59	11.17	12.68
T70°CVnom	-1.01	3.56	7.19	8.34
T60°CVnom	-3.44	-0.63	1.78	2.52
T50°CVnom	-5.63	-4.62	-3.45	-3.15
T40°CVnom	-7.33	-7.26	-7.19	-7.17
T30°CVnom	-7.84	-8.21	-8.52	-8.68
T20°CVnom	-8.53	-9.56	-10.54	-11.02
T10°CVnom	-7.60	-8.66	-8.88	-8.95
T0°CVnom	-6.81	-7.00	-7.05	-7.08
T-10°CVnom	-4.71	-2.89	-2.55	-2.35
T-20°CVnom	-2.75	1.39	2.69	3.11
T-30°CVnom	-1.78	2.23	3.47	3.51
T-40°CVnom	-1.33	2.93	4.57	4.69
Vnom [V]: 3.3	Vmax [V]: 3.6		Vmin [V]: 3	
Tnom [°C]: 20	Tmax [°C]: 85		Tmin [°C]: -40	




Modulation Mode	11a	Test Freq. (MHz)	5580
Power Phase	Line		

Test by : Sean Yu

Temperature: 23°C

Humidity: 65%



	Freq	Level	Limit	Over	Read	Factor	Cable	Aux	
	MHz	dBuV	Line	Limit	Level	dB	loss	dB	Remark
			dBuV	dB	dBuV		dB		
1	0.171	22.51	54.90	-32.39	12.56	9.65	0.08	0.22	Average
2*	0.171	38.90	64.90	-26.00	28.95	9.65	0.08	0.22	QP
3	0.195	22.99	53.80	-30.81	13.01	9.65	0.08	0.25	Average
4	0.195	36.90	63.80	-26.90	26.92	9.65	0.08	0.25	QP
5	0.213	20.93	53.10	-32.17	10.94	9.65	0.08	0.26	Average
6	0.213	33.43	63.10	-29.67	23.44	9.65	0.08	0.26	QP
7	0.243	20.36	52.00	-31.64	10.36	9.65	0.08	0.27	Average
8	0.243	30.53	62.00	-31.47	20.53	9.65	0.08	0.27	QP
9	0.282	13.74	50.76	-37.02	3.71	9.65	0.09	0.29	Average
10	0.282	25.39	60.76	-35.37	15.36	9.65	0.09	0.29	QP
11	0.402	17.08	47.81	-30.73	7.02	9.64	0.09	0.33	Average
12	0.402	25.24	57.81	-32.57	15.18	9.64	0.09	0.33	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBUV) - Limit Line (dBUV).




Modulation Mode	11a	Test Freq. (MHz)	5580
Power Phase	Neutral		

Test by : Sean Yu

Temperature: 23°C

Humidity: 65%



	Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark
1	0.165	23.36	55.21	-31.85	13.48	9.66	0.08	0.14	Average
2	0.165	42.09	65.21	-23.12	32.21	9.66	0.08	0.14	QP
3	0.183	21.46	54.33	-32.87	11.57	9.65	0.08	0.16	Average
4	0.183	39.10	64.33	-25.23	29.21	9.65	0.08	0.16	QP
5	0.192	24.88	53.93	-29.05	14.99	9.65	0.08	0.16	Average
6	0.192	39.03	63.93	-24.90	29.14	9.65	0.08	0.16	QP
7	0.213	24.04	53.10	-29.06	14.13	9.65	0.08	0.18	Average
8	0.213	36.09	63.10	-27.01	26.18	9.65	0.08	0.18	QP
9	0.237	23.36	52.22	-28.86	13.44	9.65	0.08	0.19	Average
10	0.237	33.97	62.22	-28.25	24.05	9.65	0.08	0.19	QP
11*	0.415	26.05	47.55	-21.50	16.07	9.64	0.09	0.25	Average
12	0.415	33.12	57.55	-24.43	23.14	9.64	0.09	0.25	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBUV) – Limit Line (dBUV).

Modulation Mode	ax HE20-OFDMA	Test Freq. (MHz)	5825																																																																																																																																		
Power Phase	Line																																																																																																																																				
Test by : Sean Yu Temperature: 23°C Humidity: 65%																																																																																																																																					
Level (dBUV) <table><thead><tr><th></th><th>Freq MHz</th><th>Level dBUV</th><th>Limit Line dBUV</th><th>Over Limit dB</th><th>Read Level dBUV</th><th>Factor dB</th><th>Cable loss dB</th><th>Aux dB</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>0.150</td><td>23.57</td><td>56.00</td><td>-32.43</td><td>13.64</td><td>9.65</td><td>0.08</td><td>0.20</td><td>Average</td></tr><tr><td>2*</td><td>0.150</td><td>41.82</td><td>66.00</td><td>-24.18</td><td>31.89</td><td>9.65</td><td>0.08</td><td>0.20</td><td>QP</td></tr><tr><td>3</td><td>0.159</td><td>23.38</td><td>55.52</td><td>-32.14</td><td>13.44</td><td>9.65</td><td>0.08</td><td>0.21</td><td>Average</td></tr><tr><td>4</td><td>0.159</td><td>40.70</td><td>65.52</td><td>-24.82</td><td>30.76</td><td>9.65</td><td>0.08</td><td>0.21</td><td>QP</td></tr><tr><td>5</td><td>0.177</td><td>21.21</td><td>54.64</td><td>-33.43</td><td>11.25</td><td>9.65</td><td>0.08</td><td>0.23</td><td>Average</td></tr><tr><td>6</td><td>0.177</td><td>37.78</td><td>64.64</td><td>-26.86</td><td>27.82</td><td>9.65</td><td>0.08</td><td>0.23</td><td>QP</td></tr><tr><td>7</td><td>0.198</td><td>22.61</td><td>53.71</td><td>-31.10</td><td>12.63</td><td>9.65</td><td>0.08</td><td>0.25</td><td>Average</td></tr><tr><td>8</td><td>0.198</td><td>35.89</td><td>63.71</td><td>-27.82</td><td>25.91</td><td>9.65</td><td>0.08</td><td>0.25</td><td>QP</td></tr><tr><td>9</td><td>0.228</td><td>17.68</td><td>52.52</td><td>-34.84</td><td>7.69</td><td>9.65</td><td>0.08</td><td>0.26</td><td>Average</td></tr><tr><td>10</td><td>0.228</td><td>31.77</td><td>62.52</td><td>-30.75</td><td>21.78</td><td>9.65</td><td>0.08</td><td>0.26</td><td>QP</td></tr><tr><td>11</td><td>0.400</td><td>17.17</td><td>47.86</td><td>-30.69</td><td>7.11</td><td>9.64</td><td>0.09</td><td>0.33</td><td>Average</td></tr><tr><td>12</td><td>0.400</td><td>25.08</td><td>57.86</td><td>-32.78</td><td>15.02</td><td>9.64</td><td>0.09</td><td>0.33</td><td>QP</td></tr></tbody></table>					Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark	1	0.150	23.57	56.00	-32.43	13.64	9.65	0.08	0.20	Average	2*	0.150	41.82	66.00	-24.18	31.89	9.65	0.08	0.20	QP	3	0.159	23.38	55.52	-32.14	13.44	9.65	0.08	0.21	Average	4	0.159	40.70	65.52	-24.82	30.76	9.65	0.08	0.21	QP	5	0.177	21.21	54.64	-33.43	11.25	9.65	0.08	0.23	Average	6	0.177	37.78	64.64	-26.86	27.82	9.65	0.08	0.23	QP	7	0.198	22.61	53.71	-31.10	12.63	9.65	0.08	0.25	Average	8	0.198	35.89	63.71	-27.82	25.91	9.65	0.08	0.25	QP	9	0.228	17.68	52.52	-34.84	7.69	9.65	0.08	0.26	Average	10	0.228	31.77	62.52	-30.75	21.78	9.65	0.08	0.26	QP	11	0.400	17.17	47.86	-30.69	7.11	9.64	0.09	0.33	Average	12	0.400	25.08	57.86	-32.78	15.02	9.64	0.09	0.33	QP
	Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark																																																																																																																												
1	0.150	23.57	56.00	-32.43	13.64	9.65	0.08	0.20	Average																																																																																																																												
2*	0.150	41.82	66.00	-24.18	31.89	9.65	0.08	0.20	QP																																																																																																																												
3	0.159	23.38	55.52	-32.14	13.44	9.65	0.08	0.21	Average																																																																																																																												
4	0.159	40.70	65.52	-24.82	30.76	9.65	0.08	0.21	QP																																																																																																																												
5	0.177	21.21	54.64	-33.43	11.25	9.65	0.08	0.23	Average																																																																																																																												
6	0.177	37.78	64.64	-26.86	27.82	9.65	0.08	0.23	QP																																																																																																																												
7	0.198	22.61	53.71	-31.10	12.63	9.65	0.08	0.25	Average																																																																																																																												
8	0.198	35.89	63.71	-27.82	25.91	9.65	0.08	0.25	QP																																																																																																																												
9	0.228	17.68	52.52	-34.84	7.69	9.65	0.08	0.26	Average																																																																																																																												
10	0.228	31.77	62.52	-30.75	21.78	9.65	0.08	0.26	QP																																																																																																																												
11	0.400	17.17	47.86	-30.69	7.11	9.64	0.09	0.33	Average																																																																																																																												
12	0.400	25.08	57.86	-32.78	15.02	9.64	0.09	0.33	QP																																																																																																																												
Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB). 2: Over Limit (dB) = Level (dBUV) – Limit Line (dBUV).																																																																																																																																					



Modulation Mode	ax HE20-OFDMA	Test Freq. (MHz)	5825																																																																																																																																		
Power Phase	Neutral																																																																																																																																				
Test by : Sean Yu Temperature: 23°C Humidity: 65%																																																																																																																																					
Level (dBUV) <table><thead><tr><th></th><th>Freq MHz</th><th>Level dBUV</th><th>Limit Line dBUV</th><th>Over Limit dB</th><th>Read Level dBUV</th><th>Factor dB</th><th>Cable loss dB</th><th>Aux dB</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>0.162</td><td>21.11</td><td>55.34</td><td>-34.23</td><td>11.24</td><td>9.66</td><td>0.08</td><td>0.13</td><td>Average</td></tr><tr><td>2</td><td>0.162</td><td>39.69</td><td>65.34</td><td>-25.65</td><td>29.82</td><td>9.66</td><td>0.08</td><td>0.13</td><td>QP</td></tr><tr><td>3</td><td>0.174</td><td>21.37</td><td>54.77</td><td>-33.40</td><td>11.49</td><td>9.65</td><td>0.08</td><td>0.15</td><td>Average</td></tr><tr><td>4</td><td>0.174</td><td>38.15</td><td>64.77</td><td>-26.62</td><td>28.27</td><td>9.65</td><td>0.08</td><td>0.15</td><td>QP</td></tr><tr><td>5</td><td>0.183</td><td>18.90</td><td>54.33</td><td>-35.43</td><td>9.01</td><td>9.65</td><td>0.08</td><td>0.16</td><td>Average</td></tr><tr><td>6</td><td>0.183</td><td>36.35</td><td>64.33</td><td>-27.98</td><td>26.46</td><td>9.65</td><td>0.08</td><td>0.16</td><td>QP</td></tr><tr><td>7</td><td>0.201</td><td>22.52</td><td>53.58</td><td>-31.06</td><td>12.62</td><td>9.65</td><td>0.08</td><td>0.17</td><td>Average</td></tr><tr><td>8</td><td>0.201</td><td>35.03</td><td>63.58</td><td>-28.55</td><td>25.13</td><td>9.65</td><td>0.08</td><td>0.17</td><td>QP</td></tr><tr><td>9</td><td>0.267</td><td>16.75</td><td>51.20</td><td>-34.45</td><td>6.82</td><td>9.65</td><td>0.08</td><td>0.20</td><td>Average</td></tr><tr><td>10</td><td>0.267</td><td>27.90</td><td>61.20</td><td>-33.30</td><td>17.97</td><td>9.65</td><td>0.08</td><td>0.20</td><td>QP</td></tr><tr><td>11*</td><td>0.410</td><td>25.27</td><td>47.64</td><td>-22.37</td><td>15.29</td><td>9.64</td><td>0.09</td><td>0.25</td><td>Average</td></tr><tr><td>12</td><td>0.410</td><td>31.38</td><td>57.64</td><td>-26.26</td><td>21.40</td><td>9.64</td><td>0.09</td><td>0.25</td><td>QP</td></tr></tbody></table>					Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark	1	0.162	21.11	55.34	-34.23	11.24	9.66	0.08	0.13	Average	2	0.162	39.69	65.34	-25.65	29.82	9.66	0.08	0.13	QP	3	0.174	21.37	54.77	-33.40	11.49	9.65	0.08	0.15	Average	4	0.174	38.15	64.77	-26.62	28.27	9.65	0.08	0.15	QP	5	0.183	18.90	54.33	-35.43	9.01	9.65	0.08	0.16	Average	6	0.183	36.35	64.33	-27.98	26.46	9.65	0.08	0.16	QP	7	0.201	22.52	53.58	-31.06	12.62	9.65	0.08	0.17	Average	8	0.201	35.03	63.58	-28.55	25.13	9.65	0.08	0.17	QP	9	0.267	16.75	51.20	-34.45	6.82	9.65	0.08	0.20	Average	10	0.267	27.90	61.20	-33.30	17.97	9.65	0.08	0.20	QP	11*	0.410	25.27	47.64	-22.37	15.29	9.64	0.09	0.25	Average	12	0.410	31.38	57.64	-26.26	21.40	9.64	0.09	0.25	QP
	Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark																																																																																																																												
1	0.162	21.11	55.34	-34.23	11.24	9.66	0.08	0.13	Average																																																																																																																												
2	0.162	39.69	65.34	-25.65	29.82	9.66	0.08	0.13	QP																																																																																																																												
3	0.174	21.37	54.77	-33.40	11.49	9.65	0.08	0.15	Average																																																																																																																												
4	0.174	38.15	64.77	-26.62	28.27	9.65	0.08	0.15	QP																																																																																																																												
5	0.183	18.90	54.33	-35.43	9.01	9.65	0.08	0.16	Average																																																																																																																												
6	0.183	36.35	64.33	-27.98	26.46	9.65	0.08	0.16	QP																																																																																																																												
7	0.201	22.52	53.58	-31.06	12.62	9.65	0.08	0.17	Average																																																																																																																												
8	0.201	35.03	63.58	-28.55	25.13	9.65	0.08	0.17	QP																																																																																																																												
9	0.267	16.75	51.20	-34.45	6.82	9.65	0.08	0.20	Average																																																																																																																												
10	0.267	27.90	61.20	-33.30	17.97	9.65	0.08	0.20	QP																																																																																																																												
11*	0.410	25.27	47.64	-22.37	15.29	9.64	0.09	0.25	Average																																																																																																																												
12	0.410	31.38	57.64	-26.26	21.40	9.64	0.09	0.25	QP																																																																																																																												
Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB). 2: Over Limit (dB) = Level (dBUV) – Limit Line (dBUV).																																																																																																																																					