



6.425-6.525GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



6485MHz



6.425-6.525GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW

6525MHz Straddle 6.425-6.525GHz






6.525-6.875GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6565MHz

CF: 6.565GHz  
 Span: 264MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.565GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.308M	6.545728G	6.568036G	18.531M	6.546589G	6.56512G	Inf	1
23.76M	6.545464G	6.569224G	18.891M	6.546529G	6.56542G	Inf	2

6.525-6.875GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6725MHz

CF: 6.725GHz  
 Span: 264MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.725GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.912M	6.705728G	6.72764G	18.471M	6.706589G	6.72506G	Inf	1
23.76M	6.705596G	6.729356G	18.831M	6.706529G	6.72536G	Inf	2




6.525-6.875GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6845MHz

CF: 6.845GHz  
 Span: 264MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.845GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.176M	6.825728G	6.847904G	18.411M	6.826649G	6.84506G	Inf	1
23.892M	6.825464G	6.849356G	18.831M	6.826529G	6.84536G	Inf	2

6.525-6.875GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6885MHz Straddle 6.525-6.875GHz

CF: 6.885GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.885GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.26M	6.86574G	6.888G	18.471M	6.866589G	6.88506G	Inf	1
24.3M	6.8655G	6.8898G	18.711M	6.866529G	6.88524G	Inf	2




6.875-7.125GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6925MHz

CF: 6.925GHz  
 Span: 264MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.925GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.836M	6.905728G	6.928564G	18.471M	6.906589G	6.92506G	Inf	1
23.496M	6.905464G	6.92896G	18.771M	6.906529G	6.9253G	Inf	2

6.875-7.125GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX


EBW

7005MHz

CF: 7.005GHz  
 Span: 264MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 7.005GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.044M	6.985728G	7.007772G	18.471M	6.986529G	7.005G	Inf	1
23.76M	6.985464G	7.009224G	18.711M	6.986409G	7.00512G	Inf	2




6.875-7.125GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX


EBW

7085MHz

CF: 7.085GHz  
 Span: 264MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 7.085GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.78M	7.065992G	7.087772G	18.411M	7.066589G	7.085G	Inf	1
24.024M	7.065596G	7.08962G	18.771M	7.066469G	7.08524G	Inf	2

5.925-6.425GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX


EBW

5965MHz

CF: 5.965GHz  
 Span: 264MHz  
 RBW: 300kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 5.965GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
23.364M	5.945464G	5.968828G	18.831M	5.946049G	5.96488G	Inf	1
25.344M	5.9452G	5.970544G	18.951M	5.946049G	5.965G	Inf	2




5.925-6.425GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6165MHz

CF: 6.165GHz  
 Span: 264MHz  
 RBW: 300kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak  
 Port 1: [Waveform icon]  
 Port 2: [Waveform icon]



CF: 6.165GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.004M	6.145068G	6.171072G	18.891M	6.146049G	6.16494G	Inf	1
27.984M	6.144936G	6.17292G	18.891M	6.146049G	6.16494G	Inf	2

5.925-6.425GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6405MHz

CF: 6.405GHz  
 Span: 264MHz  
 RBW: 300kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak  
 Port 1: [Waveform icon]  
 Port 2: [Waveform icon]



CF: 6.405GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak





26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
27.588M	6.3852G	6.412788G	18.831M	6.386049G	6.40488G	Inf	1
26.928M	6.385068G	6.411996G	18.891M	6.386049G	6.40494G	Inf	2



6.425-6.525GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



6445MHz



6.425-6.525GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW

6485MHz






6.425-6.525GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW


6525MHz Straddle 6.425-6.525GHz



6.525-6.875GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW

6565MHz








6.525-6.875GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6725MHz

CF: 6.725GHz  
 Span: 264MHz  
 RBW: 300kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.725GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.872M	6.7052G	6.731072G	18.891M	6.706049G	6.72494G	Inf	1
34.056M	6.7052G	6.739256G	18.951M	6.706049G	6.725G	Inf	2

6.525-6.875GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX


EBW

6845MHz

CF: 6.845GHz  
 Span: 264MHz  
 RBW: 300kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.845GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak





26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.74M	6.825068G	6.850808G	18.831M	6.826049G	6.84488G	Inf	1
27.984M	6.8252G	6.853184G	18.891M	6.826049G	6.84494G	Inf	2



6.525-6.875GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



6885MHz Straddle 6.525-6.875GHz



6.875-7.125GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW

6925MHz






6.875-7.125GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX


EBW

7005MHz

CF: 7.005GHz  
 Span: 264MHz  
 RBW: 300kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak  
 Port 1: [Waveform icon]  
 Port 2: [Waveform icon]



CF: 7.005GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.136M	6.9852G	7.011336G	18.711M	6.986049G	7.00476G	Inf	1
32.208M	6.984936G	7.017144G	18.771M	6.986049G	7.00482G	Inf	2

6.875-7.125GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX


EBW

7085MHz

CF: 7.085GHz  
 Span: 264MHz  
 RBW: 300kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak  
 Port 1: [Waveform icon]  
 Port 2: [Waveform icon]



CF: 7.085GHz  
 Span: 120MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
27.06M	7.065068G	7.092128G	18.771M	7.066049G	7.08482G	Inf	1
26.532M	7.065068G	7.0916G	18.891M	7.066049G	7.08494G	Inf	2




5.925-6.425GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX


EBW

5985MHz

CF: 5.985GHz  
 Span: 528MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 5.985GHz  
 Span: 240MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.952M	5.986056G	6.004008G	17.151M	5.986319G	6.003471G	Inf	1
19.272M	5.984736G	6.004008G	17.631M	5.98596G	6.003591G	Inf	2

5.925-6.425GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6145MHz

CF: 6.145GHz  
 Span: 528MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.145GHz  
 Span: 240MHz  
 RBW: 200kHz  
 VBW: 1MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.952M	6.146056G	6.164008G	17.151M	6.146319G	6.163471G	Inf	1
19.272M	6.144736G	6.164008G	17.511M	6.146079G	6.163591G	Inf	2



5.925-6.425GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6385MHz



6.425-6.525GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6465MHz






6.425-6.525GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6625MHz



6.525-6.875GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6705MHz



6.525-6.875GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6785MHz






6.525-6.875GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6865MHz Straddle 6.525-6.875GHz



6.875-7.125GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6945MHz








6.875-7.125GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


7025MHz



5.925-6.425GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW

5985MHz






5.925-6.425GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6145MHz



5.925-6.425GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6385MHz






6.425-6.525GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6465MHz



6.425-6.525GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6545MHz Straddle 6.425-6.525GHz






6.525-6.875GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6625MHz



6.525-6.875GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6705MHz






6.525-6.875GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6785MHz



6.525-6.875GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6865MHz Straddle 6.525-6.875GHz






6.875-7.125GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6945MHz



6.875-7.125GHz\_802.11ax HEW80\_RU52\_Index50\_80MHz\_Nss1,(MCS0)\_2TX

EBW

7025MHz






5.925-6.425GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX


EBW

5985MHz

CF: 5.985GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 5.985GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.28M	5.986056G	6.024336G	36.582M	5.986319G	6.022901G	Inf	1
41.448M	5.982888G	6.024336G	37.301M	5.98572G	6.023021G	Inf	2

5.925-6.425GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6145MHz

CF: 6.145GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.145GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.544M	6.145792G	6.184336G	36.462M	6.146319G	6.182781G	Inf	1
42.24M	6.142624G	6.184864G	36.702M	6.146079G	6.182781G	Inf	2




5.925-6.425GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6385MHz

CF  
6.385GHz  
Span  
528MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak



CF  
6.385GHz  
Span  
240MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.544M	6.385792G	6.424336G	36.462M	6.386319G	6.422781G	Inf	1
41.976M	6.382624G	6.4246G	37.421M	6.3856G	6.423021G	Inf	2

6.425-6.525GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6465MHz

CF  
6.465GHz  
Span  
528MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak



CF  
6.465GHz  
Span  
240MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.016M	6.466056G	6.504072G	36.582M	6.466319G	6.502901G	Inf	1
41.712M	6.462888G	6.5046G	37.181M	6.46572G	6.502901G	Inf	2



6.425-6.525GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6625MHz






6.525-6.875GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6705MHz

CF  
6.705GHz  
Span  
528MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak



CF  
6.705GHz  
Span  
240MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.28M	6.705792G	6.744072G	36.582M	6.706319G	6.742901G	Inf	1
41.976M	6.70236G	6.744336G	37.421M	6.7056G	6.743021G	Inf	2

6.525-6.875GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6785MHz

CF  
6.785GHz  
Span  
528MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak



CF  
6.785GHz  
Span  
240MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.544M	6.785528G	6.824072G	36.582M	6.786319G	6.822901G	Inf	1
41.448M	6.782624G	6.824072G	37.301M	6.78572G	6.823021G	Inf	2



6.525-6.875GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6865MHz Straddle 6.525-6.875GHz



6.875-7.125GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6945MHz






6.875-7.125GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW


7025MHz



5.925-6.425GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW

5985MHz






5.925-6.425GHz\_802.11ax\_HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6145MHz

CF: 6.145GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.145GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
46.2M	6.105664G	6.151864G	37.421M	6.106739G	6.14416G	Inf	1
48.84M	6.1054G	6.15424G	37.901M	6.106739G	6.14464G	Inf	2

5.925-6.425GHz\_802.11ax\_HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6385MHz

CF: 6.385GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.385GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak





26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
48.048M	6.345664G	6.393712G	37.421M	6.346739G	6.38416G	Inf	1
50.688M	6.3454G	6.396088G	37.781M	6.346859G	6.38464G	Inf	2

6.425-6.525GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW



6465MHz



6.425-6.525GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6545MHz Straddle 6.425-6.525GHz






6.525-6.875GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6625MHz

CF: 6.625GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.625GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



Port 1: [Waveform icon]  
 Port 2: [Waveform icon]


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
49.368M	6.585664G	6.635032G	37.661M	6.586739G	6.6244G	Inf	1
49.104M	6.585136G	6.63424G	38.021M	6.586739G	6.62476G	Inf	2

6.525-6.875GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6705MHz

CF: 6.705GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.705GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



Port 1: [Waveform icon]  
 Port 2: [Waveform icon]



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
47.256M	6.665664G	6.71292G	37.301M	6.666859G	6.70416G	Inf	1
46.464M	6.665136G	6.7116G	37.901M	6.666739G	6.70464G	Inf	2



6.525-6.875GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW



6785MHz



6.525-6.875GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6865MHz Straddle 6.525-6.875GHz








6.875-7.125GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6945MHz

CF: 6.945GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.945GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
46.2M	6.9054G	6.9516G	37.181M	6.906859G	6.94404G	Inf	1
47.784M	6.905136G	6.95292G	37.421M	6.906979G	6.9444G	Inf	2

6.875-7.125GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX


EBW

7025MHz

CF: 7.025GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 7.025GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
46.2M	6.985928G	7.032128G	37.421M	6.986739G	7.02416G	Inf	1
46.2M	6.984872G	7.031072G	37.901M	6.986499G	7.0244G	Inf	2




5.925-6.425GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX


EBW

5985MHz

CF  
5.985GHz  
Span  
528MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak



CF  
5.985GHz  
Span  
240MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
49.632M	5.944608G	5.99424G	37.781M	5.946139G	5.983921G	Inf	1
49.632M	5.944608G	5.99424G	38.141M	5.946139G	5.98428G	Inf	2

5.925-6.425GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6145MHz

CF  
6.145GHz  
Span  
528MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak



CF  
6.145GHz  
Span  
240MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
5ms  
Detector Type  
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
49.632M	6.104608G	6.15424G	37.661M	6.106259G	6.143921G	Inf	1
50.424M	6.104344G	6.154768G	38.141M	6.106139G	6.14428G	Inf	2

5.925-6.425GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6385MHz



6.425-6.525GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6465MHz






6.425-6.525GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6625MHz






6.525-6.875GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6705MHz

CF: 6.705GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.705GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
46.992M	6.664872G	6.711864G	37.781M	6.666139G	6.703921G	Inf	1
53.592M	6.664608G	6.7182G	38.141M	6.666139G	6.70428G	Inf	2

6.525-6.875GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX


EBW

6785MHz

CF: 6.785GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 6.785GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
46.2M	6.744872G	6.791072G	37.781M	6.746139G	6.783921G	Inf	1
51.744M	6.744872G	6.796616G	38.021M	6.746139G	6.78416G	Inf	2



6.525-6.875GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW


6865MHz Straddle 6.525-6.875GHz



6.875-7.125GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW

6945MHz






6.875-7.125GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX


EBW

7025MHz

CF: 7.025GHz  
 Span: 528MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



CF: 7.025GHz  
 Span: 240MHz  
 RBW: 500kHz  
 VBW: 2MHz  
 Sweep Time: 5ms  
 Detector Type: Peak



Port 1: [Waveform icon]  
 Port 2: [Waveform icon]

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
44.88M	6.984344G	7.029224G	37.541M	6.986139G	7.023681G	Inf	1
50.952M	6.984608G	7.03556G	37.661M	6.986139G	7.023801G	Inf	2



Non-beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	-6.04	0.00025	-0.84	0.00082
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	-3.03	0.00050	2.17	0.00165
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	0.10	0.00102	5.30	0.00339
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	-6.08	0.00025	-0.88	0.00082
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	-2.89	0.00051	2.31	0.00170
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	0.22	0.00105	5.42	0.00348
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	3.31	0.00214	8.51	0.00710
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	-5.67	0.00027	-0.47	0.00090
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	-2.91	0.00051	2.29	0.00169
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	0.01	0.00100	5.21	0.00332
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	3.62	0.00230	8.82	0.00762
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	6.25	0.00422	11.45	0.01396
6.425-6.525GHz	-	-	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	-5.90	0.00026	-0.70	0.00085
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	-2.82	0.00052	2.38	0.00173
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	0.23	0.00105	5.43	0.00349
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	-5.60	0.00028	-0.40	0.00091
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	-2.89	0.00051	2.31	0.00170
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	0.26	0.00106	5.46	0.00352
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	3.29	0.00213	8.49	0.00706
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	-5.68	0.00027	-0.48	0.00090
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	-3.18	0.00048	2.02	0.00159
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	-0.50	0.00089	4.70	0.00295
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	3.41	0.00219	8.61	0.00726
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	6.07	0.00405	11.27	0.01340
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	-6.01	0.00025	-0.81	0.00083
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	-2.87	0.00052	2.33	0.00171
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	0.16	0.00104	5.36	0.00344
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	-5.81	0.00026	-0.61	0.00087
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	-2.87	0.00052	2.33	0.00171
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	-0.03	0.00099	5.17	0.00329
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	3.45	0.00221	8.65	0.00733
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	-5.60	0.00028	-0.40	0.00091
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	-2.96	0.00051	2.24	0.00167
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	0.04	0.00101	5.24	0.00334
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	3.49	0.00223	8.69	0.00740
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	5.92	0.00391	11.12	0.01294
6.875-7.125GHz	-	-	-	-





## Conducted Output Power(Average) - SC Module

## Appendix B.1

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	-5.88	0.00026	-0.68	0.00086
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	-2.77	0.00053	2.43	0.00175
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	0.03	0.00101	5.23	0.00333
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	-5.81	0.00026	-0.61	0.00087
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	-2.87	0.00052	2.33	0.00171
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	-0.12	0.00097	5.08	0.00322
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	3.20	0.00209	8.40	0.00692
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	-5.48	0.00028	-0.28	0.00094
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	-2.83	0.00052	2.37	0.00173
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	0.06	0.00101	5.26	0.00336
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	3.82	0.00241	9.02	0.00798
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	6.04	0.00402	11.24	0.01330



**Conducted Output Power(Average) - SC Module**

**Appendix B.1**

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.20	-9.50	-8.65	-6.04	Inf	-0.84	24.00
6175MHz	Pass	5.20	-9.22	-9.31	-6.25	Inf	-1.05	24.00
6415MHz	Pass	5.20	-8.74	-9.90	-6.27	Inf	-1.07	24.00
6435MHz	Pass	5.20	-8.65	-9.19	-5.90	Inf	-0.70	24.00
6475MHz	Pass	5.20	-9.04	-9.90	-6.44	Inf	-1.24	24.00
6515MHz	Pass	5.20	-8.91	-9.03	-5.96	Inf	-0.76	24.00
6535MHz	Pass	5.20	-9.17	-9.39	-6.27	Inf	-1.07	24.00
6715MHz	Pass	5.20	-9.02	-9.03	-6.01	Inf	-0.81	24.00
6855MHz	Pass	5.20	-9.15	-9.37	-6.25	Inf	-1.05	24.00
6875MHz Straddle 6.525-6.875GHz	Pass	5.20	-9.19	-9.19	-6.18	Inf	-0.98	24.00
6895MHz	Pass	5.20	-9.00	-8.78	-5.88	Inf	-0.68	24.00
7015MHz	Pass	5.20	-9.51	-9.08	-6.28	Inf	-1.08	24.00
7095MHz	Pass	5.20	-9.48	-8.81	-6.12	Inf	-0.92	24.00
7115MHz	Pass	5.20	-9.64	-9.33	-6.47	Inf	-1.27	24.00
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.20	-6.04	-6.04	-3.03	Inf	2.17	24.00
6175MHz	Pass	5.20	-6.26	-6.44	-3.34	Inf	1.86	24.00
6415MHz	Pass	5.20	-5.44	-6.84	-3.07	Inf	2.13	24.00
6435MHz	Pass	5.20	-5.57	-6.10	-2.82	Inf	2.38	24.00
6475MHz	Pass	5.20	-5.55	-6.34	-2.92	Inf	2.28	24.00
6515MHz	Pass	5.20	-5.80	-5.94	-2.86	Inf	2.34	24.00
6535MHz	Pass	5.20	-5.75	-6.01	-2.87	Inf	2.33	24.00
6715MHz	Pass	5.20	-6.08	-6.02	-3.04	Inf	2.16	24.00
6855MHz	Pass	5.20	-5.82	-6.15	-2.97	Inf	2.23	24.00
6875MHz Straddle 6.525-6.875GHz	Pass	5.20	-5.99	-6.46	-3.21	Inf	1.99	24.00
6895MHz	Pass	5.20	-5.82	-5.74	-2.77	Inf	2.43	24.00
7015MHz	Pass	5.20	-6.18	-5.61	-2.88	Inf	2.32	24.00
7095MHz	Pass	5.20	-6.43	-5.94	-3.17	Inf	2.03	24.00
7115MHz	Pass	5.20	-7.21	-6.36	-3.75	Inf	1.45	24.00
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.20	-3.45	-2.72	-0.06	Inf	5.14	24.00
6175MHz	Pass	5.20	-2.81	-3.02	0.10	Inf	5.30	24.00
6415MHz	Pass	5.20	-2.41	-3.65	0.02	Inf	5.22	24.00
6435MHz	Pass	5.20	-2.69	-3.25	0.05	Inf	5.25	24.00
6475MHz	Pass	5.20	-2.79	-3.56	-0.15	Inf	5.05	24.00
6515MHz	Pass	5.20	-2.73	-2.84	0.23	Inf	5.43	24.00
6535MHz	Pass	5.20	-2.71	-2.99	0.16	Inf	5.36	24.00
6715MHz	Pass	5.20	-3.31	-3.30	-0.29	Inf	4.91	24.00



**Conducted Output Power(Average) - SC Module**

**Appendix B.1**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6855MHz	Pass	5.20	-2.74	-3.18	0.06	Inf	5.26	24.00
6875MHz Straddle 6.525-6.875GHz	Pass	5.20	-2.87	-3.34	-0.09	Inf	5.11	24.00
6895MHz	Pass	5.20	-3.10	-2.87	0.03	Inf	5.23	24.00
7015MHz	Pass	5.20	-3.42	-2.86	-0.12	Inf	5.08	24.00
7095MHz	Pass	5.20	-3.43	-2.64	-0.01	Inf	5.19	24.00
7115MHz	Pass	5.20	-4.68	-4.13	-1.39	Inf	3.81	24.00
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.20	-9.42	-8.78	-6.08	Inf	-0.88	24.00
6165MHz	Pass	5.20	-9.21	-9.26	-6.22	Inf	-1.02	24.00
6405MHz	Pass	5.20	-8.83	-9.44	-6.11	Inf	-0.91	24.00
6445MHz	Pass	5.20	-8.73	-9.13	-5.92	Inf	-0.72	24.00
6485MHz	Pass	5.20	-9.20	-8.94	-6.06	Inf	-0.86	24.00
6525MHz Straddle 6.425-6.525GHz	Pass	5.20	-8.74	-8.48	-5.60	Inf	-0.40	24.00
6565MHz	Pass	5.20	-9.04	-9.21	-6.11	Inf	-0.91	24.00
6725MHz	Pass	5.20	-9.10	-8.94	-6.01	Inf	-0.81	24.00
6845MHz	Pass	5.20	-8.96	-8.68	-5.81	Inf	-0.61	24.00
6885MHz Straddle 6.525-6.875GHz	Pass	5.20	-8.94	-8.77	-5.84	Inf	-0.64	24.00
6925MHz	Pass	5.20	-9.55	-9.14	-6.33	Inf	-1.13	24.00
7005MHz	Pass	5.20	-8.97	-8.67	-5.81	Inf	-0.61	24.00
7085MHz	Pass	5.20	-9.86	-9.07	-6.44	Inf	-1.24	24.00
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.20	-6.23	-5.66	-2.93	Inf	2.27	24.00
6165MHz	Pass	5.20	-5.92	-6.09	-2.99	Inf	2.21	24.00
6405MHz	Pass	5.20	-5.59	-6.23	-2.89	Inf	2.31	24.00
6445MHz	Pass	5.20	-5.95	-6.45	-3.18	Inf	2.02	24.00
6485MHz	Pass	5.20	-6.03	-5.90	-2.95	Inf	2.25	24.00
6525MHz Straddle 6.425-6.525GHz	Pass	5.20	-5.96	-5.84	-2.89	Inf	2.31	24.00
6565MHz	Pass	5.20	-5.78	-5.99	-2.87	Inf	2.33	24.00
6725MHz	Pass	5.20	-6.07	-5.98	-3.01	Inf	2.19	24.00
6845MHz	Pass	5.20	-6.13	-5.90	-3.00	Inf	2.20	24.00
6885MHz Straddle 6.525-6.875GHz	Pass	5.20	-6.38	-6.24	-3.30	Inf	1.90	24.00
6925MHz	Pass	5.20	-6.33	-5.97	-3.14	Inf	2.06	24.00
7005MHz	Pass	5.20	-6.08	-5.69	-2.87	Inf	2.33	24.00
7085MHz	Pass	5.20	-6.40	-5.61	-2.98	Inf	2.22	24.00
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.20	-3.29	-2.71	0.02	Inf	5.22	24.00
6165MHz	Pass	5.20	-3.05	-3.20	-0.11	Inf	5.09	24.00
6405MHz	Pass	5.20	-2.45	-3.15	0.22	Inf	5.42	24.00
6445MHz	Pass	5.20	-2.57	-2.93	0.26	Inf	5.46	24.00
6485MHz	Pass	5.20	-3.09	-2.98	-0.02	Inf	5.18	24.00



**Conducted Output Power(Average) - SC Module**

**Appendix B.1**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6525MHz Straddle 6.425-6.525GHz	Pass	5.20	-2.92	-2.75	0.18	Inf	5.38	24.00
6565MHz	Pass	5.20	-3.02	-3.26	-0.13	Inf	5.07	24.00
6725MHz	Pass	5.20	-3.12	-2.96	-0.03	Inf	5.17	24.00
6845MHz	Pass	5.20	-3.22	-2.97	-0.08	Inf	5.12	24.00
6885MHz Straddle 6.525-6.875GHz	Pass	5.20	-3.17	-3.11	-0.13	Inf	5.07	24.00
6925MHz	Pass	5.20	-3.34	-2.93	-0.12	Inf	5.08	24.00
7005MHz	Pass	5.20	-3.93	-3.44	-0.67	Inf	4.53	24.00
7085MHz	Pass	5.20	-3.63	-2.74	-0.15	Inf	5.05	24.00
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.20	-0.08	0.65	3.31	Inf	8.51	24.00
6165MHz	Pass	5.20	0.24	0.25	3.26	Inf	8.46	24.00
6405MHz	Pass	5.20	0.54	0.03	3.30	Inf	8.50	24.00
6445MHz	Pass	5.20	0.24	-0.11	3.08	Inf	8.28	24.00
6485MHz	Pass	5.20	0.13	0.42	3.29	Inf	8.49	24.00
6525MHz Straddle 6.425-6.525GHz	Pass	5.20	0.05	0.30	3.19	Inf	8.39	24.00
6565MHz	Pass	5.20	0.14	-0.12	3.02	Inf	8.22	24.00
6725MHz	Pass	5.20	-0.17	-0.04	2.91	Inf	8.11	24.00
6845MHz	Pass	5.20	0.16	-0.22	2.98	Inf	8.18	24.00
6885MHz Straddle 6.525-6.875GHz	Pass	5.20	0.23	0.64	3.45	Inf	8.65	24.00
6925MHz	Pass	5.20	-0.09	0.26	3.10	Inf	8.30	24.00
7005MHz	Pass	5.20	-0.32	0.07	2.89	Inf	8.09	24.00
7085MHz	Pass	5.20	-0.19	0.53	3.20	Inf	8.40	24.00
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.20	-9.20	-8.32	-5.73	Inf	-0.53	24.00
6145MHz	Pass	5.20	-8.89	-9.03	-5.95	Inf	-0.75	24.00
6385MHz	Pass	5.20	-8.41	-8.96	-5.67	Inf	-0.47	24.00
6465MHz	Pass	5.20	-8.23	-9.21	-5.68	Inf	-0.48	24.00
6545MHz Straddle 6.425-6.525GHz	Pass	5.20	-8.91	-8.96	-5.92	Inf	-0.72	24.00
6625MHz	Pass	5.20	-8.92	-8.88	-5.89	Inf	-0.69	24.00
6705MHz	Pass	5.20	-8.70	-8.52	-5.60	Inf	-0.40	24.00
6785MHz	Pass	5.20	-9.08	-8.52	-5.78	Inf	-0.58	24.00
6865MHz Straddle 6.525-6.875GHz	Pass	5.20	-9.04	-8.87	-5.94	Inf	-0.74	24.00
6945MHz	Pass	5.20	-8.91	-8.10	-5.48	Inf	-0.28	24.00
7025MHz	Pass	5.20	-9.24	-8.49	-5.84	Inf	-0.64	24.00
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.20	-6.52	-5.91	-3.19	Inf	2.01	24.00
6145MHz	Pass	5.20	-6.44	-6.42	-3.42	Inf	1.78	24.00
6385MHz	Pass	5.20	-5.60	-6.26	-2.91	Inf	2.29	24.00
6465MHz	Pass	5.20	-5.86	-6.55	-3.18	Inf	2.02	24.00
6545MHz Straddle 6.425-6.525GHz	Pass	5.20	-6.13	-6.39	-3.25	Inf	1.95	24.00



**Conducted Output Power(Average) - SC Module**

**Appendix B.1**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6625MHz	Pass	5.20	-6.14	-6.09	-3.10	Inf	2.10	24.00
6705MHz	Pass	5.20	-6.06	-5.89	-2.96	Inf	2.24	24.00
6785MHz	Pass	5.20	-6.61	-6.48	-3.53	Inf	1.67	24.00
6865MHz Straddle 6.525-6.875GHz	Pass	5.20	-6.53	-6.25	-3.38	Inf	1.82	24.00
6945MHz	Pass	5.20	-5.82	-5.87	-2.83	Inf	2.37	24.00
7025MHz	Pass	5.20	-6.54	-5.71	-3.09	Inf	2.11	24.00
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.20	-3.29	-2.73	0.01	Inf	5.21	24.00
6145MHz	Pass	5.20	-2.99	-3.06	-0.01	Inf	5.19	24.00
6385MHz	Pass	5.20	-2.94	-3.43	-0.17	Inf	5.03	24.00
6465MHz	Pass	5.20	-3.24	-3.80	-0.50	Inf	4.70	24.00
6545MHz Straddle 6.425-6.525GHz	Pass	5.20	-3.49	-3.85	-0.66	Inf	4.54	24.00
6625MHz	Pass	5.20	-3.35	-3.29	-0.31	Inf	4.89	24.00
6705MHz	Pass	5.20	-3.42	-3.29	-0.34	Inf	4.86	24.00
6785MHz	Pass	5.20	-3.49	-3.29	-0.38	Inf	4.82	24.00
6865MHz Straddle 6.525-6.875GHz	Pass	5.20	-3.06	-2.89	0.04	Inf	5.24	24.00
6945MHz	Pass	5.20	-3.13	-2.77	0.06	Inf	5.26	24.00
7025MHz	Pass	5.20	-4.26	-3.50	-0.85	Inf	4.35	24.00
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.20	-0.10	0.66	3.31	Inf	8.51	24.00
6145MHz	Pass	5.20	0.19	0.20	3.21	Inf	8.41	24.00
6385MHz	Pass	5.20	0.81	0.41	3.62	Inf	8.82	24.00
6465MHz	Pass	5.20	0.59	0.21	3.41	Inf	8.61	24.00
6545MHz Straddle 6.425-6.525GHz	Pass	5.20	0.28	0.14	3.22	Inf	8.42	24.00
6625MHz	Pass	5.20	0.27	0.09	3.19	Inf	8.39	24.00
6705MHz	Pass	5.20	0.32	0.38	3.36	Inf	8.56	24.00
6785MHz	Pass	5.20	0.17	0.46	3.33	Inf	8.53	24.00
6865MHz Straddle 6.525-6.875GHz	Pass	5.20	0.32	0.63	3.49	Inf	8.69	24.00
6945MHz	Pass	5.20	0.35	1.23	3.82	Inf	9.02	24.00
7025MHz	Pass	5.20	-0.11	0.62	3.28	Inf	8.48	24.00
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.20	2.63	3.32	6.00	Inf	11.20	24.00
6145MHz	Pass	5.20	3.02	2.88	5.96	Inf	11.16	24.00
6385MHz	Pass	5.20	3.53	2.92	6.25	Inf	11.45	24.00
6465MHz	Pass	5.20	3.24	2.87	6.07	Inf	11.27	24.00
6545MHz Straddle 6.425-6.525GHz	Pass	5.20	3.04	2.89	5.98	Inf	11.18	24.00
6625MHz	Pass	5.20	2.77	2.65	5.72	Inf	10.92	24.00
6705MHz	Pass	5.20	2.79	2.92	5.87	Inf	11.07	24.00
6785MHz	Pass	5.20	2.79	3.03	5.92	Inf	11.12	24.00
6865MHz Straddle 6.525-6.875GHz	Pass	5.20	2.54	2.81	5.69	Inf	10.89	24.00






## Conducted Output Power(Average) - SC Module

## Appendix B.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6945MHz	Pass	5.20	2.67	3.37	6.04	Inf	11.24	24.00
7025MHz	Pass	5.20	2.68	3.10	5.91	Inf	11.11	24.00

DG = Directional Gain; Port X = Port X output power










6.425-6.525GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


6475MHz\_TX






6.425-6.525GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

AV Power

6515MHz\_TX










6.875-7.125GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


6895MHz\_TX



6.875-7.125GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

AV Power

7015MHz\_TX






6.875-7.125GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


7095MHz\_TX





6.875-7.125GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

AV Power

7115MHz\_TX










6.425-6.525GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


6475MHz\_TX



6.425-6.525GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

AV Power

6515MHz\_TX








6.525-6.875GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


6535MHz\_TX





6.525-6.875GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

AV Power

6715MHz\_TX










6.875-7.125GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


7095MHz\_TX






6.875-7.125GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

AV Power

7115MHz\_TX










6.425-6.525GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


6475MHz\_TX



6.425-6.525GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

AV Power

6515MHz\_TX






6.525-6.875GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


6535MHz\_TX





6.525-6.875GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX


AV Power

6715MHz\_TX












6.875-7.125GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

AV Power


7095MHz\_TX





6.875-7.125GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

AV Power

7115MHz\_TX










6.425-6.525GHz\_802.11ax HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

AV Power


6485MHz\_TX




6.425-6.525GHz\_802.11ax HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6525MHz Straddle 6.425-6.525GHz\_TX








6.525-6.875GHz\_802.11ax HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

AV Power


6845MHz\_TX




6.525-6.875GHz\_802.11ax HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6885MHz Straddle 6.525-6.875GHz\_TX










6.875-7.125GHz\_802.11ax HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

7085MHz\_TX

CF  
7.085GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
5ms  
Detector Type  
RMS  
CP BW  
40MHz



Port 1  
Port 2

Sum=Total Power  
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
-6.44	-9.86	-9.07

5.925-6.425GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

5965MHz\_TX


CF  
5.965GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
5ms  
Detector Type  
RMS  
CP BW  
40MHz





Port 1  
Port 2

Sum=Total Power  
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
-2.93	-6.23	-5.66








6.425-6.525GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

AV Power


6525MHz Straddle 6.425-6.525GHz\_TX



6.525-6.875GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6565MHz TX






6.525-6.875GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

AV Power


6725MHz\_TX



6.525-6.875GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6845MHz\_TX






6.525-6.875GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

AV Power


6885MHz Straddle 6.525-6.875GHz\_TX




6.875-7.125GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX


AV Power


6925MHz TX














6.425-6.525GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6485MHz\_TX

- CF: 6.485GHz
- Span: 60MHz
- RBW: 1MHz
- VBW: 3MHz
- Sweep Time: 5ms
- Detector Type: RMS
- CP BW: 40MHz



- Port 1
- Port 2

Sum=Total Power  
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
-0.02	-3.09	-2.98

6.425-6.525GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6525MHz Straddle 6.425-6.525GHz\_TX


- CF: 6.525GHz
- Span: 60MHz
- RBW: 1MHz
- VBW: 3MHz
- Sweep Time: 5ms
- Detector Type: RMS
- CP BW: 40MHz



- Port 1
- Port 2

Sum=Total Power  
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
0.18	-2.92	-2.75



6.525-6.875GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

**6725MHz\_TX**

CF  
6.725GHz

Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
5ms

Detector Type  
RMS

CP BW  
40MHz

Port 1

Port 2

Sum=Total Power  
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
-0.03	-3.12	-2.96




6.525-6.875GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6845MHz\_TX

- CF: 6.845GHz
- Span: 60MHz
- RBW: 1MHz
- VBW: 3MHz
- Sweep Time: 5ms
- Detector Type: RMS
- CP BW: 40MHz



- Port 1
- Port 2

Sum= Total Power  
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
-0.08	-3.22	-2.97

6.525-6.875GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6885MHz Straddle 6.525-6.875GHz\_TX

- CF: 6.885GHz
- Span: 60MHz
- RBW: 1MHz
- VBW: 3MHz
- Sweep Time: 5ms
- Detector Type: RMS
- CP BW: 40MHz



- Port 1
- Port 2

Sum= Total Power  
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
-0.13	-3.17	-3.11



6.875-7.125GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

AV Power


6925MHz\_TX



6.875-7.125GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

7005MHz\_TX






6.875-7.125GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

AV Power


7085MHz\_TX



5.925-6.425GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

5965MHz\_TX






5.925-6.425GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6165MHz\_TX

CF  
6.165GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
5ms  
Detector Type  
RMS  
CP BW  
40MHz



Port 1  
Port 2

Sum=Total Power  
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
3.26	0.24	0.25

5.925-6.425GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6405MHz\_TX

CF  
6.405GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
5ms  
Detector Type  
RMS  
CP BW  
40MHz



Port 1  
Port 2

Sum=Total Power  
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
3.30	0.54	0.03






6.425-6.525GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6445MHz\_TX

- CF: 6.445GHz
- Span: 60MHz
- RBW: 1MHz
- VBW: 3MHz
- Sweep Time: 5ms
- Detector Type: RMS
- CP BW: 40MHz



- Port 1
- Port 2

Sum=Total Power  
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
3.08	0.24	-0.11

6.425-6.525GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6485MHz\_TX

- CF: 6.485GHz
- Span: 60MHz
- RBW: 1MHz
- VBW: 3MHz
- Sweep Time: 5ms
- Detector Type: RMS
- CP BW: 40MHz



- Port 1
- Port 2

Sum=Total Power  
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)
3.29	0.13	0.42



6.425-6.525GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6525MHz Straddle 6.425-6.525GHz\_TX



6.525-6.875GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

AV Power

6565MHz TX

