



Frequency: 6475 MHz	Frequency Drift (ppm)			
	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-14.52	-14.51	-14.18	-14.53
T20°CVmin	-14.05	-13.99	-14.39	-14.19
T85°CVnom	15.58	15.60	15.58	15.49
T80°CVnom	14.21	14.92	14.47	14.46
T70°CVnom	12.66	13.01	13.16	12.76
T60°CVnom	12.28	12.79	12.16	12.60
T50°CVnom	10.05	10.72	9.91	10.32
T40°CVnom	4.86	4.93	5.24	5.23
T30°CVnom	-5.33	-4.64	-5.12	-5.24
T20°CVnom	-15.14	-14.70	-15.19	-15.14
T10°CVnom	-13.03	-12.92	-12.52	-13.22
T0°CVnom	-11.10	-10.61	-11.27	-10.92
T-10°CVnom	-11.49	-11.47	-10.73	-11.44
T-20°CVnom	-10.07	-9.69	-10.01	-10.16
T-30°CVnom	-8.11	-7.92	-7.70	-7.77
T-40°CVnom	-7.54	-7.36	-7.54	-7.12
Vnom [V]: 3.3		Vmax [V]: 3.795		Vmin [V]: 2.805
Tnom [°C]: 20		Tmax [°C]: 85		Tmin [°C]: -40



Frequency: 7015 MHz	Frequency Drift (ppm)				
	Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax		-13.39	-13.35	-13.33	-13.15
T20°CVmin		-12.91	-13.08	-12.64	-13.10
T85°CVnom		14.40	14.41	14.84	14.12
T80°CVnom		13.77	14.21	13.61	14.15
T70°CVnom		12.01	12.47	11.67	12.00
T60°CVnom		11.80	12.00	11.71	12.26
T50°CVnom		9.89	9.86	9.82	10.36
T40°CVnom		4.55	5.08	4.73	5.08
T30°CVnom		-4.29	-4.37	-4.23	-4.55
T20°CVnom		-13.57	-13.36	-13.80	-13.83
T10°CVnom		-11.93	-11.94	-11.86	-12.14
T0°CVnom		-9.79	-10.12	-9.29	-10.07
T-10°CVnom		-10.58	-10.50	-10.54	-10.57
T-20°CVnom		-8.95	-8.74	-8.56	-8.89
T-30°CVnom		-7.31	-6.94	-7.02	-7.53
T-40°CVnom		-6.80	-7.00	-6.41	-6.98
Vnom [V]: 3.3		Vmax [V]: 3.795		Vmin [V]: 2.805	
Tnom [°C]: 20		Tmax [°C]: 85		Tmin [°C]: -40	



Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
ax HE20-OFDMA	5	6195	6194	-64.42	3.3	-67.72	-62	Ceased
				-68.5	3.3	-71.8	-62	Minimal
				-84.5	3.3	-87.8	-62	Normal
	6	6475	6474	-62.63	3.3	-65.93	-62	Ceased
				-67.5	3.3	-70.8	-62	Minimal
				-82.5	3.3	-85.8	-62	Normal
	7	6695	6694	-65.42	3.3	-68.72	-62	Ceased
				-70.5	3.3	-73.8	-62	Minimal
				-85.5	3.3	-88.8	-62	Normal
	8	6995	6994	-62.78	3.3	-66.08	-62	Ceased
				-71.5	3.3	-74.8	-62	Minimal
				-83.5	3.3	-86.8	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
ax HE80-OFDMA	5	6145	6180	-65.33	3.3	-68.63	-62	Ceased
				-66.5	3.3	-69.8	-62	Minimal
				-85.5	3.3	-88.8	-62	Normal
	6	6465	6465	-62.65	3.3	-65.95	-62	Ceased
				-64.5	3.3	-67.8	-62	Minimal
				-82.5	3.3	-85.8	-62	Normal
	7	6785	6785	-63.79	3.3	-67.09	-62	Ceased
				-68	3.3	-71.3	-62	Minimal
				-83.5	3.3	-86.8	-62	Normal
	8	7025	7025	-67.18	3.3	-70.48	-62	Ceased
				-71.5	3.3	-74.8	-62	Minimal
				-87.5	3.3	-90.8	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)







Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
ax HE20-OFDMA	5	6195	6194	-64.42	-67.72	V	V	V	V	V	V	X	V	V	V	90	90
	6	6475	6474	-62.63	-65.93	V	V	V	V	V	X	V	V	V	V	90	90
	7	6695	6694	-65.42	-68.72	V	V	V	V	V	V	V	X	V	V	90	90
	8	6995	6994	-62.78	-66.08	V	V	V	X	V	V	V	V	V	V	90	90



Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)	
ax HE80-OFDMA	5	6145	6110	-66.47	-69.77	V	V	V	V	V	V	V	V	V	V	100	90	
			6145	-66.53	-69.83	V	V	V	V	V	V	X	V	V	V	90	90	
			6180	-65.33	-68.63	V	V	V	V	V	V	V	V	V	V	V	100	90
	6	6465	6430	-64.64	-67.94	V	V	V	V	V	V	V	V	V	X	V	90	90
			6465	-62.65	-65.95	V	V	V	V	V	V	V	V	X	V	V	90	90
			6500	-63.58	-66.88	V	V	V	V	V	V	V	V	V	V	V	100	90
	7	6785	6750	-67.72	-71.02	V	V	V	V	V	X	V	V	V	V	V	90	90
			6785	-63.79	-67.09	V	V	V	V	X	V	V	V	V	V	V	90	90
			6820	-67.79	-71.09	V	V	V	V	V	V	V	V	V	X	V	90	90
	8	7025	6990	-70.07	-73.37	V	V	V	V	V	V	V	V	V	V	V	100	90
			7025	-67.18	-70.48	V	V	V	V	V	V	V	V	X	V	V	90	90
			7060	-70.01	-73.31	V	V	V	V	V	V	V	V	V	V	V	100	90







Test plot of Incumbent signal































Test plot of Contention Based Protocol EUT Normal transmission



















EUT Minimal transmission













EUT ceased transmission



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.