

hp

REF 30.0 dBm ATTEN 40 dB

MKR 928.00 MHz
-47.00 dBm


10 dB/

POS PK

MARKER

928.00 MHz

-47.00 dBm




START 919.5 MHz

RES BW 100 kHz

VBW 3 MHz

STOP 929.5 MHz


SWP 20.0 msec



hp REF 30.0 dBm ATTEN 40 dB

MKR Δ 394 kHz
-1.10 dB

10 dB/
POS PK



CENTER 905.19 MHz
RES BW 100 kHz

VBW 3 MHz

SPAN 2.00 MHz
SWP 20.0 msec

hp

REF 30.0 dBm ATTEN 40 dB

MKR 902.00 MHz
-48.50 dBm


10 dB/

POS PK

MARKER

DL
29.4
dBm

902.00 MHz
-48.50 dBm



CENTER 905.1 MHz

RES BW 100 kHz

VBW 300 kHz

SPAN 10.0 MHz
SWP 20.0 msec


hp

REF 30.0 dBm ATTEN 40 dB

MKR Δ 452 kHz
0.20 dB

10 dB/

POS PK



CENTER 924.59 MHz

RES BW 100 kHz

VBW 3 MHz

SPAN 2.00 MHz

SWP 20.0 msec

