







Appendix D: SAR Test Setup

<p>Photo 1: Measurement System SATIMO</p>	<p>Photo 2: Left Cheek</p>
 <p>A photograph of the measurement system in a laboratory. A white KUKA robotic arm is positioned over a table. Various electronic equipment, including a computer monitor and a specialized measurement device, is visible on the table and in the background.</p>	 <p>A close-up photograph of a white mannequin head. A smartphone is held in a white plastic fixture on the left side of the head, simulating a cheek position. A red strap is used to secure the phone.</p>
<p>Photo 3: Left Tilt 15°</p>	<p>Photo 4: Right Cheek</p>
 <p>A close-up photograph of the mannequin head and phone fixture, showing the phone tilted to the left at a 15-degree angle.</p>	 <p>A close-up photograph of the mannequin head and phone fixture, showing the phone positioned on the right side of the head.</p>
<p>Photo 5: Right Tilt 15°</p>	<p>Photo 6: Face upward 10mm</p>
 <p>A close-up photograph of the mannequin head and phone fixture, showing the phone tilted to the right at a 15-degree angle.</p>	 <p>A close-up photograph of the phone fixture with a ruler placed vertically next to it. The ruler indicates a distance of 10 mm from the top of the phone to the top of the fixture.</p>

<p>Photo 7: Back Upward 10mm</p>	<p>Photo 8: Edge A 10mm</p>
	
<p>Photo 9: Edge B 10mm</p>	<p>Photo 10: Edge C 10mm</p>
	
<p>Photo 11: Edge D 10mm</p>	<p>Photo 12: Liquid deep(15cm)</p>
