



Test Mode: 802.11ax HE40(52T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5190	0.10	2.943	6.230	7.901
5230	0.10	3.313	5.894	7.803


Test Mode: 802.11ax HE40 Chain0




Test Mode: 802.11ax HE40 Chain0



Test Mode: 802.11ax HE40 Chain1




Test Mode: 802.11ax HE40 Chain1




Test Mode: 802.11ax HE40(106T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5190	0.10	1.334	4.012	5.887
5230	0.10	1.127	4.128	5.892


Test Mode: 802.11ax HE40 Chain0




Test Mode: 802.11ax HE40 Chain0



Test Mode: 802.11ax HE40 Chain1




Test Mode: 802.11ax HE40 Chain1




Test Mode: 802.11ax HE40(242T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5190	0.10	-2.472	0.170	2.057
5230	0.10	-2.537	0.242	2.081


Test Mode: 802.11ax HE40 Chain0




Test Mode: 802.11ax HE40 Chain0



Test Mode: 802.11ax HE40 Chain1




Test Mode: 802.11ax HE40 Chain1




Test Mode: 802.11ax HE40(484T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5190	0.10	-5.512	-2.131	-0.490
5230	0.10	-6.223	-2.284	-0.811


Test Mode: 802.11ax HE40 Chain0




Test Mode: 802.11ax HE40 Chain0



Test Mode: 802.11ax HE40 Chain1




Test Mode: 802.11ax HE40 Chain1




Test Mode: 802.11ax HE80(26T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5210	0.09	6.198	7.801	10.083

Test Mode: 802.11ax HE80 Chain0




Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80(52T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5210	0.09	2.548	5.154	7.054

Test Mode: 802.11ax HE80 Chain0




Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80(106T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5210	0.09	0.135	2.652	4.584

Test Mode: 802.11ax HE80 Chain0




Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80(242T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5210	0.09	-2.984	-0.472	1.461

Test Mode: 802.11ax HE80 Chain0




Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80(484T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5210	0.09	-5.854	-3.35	-1.414

Test Mode: 802.11ax HE80 Chain0




Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80(996T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain0	Power Density (dBm) Chain1	Power Density (dBm) MIMO
5210	0.09	-8.306	-6.089	-4.047

Test Mode: 802.11ax HE80 Chain0



Test Mode: 802.11ax HE80 Chain1



Frequency Stability

U-NII-1

Mode	Data Rate	Ant	Center Frequency (MHz)	Measured Frequency (MHz)	Frequency Stability (ppm)	Voltage (V)	Temperature (°C)
802.11a	6Mbps	Chain0	5180	5180.000104	0.02	NV	-10
			5180	5179.98705	-2.50	NV	0
			5180	5179.975447	-4.74	NV	+10
			5180	5180.016939	3.27	NV	+20
			5180	5180.002642	0.51	HV	+20
			5180	5180.003471	0.67	LV	+20
			5180	5180.019477	3.76	NV	+30
			5180	5179.984046	-3.08	NV	+40
			5180	5179.983994	-3.09	NV	+50
802.11a	6Mbps	Chain1	5180	5180.005802	1.12	NV	+55
			5180	5179.993836	-1.19	NV	-10
			5180	5180.000881	0.17	NV	0
			5180	5180.016006	3.09	NV	+10
			5180	5180.000363	0.07	NV	+20
			5180	5179.978814	-4.09	HV	+20
			5180	5180.004351	0.84	LV	+20
			5180	5180.02388	4.61	NV	+30
			5180	5179.981404	-3.59	NV	+40
5180	5180.02476	4.78	NV	+50			
			5180	5179.984823	-2.93	NV	+55