

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2498.5	39675	5	1	0	23.13	24.63	0.290
				1	12	23.13	24.63	0.290
				1	24	23.12	24.62	0.290
				12	0	23.12	24.62	0.290
				12	7	23.11	24.61	0.289
				12	13	23.12	24.62	0.290
				25	0	23.11	24.61	0.289
	2593	40620		1	0	23.13	24.63	0.290
				1	12	23.13	24.63	0.290
				1	24	23.15	24.65	0.292
				12	0	23.14	24.64	0.291
				12	7	23.14	24.64	0.291
				12	13	23.13	24.63	0.290
				25	0	23.13	24.63	0.290
	2687.5	41565		1	0	22.76	24.26	0.267
				1	12	22.77	24.27	0.267
				1	24	22.77	24.27	0.267
				12	0	22.76	24.26	0.267
				12	7	22.75	24.25	0.266
				12	13	22.76	24.26	0.267
				25	0	22.76	24.26	0.267

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	2501	39700	10	1	0	25.01	26.51	0.448	
				1	25	25.01	26.51	0.448	
				1	49	25.04	26.54	0.451	
				25	0	24.16	25.66	0.368	
				25	12	24.13	25.63	0.366	
				25	25	24.13	25.63	0.366	
	50	0		24.06	25.56	0.360			
	2593	40620		1	0	25.00	26.50	0.447	
				1	25	24.96	26.46	0.443	
				1	49	24.99	26.49	0.446	
				25	0	24.10	25.60	0.363	
				25	12	24.16	25.66	0.368	
				25	25	24.17	25.67	0.369	
	50	0		24.20	25.70	0.372			
	2685	41540		1	0	24.74	26.24	0.421	
				1	25	24.73	26.23	0.420	
				1	49	24.75	26.25	0.422	
				25	0	23.72	25.22	0.333	
				25	12	23.79	25.29	0.338	
				25	25	23.77	25.27	0.337	
	50	0		23.70	25.20	0.331			
	16QAM	2501		39700	1	0	24.40	25.90	0.389
					1	25	24.43	25.93	0.392
					1	49	24.35	25.85	0.385
25			0		23.26	24.76	0.299		
25			12		23.14	24.64	0.291		
25			25		23.24	24.74	0.298		
50		0	23.12	24.62	0.290				
2593		40620	1	0	24.33	25.83	0.383		
			1	25	24.22	25.72	0.373		
			1	49	24.15	25.65	0.367		
			25	0	23.14	24.64	0.291		
			25	12	23.20	24.70	0.295		
			25	25	23.26	24.76	0.299		
50		0	23.18	24.68	0.294				
2685		41540	1	0	23.74	25.24	0.334		
			1	25	23.76	25.26	0.336		
			1	49	23.76	25.26	0.336		
			25	0	22.74	24.24	0.265		
			25	12	22.84	24.34	0.272		
			25	25	22.76	24.26	0.267		
50		0	22.80	24.30	0.269				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2501	39700	10	1	0	23.12	24.62	0.290
				1	25	23.12	24.62	0.290
				1	49	23.16	24.66	0.292
				25	0	23.11	24.61	0.289
				25	12	23.11	24.61	0.289
				25	25	23.12	24.62	0.290
	2593	40620		50	0	23.11	24.61	0.289
				1	0	23.18	24.68	0.294
				1	25	23.17	24.67	0.293
				1	49	23.17	24.67	0.293
				25	0	23.17	24.67	0.293
				25	12	23.23	24.73	0.297
	2685	41540		25	25	23.17	24.67	0.293
				50	0	23.17	24.67	0.293
				1	0	22.71	24.21	0.264
				1	25	22.78	24.28	0.268
				1	49	22.73	24.23	0.265
				25	0	22.80	24.30	0.269
				25	12	22.70	24.20	0.263
				25	25	22.75	24.25	0.266
				50	0	22.70	24.20	0.263

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2503.5	39725	15	1	0	24.93	26.43	0.440
				1	37	24.92	26.42	0.439
				1	74	24.88	26.38	0.435
				36	0	24.14	25.64	0.366
				36	29	24.08	25.58	0.361
				36	30	24.06	25.56	0.360
				75	0	24.08	25.58	0.361
	2593	40620		1	0	25.11	26.61	0.458
				1	37	25.15	26.65	0.462
				1	74	25.11	26.61	0.458
				36	0	24.13	25.63	0.366
				36	29	24.20	25.70	0.372
				36	30	24.11	25.61	0.364
				75	0	24.17	25.67	0.369
	2682.5	41515		1	0	24.77	26.27	0.424
				1	37	24.67	26.17	0.414
				1	74	24.69	26.19	0.416
				36	0	23.78	25.28	0.337
				36	29	23.82	25.32	0.340
				36	30	23.74	25.24	0.334
				75	0	23.77	25.27	0.337
16QAM	2503.5	39725	1	0	24.36	25.86	0.385	
			1	37	24.31	25.81	0.381	
			1	74	24.26	25.76	0.377	
			36	0	23.18	24.68	0.294	
			36	29	23.12	24.62	0.290	
			36	30	23.13	24.63	0.290	
			75	0	23.13	24.63	0.290	
	2593	40620	1	0	24.13	25.63	0.366	
			1	37	24.18	25.68	0.370	
			1	74	24.21	25.71	0.372	
			36	0	23.04	24.54	0.284	
			36	29	23.15	24.65	0.292	
			36	30	23.14	24.64	0.291	
			75	0	23.11	24.61	0.289	
	2682.5	41515	1	0	24.22	25.72	0.373	
			1	37	24.18	25.68	0.370	
			1	74	24.11	25.61	0.364	
			36	0	23.13	24.63	0.290	
			36	29	23.18	24.68	0.294	
			36	30	23.12	24.62	0.290	
			75	0	23.10	24.60	0.288	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2503.5	39725	15	1	0	23.20	24.70	0.295
				1	37	23.19	24.69	0.294
				1	74	23.12	24.62	0.290
				36	0	23.18	24.68	0.294
				36	29	23.10	24.60	0.288
				36	30	23.15	24.65	0.292
				75	0	23.19	24.69	0.294
	2593	40620		1	0	23.21	24.71	0.296
				1	37	23.10	24.60	0.288
				1	74	23.17	24.67	0.293
				36	0	23.13	24.63	0.290
				36	29	23.14	24.64	0.291
				36	30	23.17	24.67	0.293
				75	0	23.17	24.67	0.293
	2682.5	41515		1	0	23.13	24.63	0.290
				1	37	23.10	24.60	0.288
				1	74	23.07	24.57	0.286
				36	0	23.09	24.59	0.288
				36	29	23.04	24.54	0.284
				36	30	23.06	24.56	0.286
				75	0	23.11	24.61	0.289

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2506	39750	20	1	0	24.95	26.45	0.442
				1	49	24.95	26.45	0.442
				1	99	24.94	26.44	0.441
				50	0	24.07	25.57	0.361
				50	24	24.07	25.57	0.361
				50	50	24.13	25.63	0.366
	100	0		24.13	25.63	0.366		
	2593	40620		1	0	25.27	26.77	0.475
				1	49	25.11	26.61	0.458
				1	99	25.11	26.61	0.458
				50	0	24.10	25.60	0.363
				50	24	24.13	25.63	0.366
				50	50	24.12	25.62	0.365
	100	0		24.19	25.69	0.371		
	2680	41490		1	0	24.83	26.33	0.430
				1	49	24.74	26.24	0.421
				1	99	24.71	26.21	0.418
				50	0	23.76	25.26	0.336
50			24	23.81	25.31	0.340		
50			50	23.78	25.28	0.337		
100	0	23.76	25.26	0.336				
16QAM	2506	39750	1	0	24.21	25.71	0.372	
			1	49	24.25	25.75	0.376	
			1	99	24.21	25.71	0.372	
			50	0	23.16	24.66	0.292	
			50	24	23.07	24.57	0.286	
			50	50	23.09	24.59	0.288	
	100	0	23.14	24.64	0.291			
	2593	40620	1	0	24.19	25.69	0.371	
			1	49	24.23	25.73	0.374	
			1	99	24.23	25.73	0.374	
			50	0	23.08	24.58	0.287	
			50	24	23.06	24.56	0.286	
			50	50	23.09	24.59	0.288	
	100	0	23.18	24.68	0.294			
	2680	41490	1	0	23.51	25.01	0.317	
			1	49	23.38	24.88	0.308	
			1	99	23.38	24.88	0.308	
			50	0	22.78	24.28	0.268	
50			24	22.84	24.34	0.272		
50			50	22.84	24.34	0.272		
100	0	22.69	24.19	0.262				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2506	39750	20	1	0	23.11	24.61	0.289
				1	49	23.14	24.64	0.291
				1	99	23.14	24.64	0.291
				50	0	23.13	24.63	0.290
				50	24	23.13	24.63	0.290
				50	50	23.13	24.63	0.290
				100	0	23.13	24.63	0.290
	2593	40620		1	0	23.19	24.69	0.294
				1	49	23.11	24.61	0.289
				1	99	23.14	24.64	0.291
				50	0	23.17	24.67	0.293
				50	24	23.14	24.64	0.291
				50	50	23.14	24.64	0.291
				100	0	23.17	24.67	0.293
	2680	41490		1	0	22.81	24.31	0.270
				1	49	22.77	24.27	0.267
				1	99	22.77	24.27	0.267
				50	0	22.71	24.21	0.264
				50	24	22.69	24.19	0.262
				50	50	22.70	24.20	0.263
				100	0	22.68	24.18	0.262