






Antenna Type: IFA

Manufacturer: Auden Communication&Multimedia Techno (Kunshan) Co., Ltd


Frequency / MHz	Efficiency / %	Gain/dBi	Efficiency
1700	-5.34	29.23	-2.75
1710	-5.59	27.58	-3.04
1720	-6.09	24.59	-3.14
1730	-6.27	23.59	-3.42
1740	-6.69	21.42	-3.65
1750	-6.65	21.63	-3.92
1760	-6.39	22.95	-3.55
1770	-6.13	24.38	-2.78
1780	-5.71	26.86	-2.26
1790	-5.47	28.35	-2.26
1800	-5.31	29.44	-2.04
1810	-5.27	29.75	-2.12
1820	-5.03	31.42	-1.51
1830	-4.83	32.87	-1.22
1840	-4.88	32.54	-1.63
1850	-4.94	32.09	-1.9
1860	-4.86	32.64	-1.77
1870	-4.69	33.93	-1.34
1880	-4.65	34.28	-1.52
1890	-4.85	32.7	-1.51
1900	-5.04	31.32	-1.67
1910	-5	31.65	-1.39
1920	-4.96	31.91	-1.05
1930	-5.12	30.76	-1.37
1940	-5.01	31.56	-1.16
1950	-5.01	31.55	-1.07
1960	-5.12	30.77	-1.47
1970	-5.25	29.83	-1.7
1980	-5.19	30.28	-1.77
1990	-5.14	30.62	-1.94
2000	-5.13	30.69	-2.2
2010	-4.9	32.36	-2.33
2020	-4.75	33.46	-2.38
2030	-4.49	35.53	-2.05
2040	-4.31	37.04	-1.81
2050	-4.21	37.96	-1.52
2060	-4.02	39.6	-1.14
2070	-3.77	41.95	-0.67
2080	-3.75	42.18	-0.4
2090	-3.56	44.07	0.05
2100	-3.38	45.87	0.22
2110	-3.42	45.52	0.23
2120	-3.43	45.36	0.33
2130	-3.46	45.04	0.29
2140	-3.53	44.31	0.03
2150	-3.77	42	-0.23
2160	-4.07	39.2	-0.66
2170	-4.43	36.09	-1.06
2180	-4.62	34.49	-1.2
2190	-4.82	32.99	-1.39
2200	-5.05	31.23	-1.49
2500	-6.06	24.76	-2.99
2510	-6.23	23.8	-3.49
2520	-6.44	22.67	-3.51
2530	-6.63	21.73	-3.87
2540	-6.63	21.75	-3.73
2550	-6.5	22.4	-3.59
2560	-6.6	21.86	-3.62
2570	-6.81	20.83	-3.79
2580	-6.5	22.37	-3.66
2590	-6.21	23.92	-3.3
2600	-6.34	23.21	-2.98
2610	-6.21	23.93	-2.84
2620	-5.98	25.24	-2.84
2630	-5.93	25.54	-2.33
2640	-5.84	26.07	-1.72
2650	-5.64	27.27	-0.73
2660	-5.76	26.53	-1.5
2670	-5.91	25.67	-2.05
2680	-5.77	26.47	-1.78
2690	-5.38	28.94	-1.47
2700	-5.4	28.86	-1.47




Antenna Type: 17A
 Manufacturer: Antenna Communications Multimedia Techno (Kunshan) Co., Ltd

Frequency (MHz)	Efficiency (%)	Gain (dB)
860	-12.43	5.72
870	-11.01	7.93
880	-9.84	10.17
890	-8.46	14.27
900	-7.72	16.92
910	-6.93	20.29
920	-6.07	24.14
930	-5.38	29
940	-4.78	32.85
950	-4.24	39.93
960	-3.64	47.29
970	-4.41	22.85
980	-7.41	18.13
990	-8.39	14.5
1000	-8.94	12.76
1100	-17.3	1.86
1110	-16.53	2.98
1120	-16.88	2.05
1130	-16.32	2.34
1140	-16.01	2.5
1150	-15.75	2.66
1160	-15.13	3.07
1170	-14.72	3.17
1180	-14.35	3.67
1190	-14.1	3.89
1180	-13.92	4.05
1190	-14.08	3.91
1180	-13.93	4.07
1180	-13.94	4.04
1180	-14.13	3.7
1180	-14.08	3.41
1180	-14.84	3.28
1180	-14.89	3.24
1180	-14.86	3.27
1180	-14.93	3.21
1180	-14.86	3.27
1180	-14.41	3.62
1180	-13.92	4.05
1180	-13.62	4.32
1180	-13.12	4.88
1180	-12.78	5.27
1180	-12.98	5.4
1180	-12.57	5.54
1180	-12.17	6.07
1180	-11.72	6.73
2000	-11.23	7.42
2010	-10.98	8.76
2020	-10.05	9.89
2030	-9.44	11.57
2040	-8.97	12.68
2050	-8.54	14.99
2060	-8.04	16.09
2070	-7.4	18.71
2080	-6.95	20.19
2090	-6.47	22.56
2100	-6.09	24.98
2110	-6.02	25.03
2120	-6.24	23.79
2130	-6.86	20.61
2140	-7.87	16.34
2150	-8.38	13.59
2160	-11.09	7.79
2170	-12.52	5.5
2180	-13.1	4.89
2190	-13.19	4.8
2200	-13.23	4.78
2500	-8.1	11.47
2510	-7.8	16.4
2520	-7.66	17.15
2530	-7.65	17.35
2540	-7.49	17.85
2550	-7.36	18.37
2560	-7.23	18.88
2570	-8.22	16.05
2580	-7.87	16.33
2590	-7.67	17.09
2600	-8	15.84
2610	-8.17	15.25
2620	-8.31	14.74
2630	-8.72	13.62
2640	-9.12	12.24
2650	-9.37	11.03
2660	-9.74	10.63
2670	-10.07	9.85
2680	-10.26	9.42
2690	-10.4	9.13
2700	-11.05	7.86

N29



E2683







Antenna Type: IFA
 Manufacturer: Auden Communication&Multimedia Techno (Kunshan) Co., Ltd

B8

Frequency /MHz	Efficiency /%	Gain/ dBi
860	-8.86	12.99
870	-7.67	17.09
880	-6.75	21.13
890	-5.57	27.73
900	-5.21	30.16
910	-5.1	30.9
920	-5.27	29.74
930	-5.63	27.33
940	-6.38	23.03
950	-6.97	20.07
960	-7.7	16.96
970	-8.51	14.09
980	-9.5	11.22
990	-10.4	9.12
1000	-10.74	8.43



N28

Frequency /MHz	Efficiency /%	Gain/ dBi
700	-10.88	8.17
710	-10.05	9.88
720	-9.51	11.21
730	-9.33	11.66
740	-8.86	13.01
750	-8.65	13.65
760	-9.4	11.48
770	-9.64	10.87
780	-9.91	10.22
790	-10.48	8.96
800	-11.03	7.88
810	-11.69	6.78
820	-12.19	6.03
830	-12.5	5.63
840	-12.81	5.24
850	-13.13	4.86




Antenna Type: IFA
 Manufacturer: Auden Communication&Multimedia Techno (Kunshan) Co., Ltd

Frequency /MHz	Efficiency /%	Gain/ dBi
3300	-9.83	10.4
3310	-9.56	11.06
3320	-9.39	11.51
3330	-9.33	11.68
3340	-9.39	11.52
3350	-9.46	11.32
3360	-9.47	11.31
3370	-9.39	11.5
3380	-9.19	12.05
3390	-9.01	12.55
3400	-9.01	12.55
3410	-9.23	11.95
3420	-9.5	11.22
3430	-9.32	11.68
3440	-9.15	12.15
3450	-9	12.6
3460	-8.89	12.9
3470	-8.79	13.22
3480	-8.65	13.64
3490	-8.86	12.99
3500	-8.97	12.66
3510	-8.88	12.94
3520	-8.82	13.12
3530	-8.77	13.28
3540	-8.84	13.05
3550	-9.07	12.39
3560	-9.33	11.67
3570	-9.79	10.49
3580	-10.01	9.98
3590	-9.93	10.16
3600	-10	10
3800	-9.39	11.52
3810	-9.3	11.75
3820	-9.21	12
3830	-9.13	12.23
3840	-9.33	11.67
3850	-9.45	11.34
3860	-9.43	11.41
3870	-9.43	11.4
3880	-9.4	11.48
3890	-9.4	11.49
3900	-9.21	12.01
3910	-8.92	12.81
3920	-8.85	13.02
3930	-8.92	12.81
3940	-9.28	11.8
3950	-9.72	10.65
3960	-9.66	10.81
3970	-9.26	11.85
3980	-8.98	12.65
3990	-8.83	13.09
4000	-8.96	12.7
4010	-9.11	12.27
4020	-9.38	11.53
4030	-9.57	11.05
4040	-9.41	11.46
4050	-9.34	11.63
4060	-9.43	11.4
4070	-9.36	11.6
4080	-9.27	11.83
4090	-9.26	11.87
4100	-9.37	11.55




Antenna Type: IFA
 Manufacturer: Auden Communication Multimedia Techno (Kunshan) Co., Ltd

Frequency /MHz	Efficiency /%	Gain/dBi
1700	-4.51	35.41
1710	-4.9	32.39
1720	-5.72	26.77
1730	-6.16	24.22
1740	-6.71	21.31
1750	-7.14	19.3
1760	-7.54	17.4
1770	-8.02	15.76
1780	-8.35	14.63
1790	-8.9	12.89
1800	-9.34	11.64
1810	-9.97	10.07
1820	-10.2	9.55
1830	-10.51	8.9
1840	-10.96	8.01
1850	-11.43	7.19
1860	-11.84	6.54
1870	-12.2	6.02
1880	-12.43	5.71
1890	-12.89	5.14
1900	-13.34	4.63
1910	-13.58	4.38
1920	-13.79	4.18
1930	-14.21	3.79
1940	-14.47	3.58
1950	-14.83	3.29
1960	-15.15	3.06
1970	-15.46	2.85
1980	-15.45	2.85
1990	-15.7	2.69
2000	-15.87	2.59
2010	-15.9	2.57
2020	-16.2	2.4
2030	-16.41	2.29
2040	-16.59	2.19
2050	-16.85	2.07
2060	-16.92	2.03
2070	-16.75	2.11
2080	-16.68	2.15
2090	-16.56	2.21
2100	-16.53	2.23
2110	-16.75	2.11
2120	-16.93	2.03
2130	-17.03	1.98
2140	-17.04	1.98
2150	-17.15	1.93
2160	-17.19	1.91
2170	-17.32	1.85
2180	-17.46	1.8
2190	-17.62	1.73
2200	-17.86	1.64
3310	-9.53	11.13
3320	-9.3	11.74
3330	-9.18	12.09
3340	-9.01	12.55
3350	-8.77	13.28
3360	-8.58	13.87
3370	-8.56	13.94
3380	-8.74	13.38
3390	-8.87	12.96
3400	-8.91	12.84
3410	-8.94	12.76
3420	-9.09	12.34
3430	-9.18	12.08
3440	-9.42	11.44
3450	-9.63	10.89
3460	-9.91	10.21
3470	-10.11	9.76
3480	-10.17	9.61
3490	-10.69	8.52
3500	-11.38	7.29
3510	-12.04	6.26
3520	-12.54	5.57
3530	-13.1	4.9
3540	-13.55	4.42
3550	-13.84	4.13
3560	-14.03	3.95
3570	-14.47	3.57
3580	-15.1	3.09
3590	-15.37	2.9
3600	-15.53	2.8
3610	-15.91	2.57
3620	-16.08	2.47
3630	-15.93	2.55
3640	-15.87	2.59
3650	-16.14	2.43
3660	-16.44	2.27
3670	-16.73	2.12
3680	-16.8	2.09
3690	-16.73	2.12
3700	-16.43	2.27
3710	-16.17	2.42
3720	-16	2.51
3730	-15.9	2.57
3740	-15.9	2.57
3750	-15.78	2.64
3760	-15.51	2.81
3770	-15.32	2.94
3780	-15.06	3.12
3790	-14.42	3.62
3800	-13.68	4.28
3810	-13.39	4.58
3820	-13.25	4.73
3830	-13.24	4.74
3840	-13.06	4.94
3850	-12.69	5.38
3860	-12.08	6.2
3870	-11.34	7.34
3880	-10.85	8.21
3890	-10.43	9.07
3900	-10.02	9.96
3910	-9.62	10.91
3920	-9	12.59
3930	-8.41	14.43
3940	-7.98	15.92
3950	-7.63	17.25
3960	-7.27	18.75
3970	-6.82	20.78
3980	-6.57	22.01
3990	-6.42	22.79
4000	-6.35	23.16
4010	-6.45	22.67
4020	-6.81	20.86
4030	-7.16	19.22
4040	-7.33	18.49
4050	-7.67	17.11
4060	-8.19	15.19
4070	-8.56	13.93
4080	-8.94	12.76
4090	-9.37	11.55
4100	-9.95	10.11





Antenna Type: IFA
 Manufacturer: Auden Communication&Multimedia Techno (Kunshan) Co., Ltd

Frequency / MHz	Efficiency		Gain/ dBi
		/ %	
2500	-4.92	32.25	0.42
2510	-4.46	35.85	0.94
2520	-4.26	37.46	1
2530	-4.28	37.31	1.04
2540	-4.26	37.47	1.11
2550	-4.08	39.05	1.25
2560	-4.17	38.27	1.25
2570	-4.38	36.52	1.36
2580	-4.4	36.28	1.39
2590	-4.45	35.93	1.41
2600	-4.86	32.69	0.97
2610	-5.11	30.86	0.72
2620	-5.21	30.14	0.65
2630	-5.36	29.08	0.92
2640	-5.64	27.28	0.73
2650	-5.84	26.06	0.55
2660	-6.24	23.74	-0.1
2670	-6.83	20.74	-0.68
2680	-7.26	18.81	-1.14
2690	-7.26	18.81	-1.13
2700	-7.4	18.18	-1.27



Antenna Type: Loop
 Manufacturer: Auden Communication&Multimedia Techno (Kunshan) Co., Ltd



Frequency / MHz	Efficiency / %	Gain/ dBi
3310	-7.63	17.26
3320	-7.71	16.95
3330	-7.82	16.52
3340	-7.83	16.47
3350	-7.68	17.05
3360	-7.51	17.75
3370	-7.41	18.14
3380	-7.46	17.97
3390	-7.57	17.48
3400	-7.67	17.09
3410	-7.77	16.72
3420	-7.81	16.57
3430	-7.53	17.65
3440	-7.3	18.63
3450	-7.05	19.74
3460	-7.01	19.92
3470	-6.99	19.99
3480	-6.73	21.21
3490	-6.86	20.6
3500	-6.99	19.98
3510	-6.92	20.34
3520	-6.7	21.37
3530	-6.56	22.08
3540	-6.59	21.92
3550	-6.69	21.44
3560	-6.65	21.62
3570	-6.82	20.81
3580	-6.87	20.58
3590	-6.55	22.13
3600	-6.38	23.01
3610	-6.44	22.67
3620	-6.5	22.4
3630	-6.4	22.92
3640	-6.26	23.65
3650	-6.38	23.03
3660	-6.34	23.21
3670	-6.15	24.29
3680	-6	25.11
3690	-5.94	25.49
3700	-5.94	25.49
3710	-6.11	24.48
3720	-6.18	24.12
3730	-6.24	23.76
3740	-6.3	23.45
3750	-6.18	24.09
3760	-6.13	24.38
3770	-6.23	23.82
3780	-6.46	22.57
3790	-6.34	23.22
3800	-5.9	25.73
3810	-5.87	25.9
3820	-5.89	25.79
3830	-6.02	25.03
3840	-6.33	23.27
3850	-6.56	22.09
3860	-6.5	22.39
3870	-6.36	23.13
3880	-6.32	23.35
3890	-6.4	22.89
3900	-6.39	22.94
3910	-6.35	23.16
3920	-6.41	22.86
3930	-6.56	22.08
3940	-6.95	20.18
3950	-7.29	18.66
3960	-7.2	19.07
3970	-6.87	20.58
3980	-6.69	21.44
3990	-6.68	21.46
4000	-6.82	20.8
4010	-6.91	20.36
4020	-7.12	19.43
4030	-7.17	19.16
4040	-7	19.96
4050	-7.02	19.86
4060	-7.22	18.95
4070	-7.35	18.41
4080	-7.36	18.35
4090	-7.37	18.32
4100	-7.5	17.8



Antenna Type: IFA

Manufacturer: Auden Communication&Multimedia Techno (Kunshan) Co., Ltd



Frequency / MHz	Efficiency / %	Gain/ dBi
3300	-8.37	14.57
3310	-7.95	16.05
3320	-7.61	17.33
3330	-7.38	18.26
3340	-7.26	18.78
3350	-7.18	19.14
3360	-7.07	19.63
3370	-6.97	20.07
3380	-6.81	20.82
3390	-6.55	22.15
3400	-6.31	23.4
3410	-6.15	24.29
3420	-6.14	24.33
3430	-5.92	25.61
3440	-5.75	26.62
3450	-5.55	27.84
3460	-5.4	28.83
3470	-5.15	30.52
3480	-4.8	33.11
3490	-4.86	32.63
3500	-5.01	31.53
3510	-5.04	31.33
3520	-4.93	32.16
3530	-4.84	32.83
3540	-4.78	33.3
3550	-4.74	33.59
3560	-4.73	33.64
3570	-5.01	31.52
3580	-5.27	29.71
3590	-5.16	30.46
3600	-5.11	30.81
3610	-5.23	30.02
3620	-5.2	30.2
3630	-5.09	30.97
3640	-5	31.64
3650	-5.2	30.17
3660	-5.36	29.1
3670	-5.27	29.71
3680	-5.08	31.07
3690	-4.98	31.78
3700	-4.93	32.12
3710	-5.13	30.69
3720	-5.31	29.41
3730	-5.54	27.96
3740	-5.72	26.81
3750	-5.56	27.81
3760	-5.44	28.55
3770	-5.49	28.26
3780	-5.65	27.24
3790	-5.67	27.08
3800	-5.46	28.47
3810	-5.51	28.13
3820	-5.6	27.57
3830	-5.63	27.35
3840	-5.82	26.15
3850	-6.01	25.08
3860	-5.99	25.17
3870	-6.05	24.81
3880	-6.17	24.13
3890	-6.32	23.35
3900	-6.37	23.08
3910	-6.27	23.59
3920	-6.33	23.3
3930	-6.58	21.96
3940	-7.12	19.41
3950	-7.71	16.96
3960	-7.81	16.54
3970	-7.62	17.3
3980	-7.54	17.61
3990	-7.57	17.48
4000	-7.83	16.49
4010	-8.13	15.4
4020	-8.55	13.95
4030	-8.88	12.95
4040	-8.93	12.8
4050	-9.08	12.37
4060	-9.32	11.7
4070	-9.32	11.69
4080	-9.23	11.95
4090	-9.28	11.81
4100	-9.51	11.19



Antenna Type: IFA


Manufacturer: Auden Communication&Multimedia Techno (Kunshan) Co., Ltd

Frequency / MHz	Efficiency		Gain/ dBi
	Efficiency / %	Gain/ dBi	
1800	-11.99	6.33	-7.42
1810	-11.63	6.87	-6.94
1820	-11.02	7.9	-6.44
1830	-10.45	9.03	-5.76
1840	-10.15	9.66	-5.39
1850	-10.09	9.8	-5.14
1860	-9.98	10.04	-4.81
1870	-10	9.99	-4.5
1880	-10.32	9.3	-4.75
1890	-10.97	8	-5.06
1900	-11.7	6.76	-5.44
2500	-7.85	16.41	-1.63
2510	-7.43	18.09	-1.06
2520	-7.21	18.99	-0.95
2530	-7.27	18.76	-1.08
2540	-7.31	18.57	-1.06
2550	-7.24	18.89	-0.76
2560	-7.38	18.3	-0.59
2570	-7.44	18.02	-0.42
2580	-7.16	19.23	-0.41
2590	-6.94	20.21	-0.4
2600	-7.12	19.41	-0.78
2610	-7.12	19.39	-0.77
2620	-7.08	19.61	-0.73
2630	-7.08	19.58	-0.43
2640	-7.17	19.18	-0.68
2650	-7.15	19.29	-0.9
2660	-7.29	18.66	-1.26
2670	-7.57	17.51	-1.53
2680	-7.69	17.01	-1.62
2690	-7.6	17.38	-1.49
2700	-7.92	16.15	-1.92




Antenna Type: IFA
 Manufacturer: Auden Communication&Multimedia Techno (Kunshan) Co., Ltd

1500	-6.36	23.13	-2.68
1510	-6.19	24.04	-2.59
1520	-6.11	24.5	-2.26
1530	-6.17	24.14	-1.9
1540	-6.14	24.3	-1.6
1550	-5.82	26.18	-1.23
1560	-5.48	28.33	-0.32
1570	-5.44	28.61	-0.08
1580	-5.68	27.05	-0.43
1590	-5.61	27.48	-0.47
1600	-5.19	30.27	0.47



2400	-4.45	35.86	1.15
2410	-4.74	33.55	0.99
2420	-4.87	32.58	1.27
2430	-5.06	31.16	1.08
2440	-5.25	29.86	0.8
2450	-5.45	28.48	0.62
2460	-5.67	27.09	0.38
2470	-5.84	26.05	-0.71
2480	-6.02	24.98	-1.06
2490	-6.21	23.92	-1.48
2500	-6.33	23.3	-1.87



5150	-8.54	14	-1.94
5160	-8.98	12.66	-2.29
5170	-9.04	12.48	-2.15
5180	-8.46	14.27	-1.4
5190	-8.23	15.03	-1.18
5200	-8.25	14.98	-1.24
5210	-8.41	14.41	-1.49
5220	-8.23	15.05	-1.24
5230	-7.91	16.19	-0.89
5240	-8.07	15.61	-1.28
5250	-8.08	15.55	-1.48
5260	-8.22	15.08	-1.7
5270	-8.41	14.43	-1.88
5280	-8.34	14.65	-1.86
5290	-8.18	15.2	-2.08
5300	-8.19	15.16	-2.29
5310	-8.25	14.95	-2.61
5320	-8.17	15.24	-2.65
5330	-8.13	15.38	-2.86
5340	-8.04	15.7	-3.14
5350	-8.09	15.52	-3.53
5360	-7.99	15.88	-3.61
5370	-8.23	15.03	-3.95
5380	-8.47	14.23	-4.43
5390	-8.11	15.45	-4.19
5400	-8.09	15.52	-4.19
5410	-8.12	15.41	-4.3
5420	-8.48	14.18	-4.85
5430	-8.76	13.31	-5.1
5440	-8.66	13.6	-5
5450	-8.55	13.96	-4.99
5460	-8.51	14.1	-5.1
5470	-8.37	14.56	-5.08
5480	-8.54	13.99	-5.22
5490	-8.86	12.99	-5.55
5500	-8.87	12.97	-5.65
5510	-9.35	11.62	-6.06
5520	-9.29	11.76	-5.8
5530	-9.28	11.81	-5.67
5540	-9.41	11.46	-5.62
5550	-8.72	13.44	-4.75
5560	-8.28	14.87	-4.01
5570	-8.01	15.81	-3.7
5580	-8.17	15.26	-3.94
5590	-8.34	14.65	-4.1
5600	-8.05	15.67	-3.6
5610	-7.96	15.98	-3.57
5620	-8.01	15.81	-3.46
5630	-7.76	16.75	-3.14
5640	-7.53	17.68	-2.69
5650	-7.72	16.9	-2.65
5660	-7.7	16.99	-2.21
5670	-7.73	16.86	-2.03
5680	-7.66	17.16	-1.77
5690	-7.69	17.02	-1.65
5700	-7.85	16.41	-1.73
5710	-7.17	19.2	-0.92
5720	-6.52	22.31	-0.34
5730	-6.35	23.18	-0.21
5740	-6.37	23.04	-0.4
5750	-6.66	21.56	-0.58
5760	-6.82	20.78	-0.75
5770	-6.65	21.62	-0.59
5780	-6.6	21.89	-0.46
5790	-6.69	21.41	-0.65
5800	-6.66	21.57	-0.65
5810	-6.73	21.24	-0.8
5820	-6.39	22.94	-0.4
5830	-6.05	24.83	-0.18
5840	-6.21	23.95	-0.52
5850	-6.59	21.94	-1.05

