

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	22.35
QPSK	1850.7	18607	1.4	1	3	22.46
QPSK	1850.7	18607	1.4	1	5	22.73
QPSK	1850.7	18607	1.4	3	0	22.71
QPSK	1850.7	18607	1.4	3	1	22.64
QPSK	1850.7	18607	1.4	3	3	22.59
QPSK	1850.7	18607	1.4	6	0	21.59
QPSK	1880	18900	1.4	1	0	22.58
QPSK	1880	18900	1.4	1	3	22.53
QPSK	1880	18900	1.4	1	5	22.58
QPSK	1880	18900	1.4	3	0	22.53
QPSK	1880	18900	1.4	3	1	22.55
QPSK	1880	18900	1.4	3	3	22.43
QPSK	1880	18900	1.4	6	0	21.52
QPSK	1909.3	19193	1.4	1	0	22.53
QPSK	1909.3	19193	1.4	1	3	22.48
QPSK	1909.3	19193	1.4	1	5	22.42
QPSK	1909.3	19193	1.4	3	0	22.42
QPSK	1909.3	19193	1.4	3	1	22.48
QPSK	1909.3	19193	1.4	3	3	22.49
QPSK	1909.3	19193	1.4	6	0	21.48

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	22.10
16QAM	1850.7	18607	1.4	1	3	22.21
16QAM	1850.7	18607	1.4	1	5	21.90
16QAM	1850.7	18607	1.4	3	0	21.67
16QAM	1850.7	18607	1.4	3	1	21.76
16QAM	1850.7	18607	1.4	3	3	21.53
16QAM	1850.7	18607	1.4	6	0	20.52
16QAM	1880	18900	1.4	1	0	21.68
16QAM	1880	18900	1.4	1	3	21.78
16QAM	1880	18900	1.4	1	5	21.61
16QAM	1880	18900	1.4	3	0	21.44
16QAM	1880	18900	1.4	3	1	21.54
16QAM	1880	18900	1.4	3	3	21.64
16QAM	1880	18900	1.4	6	0	20.60
16QAM	1909.3	19193	1.4	1	0	21.97
16QAM	1909.3	19193	1.4	1	3	21.66
16QAM	1909.3	19193	1.4	1	5	21.89
16QAM	1909.3	19193	1.4	3	0	21.30
16QAM	1909.3	19193	1.4	3	1	21.48
16QAM	1909.3	19193	1.4	3	3	21.56
16QAM	1909.3	19193	1.4	6	0	20.66
64QAM	1850.7	18607	1.4	1	0	20.49
64QAM	1850.7	18607	1.4	1	3	20.78
64QAM	1850.7	18607	1.4	1	5	20.89
64QAM	1850.7	18607	1.4	3	0	20.67
64QAM	1850.7	18607	1.4	3	1	20.84
64QAM	1850.7	18607	1.4	3	3	20.39
64QAM	1850.7	18607	1.4	6	0	19.63
64QAM	1880	18900	1.4	1	0	20.86
64QAM	1880	18900	1.4	1	3	20.81
64QAM	1880	18900	1.4	1	5	20.54
64QAM	1880	18900	1.4	3	0	20.67
64QAM	1880	18900	1.4	3	1	20.45
64QAM	1880	18900	1.4	3	3	20.61
64QAM	1880	18900	1.4	6	0	19.45
64QAM	1909.3	19193	1.4	1	0	20.63
64QAM	1909.3	19193	1.4	1	3	20.46
64QAM	1909.3	19193	1.4	1	5	20.42
64QAM	1909.3	19193	1.4	3	0	20.55
64QAM	1909.3	19193	1.4	3	1	20.74
64QAM	1909.3	19193	1.4	3	3	20.62
64QAM	1909.3	19193	1.4	6	0	19.35

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	22.53
QPSK	1851.5	18615	3	1	8	22.60
QPSK	1851.5	18615	3	1	14	22.56
QPSK	1851.5	18615	3	8	0	21.53
QPSK	1851.5	18615	3	8	4	21.55
QPSK	1851.5	18615	3	8	7	21.58
QPSK	1851.5	18615	3	15	0	21.57
QPSK	1880	18900	3	1	0	22.51
QPSK	1880	18900	3	1	8	22.46
QPSK	1880	18900	3	1	14	22.53
QPSK	1880	18900	3	8	0	21.56
QPSK	1880	18900	3	8	4	21.53
QPSK	1880	18900	3	8	7	21.57
QPSK	1880	18900	3	15	0	21.56
QPSK	1908.5	19185	3	1	0	22.26
QPSK	1908.5	19185	3	1	8	22.37
QPSK	1908.5	19185	3	1	14	22.35
QPSK	1908.5	19185	3	8	0	21.49
QPSK	1908.5	19185	3	8	4	21.47
QPSK	1908.5	19185	3	8	7	21.48
QPSK	1908.5	19185	3	15	0	21.41

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	21.74
16QAM	1851.5	18615	3	1	8	21.91
16QAM	1851.5	18615	3	1	14	21.31
16QAM	1851.5	18615	3	8	0	20.68
16QAM	1851.5	18615	3	8	4	20.74
16QAM	1851.5	18615	3	8	7	20.66
16QAM	1851.5	18615	3	15	0	20.60
16QAM	1880	18900	3	1	0	21.81
16QAM	1880	18900	3	1	8	21.39
16QAM	1880	18900	3	1	14	21.44
16QAM	1880	18900	3	8	0	20.53
16QAM	1880	18900	3	8	4	20.64
16QAM	1880	18900	3	8	7	20.50
16QAM	1880	18900	3	15	0	20.53
16QAM	1908.5	19185	3	1	0	21.21
16QAM	1908.5	19185	3	1	8	21.82
16QAM	1908.5	19185	3	1	14	21.35
16QAM	1908.5	19185	3	8	0	20.55
16QAM	1908.5	19185	3	8	4	20.37
16QAM	1908.5	19185	3	8	7	20.53
16QAM	1908.5	19185	3	15	0	20.40
64QAM	1851.5	18615	3	1	0	20.58
64QAM	1851.5	18615	3	1	8	20.54
64QAM	1851.5	18615	3	1	14	20.60
64QAM	1851.5	18615	3	8	0	19.67
64QAM	1851.5	18615	3	8	4	19.68
64QAM	1851.5	18615	3	8	7	19.72
64QAM	1851.5	18615	3	15	0	19.63
64QAM	1880	18900	3	1	0	20.91
64QAM	1880	18900	3	1	8	20.94
64QAM	1880	18900	3	1	14	20.62
64QAM	1880	18900	3	8	0	19.53
64QAM	1880	18900	3	8	4	19.42
64QAM	1880	18900	3	8	7	19.58
64QAM	1880	18900	3	15	0	19.55
64QAM	1908.5	19185	3	1	0	20.53
64QAM	1908.5	19185	3	1	8	20.30
64QAM	1908.5	19185	3	1	14	20.33
64QAM	1908.5	19185	3	8	0	19.47
64QAM	1908.5	19185	3	8	4	19.55
64QAM	1908.5	19185	3	8	7	19.45
64QAM	1908.5	19185	3	15	0	19.40

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	22.70
QPSK	1852.5	18625	5	1	12	22.63
QPSK	1852.5	18625	5	1	24	22.66
QPSK	1852.5	18625	5	12	0	21.53
QPSK	1852.5	18625	5	12	7	21.55
QPSK	1852.5	18625	5	12	13	21.61
QPSK	1852.5	18625	5	25	0	21.60
QPSK	1880	18900	5	1	0	22.64
QPSK	1880	18900	5	1	12	22.75
QPSK	1880	18900	5	1	24	22.64
QPSK	1880	18900	5	12	0	21.59
QPSK	1880	18900	5	12	7	21.55
QPSK	1880	18900	5	12	13	21.55
QPSK	1880	18900	5	25	0	21.52
QPSK	1907.5	19175	5	1	0	22.46
QPSK	1907.5	19175	5	1	12	22.48
QPSK	1907.5	19175	5	1	24	22.47
QPSK	1907.5	19175	5	12	0	21.48
QPSK	1907.5	19175	5	12	7	21.50
QPSK	1907.5	19175	5	12	13	21.33
QPSK	1907.5	19175	5	25	0	21.48

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	21.95
16QAM	1852.5	18625	5	1	12	21.98
16QAM	1852.5	18625	5	1	24	21.99
16QAM	1852.5	18625	5	12	0	20.53
16QAM	1852.5	18625	5	12	7	20.48
16QAM	1852.5	18625	5	12	13	20.59
16QAM	1852.5	18625	5	25	0	20.44
16QAM	1880	18900	5	1	0	21.80
16QAM	1880	18900	5	1	12	21.81
16QAM	1880	18900	5	1	24	21.55
16QAM	1880	18900	5	12	0	20.54
16QAM	1880	18900	5	12	7	20.57
16QAM	1880	18900	5	12	13	20.53
16QAM	1880	18900	5	25	0	20.56
16QAM	1907.5	19175	5	1	0	21.80
16QAM	1907.5	19175	5	1	12	21.57
16QAM	1907.5	19175	5	1	24	21.30
16QAM	1907.5	19175	5	12	0	20.43
16QAM	1907.5	19175	5	12	7	20.37
16QAM	1907.5	19175	5	12	13	20.26
16QAM	1907.5	19175	5	25	0	20.49
64QAM	1852.5	18625	5	1	0	20.94
64QAM	1852.5	18625	5	1	12	20.81
64QAM	1852.5	18625	5	1	24	20.62
64QAM	1852.5	18625	5	12	0	19.45
64QAM	1852.5	18625	5	12	7	19.61
64QAM	1852.5	18625	5	12	13	19.57
64QAM	1852.5	18625	5	25	0	19.55
64QAM	1880	18900	5	1	0	20.52
64QAM	1880	18900	5	1	12	20.64
64QAM	1880	18900	5	1	24	20.48
64QAM	1880	18900	5	12	0	19.60
64QAM	1880	18900	5	12	7	19.63
64QAM	1880	18900	5	12	13	19.40
64QAM	1880	18900	5	25	0	19.45
64QAM	1907.5	19175	5	1	0	20.44
64QAM	1907.5	19175	5	1	12	20.55
64QAM	1907.5	19175	5	1	24	20.63
64QAM	1907.5	19175	5	12	0	19.43
64QAM	1907.5	19175	5	12	7	19.43
64QAM	1907.5	19175	5	12	13	19.38
64QAM	1907.5	19175	5	25	0	19.43

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	22.52
QPSK	1855	18650	10	1	25	22.53
QPSK	1855	18650	10	1	49	22.56
QPSK	1855	18650	10	25	0	21.56
QPSK	1855	18650	10	25	12	21.56
QPSK	1855	18650	10	25	25	21.58
QPSK	1855	18650	10	50	0	21.64
QPSK	1880	18900	10	1	0	22.61
QPSK	1880	18900	10	1	25	22.62
QPSK	1880	18900	10	1	49	22.51
QPSK	1880	18900	10	25	0	21.57
QPSK	1880	18900	10	25	12	21.58
QPSK	1880	18900	10	25	25	21.54
QPSK	1880	18900	10	50	0	21.60
QPSK	1905	19150	10	1	0	22.39
QPSK	1905	19150	10	1	25	22.43
QPSK	1905	19150	10	1	49	22.43
QPSK	1905	19150	10	25	0	21.44
QPSK	1905	19150	10	25	12	21.37
QPSK	1905	19150	10	25	25	21.32
QPSK	1905	19150	10	50	0	21.47

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	21.87
16QAM	1855	18650	10	1	25	21.68
16QAM	1855	18650	10	1	49	21.99
16QAM	1855	18650	10	25	0	20.57
16QAM	1855	18650	10	25	12	20.66
16QAM	1855	18650	10	25	25	20.71
16QAM	1855	18650	10	50	0	20.59
16QAM	1880	18900	10	1	0	22.17
16QAM	1880	18900	10	1	25	21.80
16QAM	1880	18900	10	1	49	22.24
16QAM	1880	18900	10	25	0	20.63
16QAM	1880	18900	10	25	12	20.51
16QAM	1880	18900	10	25	25	20.52
16QAM	1880	18900	10	50	0	20.54
16QAM	1905	19150	10	1	0	22.12
16QAM	1905	19150	10	1	25	21.62
16QAM	1905	19150	10	1	49	21.94
16QAM	1905	19150	10	25	0	20.56
16QAM	1905	19150	10	25	12	20.54
16QAM	1905	19150	10	25	25	20.43
16QAM	1905	19150	10	50	0	20.37
64QAM	1855	18650	10	1	0	21.00
64QAM	1855	18650	10	1	25	20.69
64QAM	1855	18650	10	1	49	20.67
64QAM	1855	18650	10	25	0	19.54
64QAM	1855	18650	10	25	12	19.55
64QAM	1855	18650	10	25	25	19.65
64QAM	1855	18650	10	50	0	19.56
64QAM	1880	18900	10	1	0	20.79
64QAM	1880	18900	10	1	25	20.69
64QAM	1880	18900	10	1	49	20.74
64QAM	1880	18900	10	25	0	19.63
64QAM	1880	18900	10	25	12	19.56
64QAM	1880	18900	10	25	25	19.54
64QAM	1880	18900	10	50	0	19.55
64QAM	1905	19150	10	1	0	20.90
64QAM	1905	19150	10	1	25	20.67
64QAM	1905	19150	10	1	49	20.38
64QAM	1905	19150	10	25	0	19.45
64QAM	1905	19150	10	25	12	19.50
64QAM	1905	19150	10	25	25	19.41
64QAM	1905	19150	10	50	0	19.38

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	22.48
QPSK	1857.5	18675	15	1	37	22.58
QPSK	1857.5	18675	15	1	74	22.55
QPSK	1857.5	18675	15	36	0	21.55
QPSK	1857.5	18675	15	36	29	21.59
QPSK	1857.5	18675	15	36	30	21.60
QPSK	1857.5	18675	15	75	0	21.63
QPSK	1880	18900	15	1	0	22.51
QPSK	1880	18900	15	1	37	22.62
QPSK	1880	18900	15	1	74	22.50
QPSK	1880	18900	15	36	0	21.58
QPSK	1880	18900	15	36	29	21.56
QPSK	1880	18900	15	36	30	21.49
QPSK	1880	18900	15	75	0	21.53
QPSK	1902.5	19125	15	1	0	22.34
QPSK	1902.5	19125	15	1	37	22.41
QPSK	1902.5	19125	15	1	74	22.39
QPSK	1902.5	19125	15	36	0	21.39
QPSK	1902.5	19125	15	36	29	21.34
QPSK	1902.5	19125	15	36	30	21.41
QPSK	1902.5	19125	15	75	0	21.38

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	22.00
16QAM	1857.5	18675	15	1	37	22.10
16QAM	1857.5	18675	15	1	74	21.95
16QAM	1857.5	18675	15	36	0	20.40
16QAM	1857.5	18675	15	36	29	20.61
16QAM	1857.5	18675	15	36	30	20.66
16QAM	1857.5	18675	15	75	0	20.53
16QAM	1880	18900	15	1	0	21.31
16QAM	1880	18900	15	1	37	21.73
16QAM	1880	18900	15	1	74	21.81
16QAM	1880	18900	15	36	0	20.54
16QAM	1880	18900	15	36	29	20.50
16QAM	1880	18900	15	36	30	20.47
16QAM	1880	18900	15	75	0	20.50
16QAM	1902.5	19125	15	1	0	21.49
16QAM	1902.5	19125	15	1	37	21.92
16QAM	1902.5	19125	15	1	74	21.71
16QAM	1902.5	19125	15	36	0	20.40
16QAM	1902.5	19125	15	36	29	20.42
16QAM	1902.5	19125	15	36	30	20.38
16QAM	1902.5	19125	15	75	0	20.42
64QAM	1857.5	18675	15	1	0	20.56
64QAM	1857.5	18675	15	1	37	20.72
64QAM	1857.5	18675	15	1	74	20.67
64QAM	1857.5	18675	15	36	0	19.43
64QAM	1857.5	18675	15	36	29	19.51
64QAM	1857.5	18675	15	36	30	19.65
64QAM	1857.5	18675	15	75	0	19.50
64QAM	1880	18900	15	1	0	20.81
64QAM	1880	18900	15	1	37	20.65
64QAM	1880	18900	15	1	74	20.43
64QAM	1880	18900	15	36	0	19.51
64QAM	1880	18900	15	36	29	19.54
64QAM	1880	18900	15	36	30	19.54
64QAM	1880	18900	15	75	0	19.51
64QAM	1902.5	19125	15	1	0	20.66
64QAM	1902.5	19125	15	1	37	20.71
64QAM	1902.5	19125	15	1	74	20.51
64QAM	1902.5	19125	15	36	0	19.43
64QAM	1902.5	19125	15	36	29	19.36
64QAM	1902.5	19125	15	36	30	19.34
64QAM	1902.5	19125	15	75	0	19.29

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	22.52
QPSK	1860	18700	20	1	49	22.62
QPSK	1860	18700	20	1	99	22.52
QPSK	1860	18700	20	50	0	21.45
QPSK	1860	18700	20	50	24	21.61
QPSK	1860	18700	20	50	50	21.74
QPSK	1860	18700	20	100	0	21.63
QPSK	1880	18900	20	1	0	22.48
QPSK	1880	18900	20	1	49	22.51
QPSK	1880	18900	20	1	99	22.57
QPSK	1880	18900	20	50	0	21.58
QPSK	1880	18900	20	50	24	21.63
QPSK	1880	18900	20	50	50	21.45
QPSK	1880	18900	20	100	0	21.54
QPSK	1900	19100	20	1	0	22.41
QPSK	1900	19100	20	1	49	22.46
QPSK	1900	19100	20	1	99	22.45
QPSK	1900	19100	20	50	0	21.42
QPSK	1900	19100	20	50	24	21.42
QPSK	1900	19100	20	50	50	21.43
QPSK	1900	19100	20	100	0	21.45

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	21.50
16QAM	1860	18700	20	1	49	21.80
16QAM	1860	18700	20	1	99	21.86
16QAM	1860	18700	20	50	0	20.50
16QAM	1860	18700	20	50	24	20.58
16QAM	1860	18700	20	50	50	20.70
16QAM	1860	18700	20	100	0	20.51
16QAM	1880	18900	20	1	0	21.95
16QAM	1880	18900	20	1	49	21.48
16QAM	1880	18900	20	1	99	21.37
16QAM	1880	18900	20	50	0	20.56
16QAM	1880	18900	20	50	24	20.64
16QAM	1880	18900	20	50	50	20.44
16QAM	1880	18900	20	100	0	20.52
16QAM	1900	19100	20	1	0	21.43
16QAM	1900	19100	20	1	49	21.96
16QAM	1900	19100	20	1	99	21.58
16QAM	1900	19100	20	50	0	20.38
16QAM	1900	19100	20	50	24	20.47
16QAM	1900	19100	20	50	50	20.40
16QAM	1900	19100	20	100	0	20.36
64QAM	1860	18700	20	1	0	21.00
64QAM	1860	18700	20	1	49	20.77
64QAM	1860	18700	20	1	99	20.80
64QAM	1860	18700	20	50	0	19.40
64QAM	1860	18700	20	50	24	19.61
64QAM	1860	18700	20	50	50	19.60
64QAM	1860	18700	20	100	0	19.56
64QAM	1880	18900	20	1	0	20.95
64QAM	1880	18900	20	1	49	20.60
64QAM	1880	18900	20	1	99	20.47
64QAM	1880	18900	20	50	0	19.53
64QAM	1880	18900	20	50	24	19.58
64QAM	1880	18900	20	50	50	19.47
64QAM	1880	18900	20	100	0	19.47
64QAM	1900	19100	20	1	0	20.71
64QAM	1900	19100	20	1	49	20.42
64QAM	1900	19100	20	1	99	20.58
64QAM	1900	19100	20	50	0	19.40
64QAM	1900	19100	20	50	24	19.39
64QAM	1900	19100	20	50	50	19.45
64QAM	1900	19100	20	100	0	19.37

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.08	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.08	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.08	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.67	Fig.4
2	QPSK	1880	18900	3	15	0	2.68	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.68	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.46	Fig.7
2	QPSK	1880	18900	5	25	0	4.47	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.45	Fig.9
2	QPSK	1855	18650	10	50	0	8.90	Fig.10
2	QPSK	1880	18900	10	50	0	8.92	Fig.11
2	QPSK	1905	19150	10	50	0	8.92	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.34	Fig.13
2	QPSK	1880	18900	15	75	0	13.38	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.36	Fig.15
2	QPSK	1860	18700	20	100	0	17.81	Fig.16
2	QPSK	1880	18900	20	100	0	17.82	Fig.17
2	QPSK	1900	19100	20	100	0	17.83	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.08	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.08	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.07	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.68	Fig.22
2	16QAM	1880	18900	3	15	0	2.68	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.68	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.45	Fig.25
2	16QAM	1880	18900	5	25	0	4.45	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.46	Fig.27
2	16QAM	1855	18650	10	50	0	8.91	Fig.28
2	16QAM	1880	18900	10	50	0	8.92	Fig.29
2	16QAM	1905	19150	10	50	0	8.91	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.36	Fig.31
2	16QAM	1880	18900	15	75	0	13.34	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.37	Fig.33
2	16QAM	1860	18700	20	100	0	17.83	Fig.34
2	16QAM	1880	18900	20	100	0	17.80	Fig.35
2	16QAM	1900	19100	20	100	0	17.82	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.07	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.07	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.08	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.68	Fig.40
2	64QAM	1880	18900	3	15	0	2.68	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.67	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.46	Fig.43
2	64QAM	1880	18900	5	25	0	4.46	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.47	Fig.45
2	64QAM	1855	18650	10	50	0	8.92	Fig.46
2	64QAM	1880	18900	10	50	0	8.92	Fig.47
2	64QAM	1905	19150	10	50	0	8.91	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.37	Fig.49
2	64QAM	1880	18900	15	75	0	13.37	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.36	Fig.51
2	64QAM	1860	18700	20	100	0	17.82	Fig.52
2	64QAM	1880	18900	20	100	0	17.81	Fig.53
2	64QAM	1900	19100	20	100	0	17.83	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42