



Channel 1513


Test Mode: HSDPA



Channel 1312




Channel 1412




Channel 1513


Test Mode: HSUPA



Channel 1312




Channel 1412




Channel 1513


Test Mode: HSPA+



Channel 1312




Channel 1412



#### 4. Spurious Emissions at antenna terminal


WCDMA band IV

Test Mode: Release 99




Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSDPA



Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSUPA



Note: The signal beyond the limit is the signal transmitted by EUT.

### 5. Band Edges Compliance

WCDMA band IV

Test Mode: Release 99




Channel 1312



Channel 1513

Test Mode: HSDPA



Channel 1312



Channel 1513

Test Mode: HSUPA




Channel 1312



Channel 1513

Test Mode: HSPA+



Channel 1312



Channel 1513

## 6. Frequency Stability


### WCDMA band IV

Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 1312	Channel 1412	Channel 1513
Release 99	-10	-0.001	0.000	0.001
Release 99	0	0.001	-0.002	0.000
Release 99	+10	-0.001	-0.001	0.001
Release 99	+30	0.000	-0.001	0.002
Release 99	+40	-0.002	-0.001	0.001
Release 99	+55	0.001	0.000	0.002
Mode	Voltage	Test Result (ppm)@NT		
		Channel 1312	Channel 1412	Channel 1513
Release 99	LV	0.000	-0.001	0.003


Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 1312	Channel 1412	Channel 1513
HSDPA	-10	0.006	0.002	0.003
HSDPA	0	-0.001	0.004	0.000
HSDPA	+10	0.000	-0.014	0.001
HSDPA	+30	0.000	-0.021	0.003
HSDPA	+40	0.000	-0.007	0.002
HSDPA	+55	0.000	-0.001	0.000
Mode	Voltage	Test Result (ppm)@NT		
		Channel 1312	Channel 1412	Channel 1513
HSDPA	LV	-0.001	-0.004	-0.001
HSDPA	HV	0.002	0.020	0.001

Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 1312	Channel 1412	Channel 1513
HSUPA	-10	0.000	0.003	0.003
HSUPA	0	0.002	0.002	0.002
HSUPA	+10	0.004	-0.001	0.000
HSUPA	+30	-0.001	0.039	0.002
HSUPA	+40	-0.001	0.033	0.003
HSUPA	+55	0.000	0.036	0.000
Mode	Voltage	Test Result (ppm)@NT		
		Channel 1312	Channel 1412	Channel 1513
HSUPA	LV	0.004	0.050	0.002
HSUPA	HV	0.002	0.058	0.002


**7. Peak-Average Ratio**  
WCDMA band IV  
Test Mode: Release 99



Channel 1312




Channel 1412




Channel 1513

Test Mode: HSDPA




Channel 1312




Channel 1412






Channel 1513


Test Mode: HSUPA



Channel 1312



Channel 1412



Channel 1513

## 8. Effective Radiated Power and Effective Isotropic Radiated Power

WCDMA band IV

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
Release 99	RMC,12.2kps	1712.4	1312	23.38	22.18	0.165
Release 99	RMC,12.2kps	1732.6	1412	23.2	22.00	0.158
Release 99	RMC,12.2kps	1752.6	1513	23.31	22.11	0.163

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSDPA	Subtest1	1712.4	1312	20.84	19.64	0.092
HSDPA	Subtest1	1732.6	1412	21.27	20.07	0.102
HSDPA	Subtest1	1752.6	1513	21.25	20.05	0.101
HSDPA	Subtest2	1712.4	1312	21.37	20.17	0.104
HSDPA	Subtest2	1732.6	1412	21.8	20.60	0.115
HSDPA	Subtest2	1752.6	1513	21.73	20.53	0.113
HSDPA	Subtest3	1712.4	1312	21.29	20.09	0.102
HSDPA	Subtest3	1732.6	1412	21.68	20.48	0.112
HSDPA	Subtest3	1752.6	1513	21.65	20.45	0.111
HSDPA	Subtest4	1712.4	1312	21.33	20.13	0.103
HSDPA	Subtest4	1732.6	1412	21.69	20.49	0.112
HSDPA	Subtest4	1752.6	1513	21.63	20.43	0.110

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSUPA	Subtest1	1712.4	1312	22.29	21.09	0.129
HSUPA	Subtest1	1732.6	1412	22.73	21.53	0.142
HSUPA	Subtest1	1752.6	1513	22.53	21.33	0.136
HSUPA	Subtest2	1712.4	1312	22.31	21.11	0.129
HSUPA	Subtest2	1732.6	1412	22.68	21.48	0.141
HSUPA	Subtest2	1752.6	1513	22.49	21.29	0.135
HSUPA	Subtest3	1712.4	1312	22.3	21.10	0.129
HSUPA	Subtest3	1732.6	1412	22.69	21.49	0.141
HSUPA	Subtest3	1752.6	1513	22.51	21.31	0.135
HSUPA	Subtest4	1712.4	1312	22.3	21.10	0.129

HSUPA	Subtest4	1732.6	1412	22.7	21.50	0.141
HSUPA	Subtest4	1752.6	1513	22.52	21.32	0.136
HSUPA	Subtest5	1712.4	1312	22.26	21.06	0.128
HSUPA	Subtest5	1732.6	1412	22.65	21.45	0.140
HSUPA	Subtest5	1752.6	1513	22.49	21.29	0.135

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSPA+	QPSK	1712.4	1312	22.64	21.44	0.139
HSPA+	QPSK	1732.6	1412	22.86	21.66	0.147
HSPA+	QPSK	1752.6	1513	22.69	21.49	0.141
HSPA+	16QAM	1712.4	1312	22.48	21.28	0.134
HSPA+	16QAM	1732.6	1412	22.9	21.70	0.148
HSPA+	16QAM	1752.6	1513	22.68	21.48	0.141

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DC-HSDPA	Subtest1	1712.4	1312	22.06	20.86	0.122
DC-HSDPA	Subtest1	1732.6	1412	22.79	21.59	0.144
DC-HSDPA	Subtest1	1752.6	1513	22.65	21.45	0.140
DC-HSDPA	Subtest2	1712.4	1312	21.91	20.71	0.118
DC-HSDPA	Subtest2	1732.6	1412	22.79	21.59	0.144
DC-HSDPA	Subtest2	1752.6	1513	22.63	21.43	0.139
DC-HSDPA	Subtest3	1712.4	1312	21.81	20.61	0.115
DC-HSDPA	Subtest3	1732.6	1412	22.74	21.54	0.143
DC-HSDPA	Subtest3	1752.6	1513	22.61	21.41	0.138
DC-HSDPA	Subtest4	1712.4	1312	21.36	20.16	0.104
DC-HSDPA	Subtest4	1732.6	1412	22.78	21.58	0.144
DC-HSDPA	Subtest4	1752.6	1513	22.64	21.44	0.139

## WCDMA band V

### 1. RF Power Output

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
Release 99	RMC,12.2kbps	836.6	4183	23.73
Release 99	RMC,12.2kbps	846.6	4233	23.69
Release 99	RMC,12.2kbps	826.4	4132	23.65

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
HSDPA	Subtest1	826.4	4132	22.25
HSDPA	Subtest1	836.6	4183	22.45
HSDPA	Subtest1	846.6	4233	22.13
HSDPA	Subtest2	826.4	4132	21.95
HSDPA	Subtest2	836.6	4183	22.16
HSDPA	Subtest2	846.6	4233	21.82
HSDPA	Subtest3	826.4	4132	21.66
HSDPA	Subtest3	836.6	4183	21.89
HSDPA	Subtest3	846.6	4233	21.63
HSDPA	Subtest4	826.4	4132	21.56
HSDPA	Subtest4	836.6	4183	22.12
HSDPA	Subtest4	846.6	4233	21.52

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
HSUPA	Subtest1	826.4	4132	23.09
HSUPA	Subtest1	836.6	4183	23.27
HSUPA	Subtest1	846.6	4233	22.73
HSUPA	Subtest2	826.4	4132	23.09
HSUPA	Subtest2	836.6	4183	23.21
HSUPA	Subtest2	846.6	4233	22.75
HSUPA	Subtest3	826.4	4132	23.05
HSUPA	Subtest3	836.6	4183	23.23
HSUPA	Subtest3	846.6	4233	22.76
HSUPA	Subtest4	826.4	4132	23.08
HSUPA	Subtest4	836.6	4183	23.23
HSUPA	Subtest4	846.6	4233	22.74
HSUPA	Subtest5	826.4	4132	23.01
HSUPA	Subtest5	836.6	4183	23.20
HSUPA	Subtest5	846.6	4233	22.62

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
HSPA+	QPSK	826.4	4132	23.00
HSPA+	QPSK	836.6	4183	23.26
HSPA+	QPSK	846.6	4233	22.73
HSPA+	16QAM	826.4	4132	23.03
HSPA+	16QAM	836.6	4183	23.27
HSPA+	16QAM	846.6	4233	22.74

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
DC-HSDPA	Subtest1	826.4	4132	22.98
DC-HSDPA	Subtest1	836.6	4183	23.21
DC-HSDPA	Subtest1	846.6	4233	22.74
DC-HSDPA	Subtest2	826.4	4132	23.00
DC-HSDPA	Subtest2	836.6	4183	23.22
DC-HSDPA	Subtest2	846.6	4233	22.74
DC-HSDPA	Subtest3	826.4	4132	23.03
DC-HSDPA	Subtest3	836.6	4183	23.23
DC-HSDPA	Subtest3	846.6	4233	22.75
DC-HSDPA	Subtest4	826.4	4132	22.97
DC-HSDPA	Subtest4	836.6	4183	23.23
DC-HSDPA	Subtest4	846.6	4233	22.75

## 2. Occupied Bandwidth

WCDMA band V

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
Release 99	826.4	4132	4.15
Release 99	836.6	4183	4.17
Release 99	846.6	4233	4.14


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
HSDPA	826.4	4132	4.15
HSDPA	836.6	4183	4.14
HSDPA	846.6	4233	4.15

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
HSUPA	826.4	4132	4.15
HSUPA	836.6	4183	4.17
HSUPA	846.6	4233	4.14


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
HSPA+	826.4	4132	4.17
HSPA+	836.6	4183	4.15
HSPA+	846.6	4233	4.14

WCDMA band V


Test Mode: Release 99



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSDPA



Channel 4132






Channel 4183





Channel 4233


Test Mode: HSUPA



**Test Mode: HSPA+**







### 3. Emission Bandwidth

#### WCDMA band V


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
Release 99	826.4	4132	4.63
Release 99	836.6	4183	4.63
Release 99	846.6	4233	4.65

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSDPA	826.4	4132	4.67
HSDPA	836.6	4183	4.65
HSDPA	846.6	4233	4.66


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSUPA	826.4	4132	4.63
HSUPA	836.6	4183	4.62
HSUPA	846.6	4233	4.65

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSPA+	826.4	4132	4.62
HSPA+	836.6	4183	4.63
HSPA+	846.6	4233	4.66


WCDMA band V  
Test Mode: Release 99



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSDPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSUPA



Channel 4132







Channel 4183



Channel 4233


Test Mode: HSPA+




**4. Spurious Emissions at antenna terminal**

WCDMA band V

Test Mode: Release 99




Channel 4132 30MHz~1GHz(dBm)




Channel 4132 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSDPA




Channel 4132 30MHz~1GHz(dBm)




Channel 4132 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSUPA



Channel 4132 30MHz~1GHz(dBm)




Channel 4132 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

### 5. Band Edges Compliance

WCDMA band V

Test Mode: Release 99



Channel 4132



Channel 4233

Test Mode: HSDPA




Channel 4132




Channel 4233

Test Mode: HSUPA




Channel 4132



Channel 4233

Test Mode: HSPA+



Channel 4132



Channel 4233

**6. Frequency Stability**  
WCDMA band V


Mode	Temperature (°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
Release 99	-10	0.000	0.001	0.000
Release 99	0	0.001	0.001	-0.001
Release 99	+10	0.001	-0.001	-0.001
Release 99	+30	0.000	0.001	0.002
Release 99	+40	-0.001	-0.001	0.001
Release 99	+55	0.000	0.000	0.000
Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
Release 99	LV	0.002	0.001	0.001
Release 99	HV	0.000	0.001	0.001

Mode	Temperature (°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
HSDPA	-10	-0.001	0.000	0.001
HSDPA	0	0.000	0.000	0.000
HSDPA	+10	0.000	0.001	0.000
HSDPA	+30	0.001	0.006	0.001
HSDPA	+40	0.001	-0.001	-0.001
HSDPA	+55	0.000	0.002	-0.001
Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
HSDPA	LV	-0.001	0.000	0.000
HSDPA	HV	0.000	0.001	-0.001


Mode	Temperature (°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
HSUPA	-10	-0.002	-0.001	0.000
HSUPA	0	0.001	0.000	0.001
HSUPA	+10	-0.002	-0.001	0.001
HSUPA	+30	0.001	-0.001	0.001
HSUPA	+40	0.000	-0.002	0.001
HSUPA	+55	0.004	-0.001	0.001
Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
HSUPA	LV	0.004	-0.001	0.001
HSUPA	HV	-0.001	-0.001	0.000




**7. Peak-Average Ratio**  
WCDMA band V  
Test Mode: Release 99



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSDPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSUPA



Channel 4132



Channel 4183



Channel 4233

## 8. Effective Radiated Power and Effective Isotropic Radiated Power

WCDMA band V

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
Release 99	RMC,12.2kbps	836.6	4183	23.73	18.08	0.064
Release 99	RMC,12.2kbps	846.6	4233	23.69	18.04	0.064
Release 99	RMC,12.2kbps	826.4	4132	23.65	18.00	0.063

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSDPA	Subtest1	826.4	4132	22.25	16.60	0.046
HSDPA	Subtest1	836.6	4183	22.45	16.80	0.048
HSDPA	Subtest1	846.6	4233	22.13	16.48	0.044
HSDPA	Subtest2	826.4	4132	21.95	16.30	0.043
HSDPA	Subtest2	836.6	4183	22.16	16.51	0.045
HSDPA	Subtest2	846.6	4233	21.82	16.17	0.041
HSDPA	Subtest3	826.4	4132	21.66	16.01	0.040
HSDPA	Subtest3	836.6	4183	21.89	16.24	0.042
HSDPA	Subtest3	846.6	4233	21.63	15.98	0.040
HSDPA	Subtest4	826.4	4132	21.56	15.91	0.039
HSDPA	Subtest4	836.6	4183	-65.3	-70.95	0.000
HSDPA	Subtest4	846.6	4233	21.52	15.87	0.039

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSUPA	Subtest1	826.4	4132	23.09	17.44	0.055
HSUPA	Subtest1	836.6	4183	23.27	17.62	0.058
HSUPA	Subtest1	846.6	4233	22.73	17.08	0.051
HSUPA	Subtest2	826.4	4132	23.09	17.44	0.055
HSUPA	Subtest2	836.6	4183	23.21	17.56	0.057
HSUPA	Subtest2	846.6	4233	22.75	17.10	0.051
HSUPA	Subtest3	826.4	4132	23.05	17.40	0.055
HSUPA	Subtest3	836.6	4183	23.23	17.58	0.057
HSUPA	Subtest3	846.6	4233	22.76	17.11	0.051
HSUPA	Subtest4	826.4	4132	23.08	17.43	0.055

HSUPA	Subtest4	836.6	4183	23.23	17.58	0.057
HSUPA	Subtest4	846.6	4233	22.74	17.09	0.051
HSUPA	Subtest5	826.4	4132	23.01	17.36	0.054
HSUPA	Subtest5	836.6	4183	23.2	17.55	0.057
HSUPA	Subtest5	846.6	4233	22.62	16.97	0.050

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSPA+	QPSK	826.4	4132	23	17.35	0.054
HSPA+	QPSK	836.6	4183	23.26	17.61	0.058
HSPA+	QPSK	846.6	4233	22.73	17.08	0.051
HSPA+	16QAM	826.4	4132	23.03	17.38	0.055
HSPA+	16QAM	836.6	4183	23.27	17.62	0.058
HSPA+	16QAM	846.6	4233	22.74	17.09	0.051

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DC-HSDPA	Subtest1	826.4	4132	22.98	17.33	0.054
DC-HSDPA	Subtest1	836.6	4183	23.21	17.56	0.057
DC-HSDPA	Subtest1	846.6	4233	22.74	17.09	0.051
DC-HSDPA	Subtest2	826.4	4132	23	17.35	0.054
DC-HSDPA	Subtest2	836.6	4183	23.22	17.57	0.057
DC-HSDPA	Subtest2	846.6	4233	22.74	17.09	0.051
DC-HSDPA	Subtest3	826.4	4132	23.03	17.38	0.055
DC-HSDPA	Subtest3	836.6	4183	23.23	17.58	0.057
DC-HSDPA	Subtest3	846.6	4233	22.75	17.10	0.051
DC-HSDPA	Subtest4	826.4	4132	22.97	17.32	0.054
DC-HSDPA	Subtest4	836.6	4183	23.23	17.58	0.057
DC-HSDPA	Subtest4	846.6	4233	22.75	17.10	0.051

## **APPENDIX B – TEST DATA OF RADIATED EMISSION**

### **Radiated Spurious Emissions**

Note: The worst channel results are reflected in the report.

Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan.

#### **WCDMA band 1**

Test result:

WCDMA Mode

Channel 9750

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
3898.125000	-62.14	-13.00	Vertical
5852.812500	-51.72	-13.00	Vertical
8644.218750	-55.40	-13.00	Vertical
10415.156250	-55.34	-13.00	Vertical
13455.000000	-52.48	-13.00	Vertical
14872.031250	-49.70	-13.00	Vertical

#### **WCDMA band II**

Test result:

WCDMA Mode:

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
3761.250000	-61.81	-13	Vertical
4798.125000	-59.75	-13	Vertical
5932.500000	-59.26	-13	Vertical
8650.781250	-54.88	-13	Vertical
14581.406250	-52.15	-13	Vertical
17293.593750	-44.67	-13	Vertical

#### **WCDMA band IV**

Test result:

WCDMA Mode:

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
4791.093750	-59.86	-13	Vertical
5912.812500	-59.26	-13	Vertical
7955.156250	-57.08	-13	Vertical
8751.562500	-55.10	-13	Vertical
14558.906250	-52.31	-13	Vertical
17303.906250	-44.33	-13	Vertical

WCDMA band V

Test result:

WCDMA Mode:

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
4340.625000	-61.57	-13	Vertical
4785.773438	-60.10	-13	Vertical
5909.460938	-59.11	-13	Vertical
7289.390625	-57.80	-13	Vertical
8660.789063	-55.42	-13	Vertical
11150.695313	-56.18	-13	Vertical

---The end of the test report---