

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	24.40
QPSK	1850.7	18607	1.4	1	3	23.24
QPSK	1850.7	18607	1.4	1	5	23.31
QPSK	1850.7	18607	1.4	3	0	23.38
QPSK	1850.7	18607	1.4	3	1	23.28
QPSK	1850.7	18607	1.4	3	3	23.35
QPSK	1850.7	18607	1.4	6	0	22.29
QPSK	1880	18900	1.4	1	0	23.32
QPSK	1880	18900	1.4	1	3	23.33
QPSK	1880	18900	1.4	1	5	23.35
QPSK	1880	18900	1.4	3	0	23.26
QPSK	1880	18900	1.4	3	1	23.33
QPSK	1880	18900	1.4	3	3	23.40
QPSK	1880	18900	1.4	6	0	22.30
QPSK	1909.3	19193	1.4	1	0	23.32
QPSK	1909.3	19193	1.4	1	3	23.30
QPSK	1909.3	19193	1.4	1	5	23.30
QPSK	1909.3	19193	1.4	3	0	23.13
QPSK	1909.3	19193	1.4	3	1	23.27
QPSK	1909.3	19193	1.4	3	3	23.14
QPSK	1909.3	19193	1.4	6	0	22.18

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	22.65
16QAM	1850.7	18607	1.4	1	3	22.52
16QAM	1850.7	18607	1.4	1	5	22.16
16QAM	1850.7	18607	1.4	3	0	22.68
16QAM	1850.7	18607	1.4	3	1	22.62
16QAM	1850.7	18607	1.4	3	3	22.55
16QAM	1850.7	18607	1.4	6	0	21.22
16QAM	1880	18900	1.4	1	0	22.78
16QAM	1880	18900	1.4	1	3	22.15
16QAM	1880	18900	1.4	1	5	22.29
16QAM	1880	18900	1.4	3	0	22.40
16QAM	1880	18900	1.4	3	1	22.36
16QAM	1880	18900	1.4	3	3	22.49
16QAM	1880	18900	1.4	6	0	21.33
16QAM	1909.3	19193	1.4	1	0	22.16
16QAM	1909.3	19193	1.4	1	3	22.11
16QAM	1909.3	19193	1.4	1	5	22.10
16QAM	1909.3	19193	1.4	3	0	22.48
16QAM	1909.3	19193	1.4	3	1	22.45
16QAM	1909.3	19193	1.4	3	3	22.47
16QAM	1909.3	19193	1.4	6	0	21.11
64QAM	1850.7	18607	1.4	1	0	21.48
64QAM	1850.7	18607	1.4	1	3	21.90
64QAM	1850.7	18607	1.4	1	5	21.25
64QAM	1850.7	18607	1.4	3	0	21.29
64QAM	1850.7	18607	1.4	3	1	21.23
64QAM	1850.7	18607	1.4	3	3	21.36
64QAM	1850.7	18607	1.4	6	0	19.86
64QAM	1880	18900	1.4	1	0	21.08
64QAM	1880	18900	1.4	1	3	21.09
64QAM	1880	18900	1.4	1	5	21.34
64QAM	1880	18900	1.4	3	0	21.04
64QAM	1880	18900	1.4	3	1	21.15
64QAM	1880	18900	1.4	3	3	21.18
64QAM	1880	18900	1.4	6	0	20.20
64QAM	1909.3	19193	1.4	1	0	21.42
64QAM	1909.3	19193	1.4	1	3	21.43
64QAM	1909.3	19193	1.4	1	5	21.42
64QAM	1909.3	19193	1.4	3	0	21.19
64QAM	1909.3	19193	1.4	3	1	21.14
64QAM	1909.3	19193	1.4	3	3	21.22
64QAM	1909.3	19193	1.4	6	0	20.26

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	23.32
QPSK	1851.5	18615	3	1	8	23.49
QPSK	1851.5	18615	3	1	14	23.23
QPSK	1851.5	18615	3	8	0	22.19
QPSK	1851.5	18615	3	8	4	22.18
QPSK	1851.5	18615	3	8	7	22.14
QPSK	1851.5	18615	3	15	0	22.25
QPSK	1880	18900	3	1	0	23.23
QPSK	1880	18900	3	1	8	23.34
QPSK	1880	18900	3	1	14	23.41
QPSK	1880	18900	3	8	0	22.30
QPSK	1880	18900	3	8	4	22.36
QPSK	1880	18900	3	8	7	22.32
QPSK	1880	18900	3	15	0	22.31
QPSK	1908.5	19185	3	1	0	23.17
QPSK	1908.5	19185	3	1	8	23.19
QPSK	1908.5	19185	3	1	14	23.28
QPSK	1908.5	19185	3	8	0	22.21
QPSK	1908.5	19185	3	8	4	22.08
QPSK	1908.5	19185	3	8	7	22.10
QPSK	1908.5	19185	3	15	0	22.17

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	22.71
16QAM	1851.5	18615	3	1	8	22.76
16QAM	1851.5	18615	3	1	14	22.69
16QAM	1851.5	18615	3	8	0	21.47
16QAM	1851.5	18615	3	8	4	21.43
16QAM	1851.5	18615	3	8	7	21.39
16QAM	1851.5	18615	3	15	0	21.57
16QAM	1880	18900	3	1	0	22.67
16QAM	1880	18900	3	1	8	22.22
16QAM	1880	18900	3	1	14	22.67
16QAM	1880	18900	3	8	0	21.39
16QAM	1880	18900	3	8	4	21.37
16QAM	1880	18900	3	8	7	21.39
16QAM	1880	18900	3	15	0	21.31
16QAM	1908.5	19185	3	1	0	22.48
16QAM	1908.5	19185	3	1	8	22.31
16QAM	1908.5	19185	3	1	14	22.57
16QAM	1908.5	19185	3	8	0	21.21
16QAM	1908.5	19185	3	8	4	21.30
16QAM	1908.5	19185	3	8	7	21.21
16QAM	1908.5	19185	3	15	0	21.20
64QAM	1851.5	18615	3	1	0	21.68
64QAM	1851.5	18615	3	1	8	21.47
64QAM	1851.5	18615	3	1	14	21.69
64QAM	1851.5	18615	3	8	0	19.92
64QAM	1851.5	18615	3	8	4	19.86
64QAM	1851.5	18615	3	8	7	19.74
64QAM	1851.5	18615	3	15	0	20.04
64QAM	1880	18900	3	1	0	21.25
64QAM	1880	18900	3	1	8	21.30
64QAM	1880	18900	3	1	14	21.05
64QAM	1880	18900	3	8	0	20.06
64QAM	1880	18900	3	8	4	19.76
64QAM	1880	18900	3	8	7	19.83
64QAM	1880	18900	3	15	0	20.28
64QAM	1908.5	19185	3	1	0	20.67
64QAM	1908.5	19185	3	1	8	21.37
64QAM	1908.5	19185	3	1	14	21.06
64QAM	1908.5	19185	3	8	0	19.99
64QAM	1908.5	19185	3	8	4	19.97
64QAM	1908.5	19185	3	8	7	19.99
64QAM	1908.5	19185	3	15	0	20.12

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	23.11
QPSK	1852.5	18625	5	1	12	23.24
QPSK	1852.5	18625	5	1	24	23.17
QPSK	1852.5	18625	5	12	0	22.40
QPSK	1852.5	18625	5	12	7	22.17
QPSK	1852.5	18625	5	12	13	22.30
QPSK	1852.5	18625	5	25	0	22.27
QPSK	1880	18900	5	1	0	23.16
QPSK	1880	18900	5	1	12	23.29
QPSK	1880	18900	5	1	24	23.33
QPSK	1880	18900	5	12	0	22.18
QPSK	1880	18900	5	12	7	22.36
QPSK	1880	18900	5	12	13	22.35
QPSK	1880	18900	5	25	0	22.24
QPSK	1907.5	19175	5	1	0	23.51
QPSK	1907.5	19175	5	1	12	23.47
QPSK	1907.5	19175	5	1	24	23.40
QPSK	1907.5	19175	5	12	0	22.13
QPSK	1907.5	19175	5	12	7	22.20
QPSK	1907.5	19175	5	12	13	22.08
QPSK	1907.5	19175	5	25	0	22.21

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	22.83
16QAM	1852.5	18625	5	1	12	22.91
16QAM	1852.5	18625	5	1	24	22.52
16QAM	1852.5	18625	5	12	0	21.34
16QAM	1852.5	18625	5	12	7	21.18
16QAM	1852.5	18625	5	12	13	21.39
16QAM	1852.5	18625	5	25	0	21.27
16QAM	1880	18900	5	1	0	22.65
16QAM	1880	18900	5	1	12	22.66
16QAM	1880	18900	5	1	24	22.83
16QAM	1880	18900	5	12	0	21.44
16QAM	1880	18900	5	12	7	21.35
16QAM	1880	18900	5	12	13	21.33
16QAM	1880	18900	5	25	0	21.31
16QAM	1907.5	19175	5	1	0	22.24
16QAM	1907.5	19175	5	1	12	22.04
16QAM	1907.5	19175	5	1	24	22.08
16QAM	1907.5	19175	5	12	0	21.22
16QAM	1907.5	19175	5	12	7	21.28
16QAM	1907.5	19175	5	12	13	21.33
16QAM	1907.5	19175	5	25	0	21.28
64QAM	1852.5	18625	5	1	0	21.32
64QAM	1852.5	18625	5	1	12	21.14
64QAM	1852.5	18625	5	1	24	21.48
64QAM	1852.5	18625	5	12	0	19.76
64QAM	1852.5	18625	5	12	7	19.76
64QAM	1852.5	18625	5	12	13	19.82
64QAM	1852.5	18625	5	25	0	19.59
64QAM	1880	18900	5	1	0	21.16
64QAM	1880	18900	5	1	12	21.68
64QAM	1880	18900	5	1	24	21.19
64QAM	1880	18900	5	12	0	20.29
64QAM	1880	18900	5	12	7	19.88
64QAM	1880	18900	5	12	13	19.89
64QAM	1880	18900	5	25	0	20.11
64QAM	1907.5	19175	5	1	0	21.21
64QAM	1907.5	19175	5	1	12	21.33
64QAM	1907.5	19175	5	1	24	21.50
64QAM	1907.5	19175	5	12	0	20.17
64QAM	1907.5	19175	5	12	7	20.29
64QAM	1907.5	19175	5	12	13	20.33
64QAM	1907.5	19175	5	25	0	20.19

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	23.48
QPSK	1855	18650	10	1	25	23.44
QPSK	1855	18650	10	1	49	23.52
QPSK	1855	18650	10	25	0	22.26
QPSK	1855	18650	10	25	12	22.32
QPSK	1855	18650	10	25	25	22.19
QPSK	1855	18650	10	50	0	22.08
QPSK	1880	18900	10	1	0	23.46
QPSK	1880	18900	10	1	25	23.53
QPSK	1880	18900	10	1	49	23.70
QPSK	1880	18900	10	25	0	22.19
QPSK	1880	18900	10	25	12	22.14
QPSK	1880	18900	10	25	25	22.33
QPSK	1880	18900	10	50	0	22.31
QPSK	1905	19150	10	1	0	23.25
QPSK	1905	19150	10	1	25	23.30
QPSK	1905	19150	10	1	49	23.23
QPSK	1905	19150	10	25	0	22.12
QPSK	1905	19150	10	25	12	22.11
QPSK	1905	19150	10	25	25	22.07
QPSK	1905	19150	10	50	0	22.12

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	22.22
16QAM	1855	18650	10	1	25	22.16
16QAM	1855	18650	10	1	49	22.04
16QAM	1855	18650	10	25	0	21.43
16QAM	1855	18650	10	25	12	21.58
16QAM	1855	18650	10	25	25	21.56
16QAM	1855	18650	10	50	0	21.41
16QAM	1880	18900	10	1	0	22.29
16QAM	1880	18900	10	1	25	22.21
16QAM	1880	18900	10	1	49	22.23
16QAM	1880	18900	10	25	0	21.45
16QAM	1880	18900	10	25	12	21.43
16QAM	1880	18900	10	25	25	21.53
16QAM	1880	18900	10	50	0	21.27
16QAM	1905	19150	10	1	0	22.62
16QAM	1905	19150	10	1	25	22.47
16QAM	1905	19150	10	1	49	22.51
16QAM	1905	19150	10	25	0	21.09
16QAM	1905	19150	10	25	12	21.16
16QAM	1905	19150	10	25	25	21.15
16QAM	1905	19150	10	50	0	21.17
64QAM	1855	18650	10	1	0	21.61
64QAM	1855	18650	10	1	25	21.70
64QAM	1855	18650	10	1	49	21.78
64QAM	1855	18650	10	25	0	19.76
64QAM	1855	18650	10	25	12	19.77
64QAM	1855	18650	10	25	25	20.11
64QAM	1855	18650	10	50	0	19.78
64QAM	1880	18900	10	1	0	21.30
64QAM	1880	18900	10	1	25	21.99
64QAM	1880	18900	10	1	49	21.35
64QAM	1880	18900	10	25	0	19.76
64QAM	1880	18900	10	25	12	20.20
64QAM	1880	18900	10	25	25	19.83
64QAM	1880	18900	10	50	0	20.18
64QAM	1905	19150	10	1	0	21.33
64QAM	1905	19150	10	1	25	21.24
64QAM	1905	19150	10	1	49	21.20
64QAM	1905	19150	10	25	0	19.60
64QAM	1905	19150	10	25	12	19.82
64QAM	1905	19150	10	25	25	19.98
64QAM	1905	19150	10	50	0	19.72

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	23.19
QPSK	1857.5	18675	15	1	37	23.31
QPSK	1857.5	18675	15	1	74	23.25
QPSK	1857.5	18675	15	36	0	22.33
QPSK	1857.5	18675	15	36	29	22.13
QPSK	1857.5	18675	15	36	30	22.16
QPSK	1857.5	18675	15	75	0	22.19
QPSK	1880	18900	15	1	0	23.28
QPSK	1880	18900	15	1	37	23.29
QPSK	1880	18900	15	1	74	23.36
QPSK	1880	18900	15	36	0	22.29
QPSK	1880	18900	15	36	29	22.16
QPSK	1880	18900	15	36	30	22.17
QPSK	1880	18900	15	75	0	22.21
QPSK	1902.5	19125	15	1	0	23.31
QPSK	1902.5	19125	15	1	37	23.06
QPSK	1902.5	19125	15	1	74	23.07
QPSK	1902.5	19125	15	36	0	22.34
QPSK	1902.5	19125	15	36	29	22.24
QPSK	1902.5	19125	15	36	30	22.20
QPSK	1902.5	19125	15	75	0	22.24

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	22.77
16QAM	1857.5	18675	15	1	37	22.55
16QAM	1857.5	18675	15	1	74	22.98
16QAM	1857.5	18675	15	36	0	21.28
16QAM	1857.5	18675	15	36	29	21.28
16QAM	1857.5	18675	15	36	30	21.22
16QAM	1857.5	18675	15	75	0	21.40
16QAM	1880	18900	15	1	0	22.91
16QAM	1880	18900	15	1	37	22.82
16QAM	1880	18900	15	1	74	22.50
16QAM	1880	18900	15	36	0	21.30
16QAM	1880	18900	15	36	29	21.33
16QAM	1880	18900	15	36	30	21.28
16QAM	1880	18900	15	75	0	21.38
16QAM	1902.5	19125	15	1	0	23.25
16QAM	1902.5	19125	15	1	37	22.70
16QAM	1902.5	19125	15	1	74	22.59
16QAM	1902.5	19125	15	36	0	21.38
16QAM	1902.5	19125	15	36	29	21.18
16QAM	1902.5	19125	15	36	30	21.17
16QAM	1902.5	19125	15	75	0	21.23
64QAM	1857.5	18675	15	1	0	21.24
64QAM	1857.5	18675	15	1	37	21.60
64QAM	1857.5	18675	15	1	74	21.19
64QAM	1857.5	18675	15	36	0	19.88
64QAM	1857.5	18675	15	36	29	19.84
64QAM	1857.5	18675	15	36	30	19.79
64QAM	1857.5	18675	15	75	0	20.32
64QAM	1880	18900	15	1	0	20.66
64QAM	1880	18900	15	1	37	21.27
64QAM	1880	18900	15	1	74	21.40
64QAM	1880	18900	15	36	0	19.90
64QAM	1880	18900	15	36	29	19.77
64QAM	1880	18900	15	36	30	19.80
64QAM	1880	18900	15	75	0	20.09
64QAM	1902.5	19125	15	1	0	21.22
64QAM	1902.5	19125	15	1	37	21.14
64QAM	1902.5	19125	15	1	74	21.37
64QAM	1902.5	19125	15	36	0	19.58
64QAM	1902.5	19125	15	36	29	19.81
64QAM	1902.5	19125	15	36	30	19.79
64QAM	1902.5	19125	15	75	0	19.77

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	23.29
QPSK	1860	18700	20	1	49	23.14
QPSK	1860	18700	20	1	99	23.35
QPSK	1860	18700	20	50	0	22.17
QPSK	1860	18700	20	50	24	22.24
QPSK	1860	18700	20	50	50	22.37
QPSK	1860	18700	20	100	0	22.32
QPSK	1880	18900	20	1	0	23.55
QPSK	1880	18900	20	1	49	23.48
QPSK	1880	18900	20	1	99	23.37
QPSK	1880	18900	20	50	0	22.41
QPSK	1880	18900	20	50	24	22.24
QPSK	1880	18900	20	50	50	22.28
QPSK	1880	18900	20	100	0	22.21
QPSK	1900	19100	20	1	0	23.22
QPSK	1900	19100	20	1	49	23.34
QPSK	1900	19100	20	1	99	23.34
QPSK	1900	19100	20	50	0	22.12
QPSK	1900	19100	20	50	24	22.35
QPSK	1900	19100	20	50	50	22.12
QPSK	1900	19100	20	100	0	22.32

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	22.63
16QAM	1860	18700	20	1	49	22.57
16QAM	1860	18700	20	1	99	22.56
16QAM	1860	18700	20	50	0	21.14
16QAM	1860	18700	20	50	24	21.33
16QAM	1860	18700	20	50	50	21.42
16QAM	1860	18700	20	100	0	21.40
16QAM	1880	18900	20	1	0	22.24
16QAM	1880	18900	20	1	49	22.76
16QAM	1880	18900	20	1	99	22.86
16QAM	1880	18900	20	50	0	21.45
16QAM	1880	18900	20	50	24	21.33
16QAM	1880	18900	20	50	50	21.37
16QAM	1880	18900	20	100	0	21.32
16QAM	1900	19100	20	1	0	22.32
16QAM	1900	19100	20	1	49	22.68
16QAM	1900	19100	20	1	99	23.01
16QAM	1900	19100	20	50	0	21.20
16QAM	1900	19100	20	50	24	21.30
16QAM	1900	19100	20	50	50	21.26
16QAM	1900	19100	20	100	0	21.30
64QAM	1860	18700	20	1	0	21.45
64QAM	1860	18700	20	1	49	21.64
64QAM	1860	18700	20	1	99	21.17
64QAM	1860	18700	20	50	0	20.02
64QAM	1860	18700	20	50	24	19.87
64QAM	1860	18700	20	50	50	19.95
64QAM	1860	18700	20	100	0	19.83
64QAM	1880	18900	20	1	0	21.32
64QAM	1880	18900	20	1	49	20.73
64QAM	1880	18900	20	1	99	21.48
64QAM	1880	18900	20	50	0	19.79
64QAM	1880	18900	20	50	24	20.26
64QAM	1880	18900	20	50	50	19.93
64QAM	1880	18900	20	100	0	20.22
64QAM	1900	19100	20	1	0	21.36
64QAM	1900	19100	20	1	49	20.90
64QAM	1900	19100	20	1	99	21.63
64QAM	1900	19100	20	50	0	19.70
64QAM	1900	19100	20	50	24	19.72
64QAM	1900	19100	20	50	50	19.78
64QAM	1900	19100	20	100	0	19.70

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.080	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.080	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.080	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.680	Fig.4
2	QPSK	1880	18900	3	15	0	2.680	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.680	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.450	Fig.7
2	QPSK	1880	18900	5	25	0	4.460	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.450	Fig.9
2	QPSK	1855	18650	10	50	0	8.900	Fig.10
2	QPSK	1880	18900	10	50	0	8.930	Fig.11
2	QPSK	1905	19150	10	50	0	8.900	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.350	Fig.13
2	QPSK	1880	18900	15	75	0	13.390	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.390	Fig.15
2	QPSK	1860	18700	20	100	0	17.830	Fig.16
2	QPSK	1880	18900	20	100	0	17.870	Fig.17
2	QPSK	1900	19100	20	100	0	17.840	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.070	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.070	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.070	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.670	Fig.22
2	16QAM	1880	18900	3	15	0	2.680	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.680	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.450	Fig.25
2	16QAM	1880	18900	5	25	0	4.460	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.450	Fig.27
2	16QAM	1855	18650	10	50	0	8.900	Fig.28
2	16QAM	1880	18900	10	50	0	8.920	Fig.29
2	16QAM	1905	19150	10	50	0	8.910	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.370	Fig.31
2	16QAM	1880	18900	15	75	0	13.380	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.360	Fig.33
2	16QAM	1860	18700	20	100	0	17.860	Fig.34
2	16QAM	1880	18900	20	100	0	17.870	Fig.35
2	16QAM	1900	19100	20	100	0	17.850	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.070	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.080	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.080	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.680	Fig.40
2	64QAM	1880	18900	3	15	0	2.670	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.670	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.460	Fig.43
2	64QAM	1880	18900	5	25	0	4.460	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.460	Fig.45
2	64QAM	1855	18650	10	50	0	8.920	Fig.46
2	64QAM	1880	18900	10	50	0	8.930	Fig.47
2	64QAM	1905	19150	10	50	0	8.900	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.390	Fig.49
2	64QAM	1880	18900	15	75	0	13.380	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.370	Fig.51
2	64QAM	1860	18700	20	100	0	17.820	Fig.52
2	64QAM	1880	18900	20	100	0	17.870	Fig.53
2	64QAM	1900	19100	20	100	0	17.860	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42